

November 1987

ISSN 0 009-2614

CHEMICAL PHYSICS LETTERS

Editors: **A.D. BUCKINGHAM**

R.B. BERNSTEIN

MASTER INDEX VOLUMES 131-140

OCTOBER 1986 – OCTOBER 1987



NORTH-HOLLAND

EDITORS: A.D. BUCKINGHAM, R.B. BERNSTEIN
Assistant Editor: J. Baker, Cambridge, UK

FOUNDING EDITORS: G.J. HOYTINK, L. JANSEN
FORMER EDITOR: R.N. ZARE

ADVISORY EDITORIAL BOARD

Australia

D.P. CRAIG, F.R.S., Canberra
J.W. WHITE, Canberra

Canada

P.R. BUNKER, Ottawa
R.J. LE ROY, Waterloo
C.A. McDOWELL, Vancouver
W. SIEBRAND, Ottawa

Czechoslovakia

Z. HERMAN, Prague

Finland

P. PYYKKÖ, Helsinki

France

J. DURUP, Toulouse
J.E. ENDERBY, F.R.S., Grenoble
S. LEACH, Orsay
A. PULLMAN, Paris
L. SALEM, Orsay
B. SOEP, Orsay

Germany

L.S. CEDERBAUM, Heidelberg
W. DEMTRÖDER, Kaiserslautern
G.L. HOFACKER, Garching
W. KAISER, Munich
E.E. KOCH, Berlin
E.W. SCHLAG, Garching
J. TROE, Göttingen
K.H. WELGE, Bielefeld
H.C. WOLF, Stuttgart

India

C.N.R. RAO, F.R.S., Bangalore

Israel

J. JORTNER, Tel Aviv
R.D. LEVINE, Jerusalem

Italy

V. AQUILANTI, Perugia
G. ZERBI, Milan

Japan

Y. HATANO, Tokyo
M. ITO, Sendai
K. KUCHITSU, Tokyo
K. MOROKUMA, Okazaki
S. NAGAKURA, Okazaki

Poland

Z.R. GRABOWSKI, Warsaw
W. KOŁOS, Warsaw

Sweden

B.O. ROOS, Lund
K. SIEGBAHN, Uppsala

Switzerland

R.R. ERNST, Zurich
C.K. JØRGENSEN, Geneva
J.P. MAIER, Basel
M. QUACK, Zurich

The Netherlands

S. STOLTE, Nijmegen
J.H. VAN DER WAALS, Leyden
D.A. WIERSMA, Groningen

United Kingdom

N.M. ATHERTON, Sheffield
M.S. CHILD, Oxford
R.N. DIXON, F.R.S., Bristol
N.C. HANDY, Cambridge
B.J. HOWARD, Oxford
S.F. MASON, F.R.S., London
J.N. MURRELL, Brighton
D. PHILLIPS, London
J.S. ROWLINSON, F.R.S., Oxford
J.P. SIMONS, Nottingham
D. SMITH, Birmingham
I.W.M. SMITH, Birmingham
A.J. STONE, Cambridge
B. THRUSH, F.R.S., Cambridge

USA

E.R. ANDREW, F.R.S., Gainesville, FL
D.J. AUERBACH, San Jose, CA
J.L. BEAUCHAMP, Pasadena, CA
V.E. BONDYBEY, Columbus, OH
A. DALGARNO, F.R.S., Cambridge, MA
K.B. EISENTHAL, New York, NY
M.D. FAYER, Stanford, CA
G.W. FLYNN, Columbia, NY
T.E. FURTAK, Golden, CO
W.M. GELBART, Los Angeles, CA
D.M. GOLDEN, Menlo Park, CA
L. GOODMAN, New Brunswick, NJ
R.M. HOCHSTRASSER, Philadelphia, PA
Y.T. LEE, Berkeley, CA
S.R. LEONE, Boulder, CO
W.C. LINEBERGER, Boulder, CO
R.A. MARCUS, Pasadena, CA
H. METIU, Santa Barbara, CA
W.H. MILLER, Berkeley, CA
N.Y. ÖHRN, Gainesville, FL
A. PINES, Berkeley, CA
J.W. RABALAIS, Houston, TX
S.A. RICE, Chicago, IL
H.F. SCHAEFER III, Athens, GA
D.W. SETSER, Manhattan, KS
R. SILBEY, Cambridge, MA
R.E. SMALLEY, Houston, TX
B. STEVENS, Tampa, FL
W.C. STWALLEY, Iowa City, IA
J.K. THOMAS, Notre Dame, IN
D.G. TRUHLAR, Minneapolis, MN
R.S. WILLIAMS, Los Angeles, CA
C. WITTIG, Los Angeles, CA
R.N. ZARE, Stanford, CA
A.H. ZEWAIL, Pasadena, CA

USSR

V.I. GOLDANSKII, Moscow
E. LIPPMAA, Tallinn
Yu.N. MOLIN, Novosibirsk
E.E. NIKITIN, Moscow

Yugoslavia

D. HADŽI, Ljubljana

Contributions should, preferably, be sent to a member of the Advisory Editorial Board who is familiar with the research reported, or to one of the Editors:

A.D. BUCKINGHAM, F.R.S.
Editor of Chemical Physics Letters
University Chemical Laboratory
Lensfield Road
Cambridge CB2 1EW, UK

R.B. BERNSTEIN
Editor of Chemical Physics Letters
Department of Chemistry, University of California, Los Angeles
405 Hilgard Avenue
Los Angeles, CA 90024, USA

Important: please adhere to instructions to authors, to be found on the last page of each volume.

Chemical Physics Letters is published weekly. For 1987, 11 volumes (66 issues) have been announced. The subscription price for these volumes is Dfl. 4290.00 (US\$ 2145.00). Postage and handling amount to Dfl. 275.00 (US\$ 137.50). Therefore the total price for 1987 is Dfl. 4565.00 (US\$ 2282.50). The Dutch guilder price is definitive, dollar prices are for guidance only. Claims for issues not received should be made within three months of publication. If not, they cannot be honoured free of charge.

Subscriptions should be sent to the publisher: ELSEVIER SCIENCE PUBLISHERS B.V., Journals Department, P.O. Box 211, 1000 AE Amsterdam, The Netherlands, or to any subscription agent or bookseller. For personal rates and conditions please contact the Publisher.

Elsevier Science Publishers B.V. All rights reserved. No part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without the prior permission of the publisher, Elsevier Science Publishers B.V. (North-Holland Physics Publishing Division), P.O. Box 103, 1000 AC Amsterdam, The Netherlands.

Special regulations for authors. Upon acceptance of an article by the journal, the author(s) will be asked to transfer copyright of the article to the publisher. This transfer will ensure the widest possible dissemination of information.

Submission to this journal of a paper entails the author's irrevocable and exclusive authorization of the publisher to collect any sums or considerations for copying or reproduction payable by third parties (as mentioned in article 17 paragraph 2 of the Dutch Copyright Act of 1912 and in the Royal Decree of June 20, 1974 (S.351) pursuant to article 16b of the Dutch Copyright Act of 1912) and/or to act in or out of Court in connection therewith.

Special regulations for readers in the USA. This journal has been registered with the Copyright Clearance Center, Inc. Consent is given for copyright of articles for personal or internal use, or for the personal use of specific clients. This consent is given on the condition that the copier pays through the Center the per-copy fee stated in the code on the first page of each article for copying beyond that permitted by Sections 107 or 108 of the US Copyright Law. The appropriate fee should be forwarded with a copy of the first page of the article to the Copyright Clearance Center, Inc., 21 Congress Street, Salem, MA 01970, USA. If no code appears in an article, the author has not given broad consent to copy and permission to copy must be obtained directly from the author. All articles published prior to 1981 may be copied for a per-copy fee of US\$ 2.25, also payable through the Center. This consent does not extend to other kinds of copying, such as for general distribution, resale, advertising and promotion purpose, or for creating new collective works. Special written permission must be obtained from the publisher for such copying.

EDITORS: A.D. BUCKINGHAM, R.B. BERNSTEIN
Assistant Editor: J. Baker, Cambridge, UK

FOUNDING EDITORS: G.J. HOYTINK, L. JANSEN
FORMER EDITOR: R.N. ZARE

ADVISORY EDITORIAL BOARD

Australia

D.P. CRAIG, F.R.S., Canberra
J.W. WHITE, Canberra

Canada

P.R. BUNKER, Ottawa
R.J. LE ROY, Waterloo
C.A. McDOWELL, Vancouver
W. SIEBRAND, Ottawa

Czechoslovakia

Z. HERMAN, Prague

Finland

P. PYYKKÖ, Helsinki

France

J. DURUP, Toulouse
J.E. ENDERBY, F.R.S., Grenoble
S. LEACH, Orsay
A. PULLMAN, Paris
L. SALEM, Orsay
B. SOEP, Orsay

Germany

L.S. CEDERBAUM, Heidelberg
W. DEMTRÖDER, Kaiserslautern
G.L. HOFACKER, Garching
W. KAISER, Munich
E.E. KOCH, Berlin
E.W. SCHLAG, Garching
J. TROE, Göttingen
K.H. WELGE, Bielefeld
H.C. WOLF, Stuttgart

India

C.N.R. RAO, F.R.S., Bangalore

Israel

J. JORTNER, Tel Aviv
R.D. LEVINE, Jerusalem

Italy

V. AQUILANTI, Perugia
G. ZERBI, Milan

Japan

Y. HATANO, Tokyo
M. ITO, Sendai
K. KUCHITSU, Tokyo
K. MOROKUMA, Okazaki
S. NAGAKURA, Okazaki

Poland

Z.R. GRABOWSKI, Warsaw
W. KOŁOS, Warsaw

Sweden

B.O. ROOS, Lund
K. SIEGBAHN, Uppsala

Switzerland

R.R. ERNST, Zurich
C.K. JØRGENSEN, Geneva
J.P. MAIER, Basel
M. QUACK, Zurich

The Netherlands

S. STOLTE, Nijmegen
J.H. VAN DER WAALS, Leyden
D.A. WIERSMA, Groningen

United Kingdom

N.M. ATHERTON, Sheffield
M.S. CHILD, Oxford
R.N. DIXON, F.R.S., Bristol
N.C. HANDY, Cambridge
B.J. HOWARD, Oxford
S.F. MASON, F.R.S., London
J.N. MURRELL, Brighton
D. PHILLIPS, London
J.S. ROWLINSON, F.R.S., Oxford
J.P. SIMONS, Nottingham
D. SMITH, Birmingham
I.W.M. SMITH, Birmingham
A.J. STONE, Cambridge
B. THRUSH, F.R.S., Cambridge

USA

E.R. ANDREW, F.R.S., Gainesville, FL
D.J. AUERBACH, San Jose, CA
J.L. BEAUCHAMP, Pasadena, CA
V.E. BONDYBEY, Columbus, OH
A. DALGARNO, F.R.S., Cambridge, MA
K.B. EISENTHAL, New York, NY
M.D. FAYER, Stanford, CA
G.W. FLYNN, Columbia, NY
T.E. FURTAK, Golden, CO
W.M. GELBART, Los Angeles, CA
D.M. GOLDEN, Menlo Park, CA
L. GOODMAN, New Brunswick, NJ
R.M. HOCHSTRASSER, Philadelphia, PA
Y.T. LEE, Berkeley, CA
S.R. LEONE, Boulder, CO
W.C. LINEBERGER, Boulder, CO
R.A. MARCUS, Pasadena, CA
H. METIU, Santa Barbara, CA
W.H. MILLER, Berkeley, CA
N.Y. ÖHRN, Gainesville, FL
A. PINES, Berkeley, CA
J.W. RABALAIS, Houston, TX
S.A. RICE, Chicago, IL
H.F. SCHAEFER III, Athens, GA
D.W. SETSER, Manhattan, KS
R. SILBEY, Cambridge, MA
R.E. SMALLEY, Houston, TX
B. STEVENS, Tampa, FL
W.C. STWALLEY, Iowa City, IA
J.K. THOMAS, Notre Dame, IN
D.G. TRUHLAR, Minneapolis, MN
R.S. WILLIAMS, Los Angeles, CA
C. WITTIG, Los Angeles, CA
R.N. ZARE, Stanford, CA
A.H. ZEWAHL, Pasadena, CA

USSR

V.I. GOLDANSKII, Moscow
E. LIPPMAA, Tallinn
Yu.N. MOLIN, Novosibirsk
E.E. NIKITIN, Moscow

Yugoslavia

D. HADŽI, Ljubljana

CHEMICAL PHYSICS LETTERS

Editors:

A.D. BUCKINGHAM, Cambridge

R.B. BERNSTEIN, Los Angeles

**MASTER INDEX VOLUMES 131-140
OCTOBER 1986 - OCTOBER 1987**



NORTH-HOLLAND - AMSTERDAM

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without the prior permission of the publisher, Elsevier Science Publishers B.V. (North-Holland Physics Publishing Division), P.O. Box 103, 1000 AC Amsterdam, The Netherlands.

Special regulations for authors. Upon acceptance of an article by the journal, the author(s) will be asked to transfer copyright of the article to the publisher. This transfer will ensure the widest possible dissemination of information.

Submission of this journal of a paper entails the author's irrevocable and exclusive authorization of the publisher to collect any sums or considerations for copying or reproduction payable by third parties (as mentioned in article 17 paragraph 2 of the Dutch Copyright Act of 1912 and in the Royal Decree of June 20, 1974 (S.351) pursuant to article 16b of the Dutch Copyright Act of 1912) and/or to act in or out of Court in connection therewith.

Special regulations for readers in the USA. This journal has been registered with the Copyright Clearance Center, Inc. Consent is given for copying of articles for personal or internal use, or for the personal use of specific clients. This consent is given on the condition that the copier pays through the Center the per-copy fee stated in the code on the first page of each article for copying beyond that permitted by Sections 107 or 108 of the US Copyright Law. The appropriate fee should be forwarded with a copy of the first page of the article to the Copyright Clearance Center, Inc., 21 Congress Street, Salem, MA 01970, USA. If no code appears in an article, the author has not given broad consent to copy and permission to copy must be obtained directly from the author. All Articles published prior to 1981 may be copied for a per-copy fee of US \$2.25, also payable through the Center. This consent does not extend to other kinds of copying, such as for general distribution, resale, advertising and promotion purposes, or for creating new collective works. Special written permission must be obtained from the publisher for such copying.

LIST OF ADVISORY EDITORS

- Professor E.R. Andrew, F.R.S., Department of Physics, University of Florida, Gainesville, FL 32611, USA
- Professor V. Aquilanti, Dipartimento di Chimica dell'Università, via Elce di Sotto 8, 06100 Perugia, Italy
- Professor N.M. Atherton, Department of Chemistry, The University, Sheffield S3 7HF, UK
- Dr. D.J. Auerbach, IBM, Almaden Research Center, 650 Harry Road, K 31/802, San Jose, CA 95120-6099, USA
- Professor J.L. Beauchamp, A.A. Noyes Laboratory of Chemical Physics 127-72, California Institute of Technology, Pasadena, CA 91125, USA
- Dr. V.E. Bondybey, Department of Chemistry, Ohio State University, 120 West 18th Avenue, Columbus, OH 43210, USA
- Dr. P.R. Bunker, Herzberg Institute of Astrophysics, National Research Council of Canada, Ottawa, Ontario, Canada K1A 0R6
- Professor L.S. Cederbaum, Theoretische Chemie, Institut für Physikalische Chemie, Universität Heidelberg, Im Neuenheimer Feld 253, D-6900 Heidelberg, Germany
- Dr. M.S. Child, Department of Theoretical Chemistry, 1 South Parks Road, Oxford OX1 3TG, UK
- Professor D.P. Craig, F.R.S., Research School of Chemistry, Australian National University, Canberra, A.C.T. 2601, Australia
- Professor A. Dalgarno, F.R.S., Harvard College Observatory and Smithsonian Astrophysical Observatory, 60 Garden Street, Cambridge, MA 02138, USA
- Professor Dr. W. Demtröder, Fachbereich Physik, Universität Kaiserslautern, D-6750 Kaiserslautern, Germany
- Professor R.N. Dixon, F.R.S., Department of Theoretical Chemistry, School of Chemistry, University of Bristol, Cantock's Close, Bristol BS8 1TS, UK
- Professor J. Durup, Laboratoire de Physique Quantique, 118 route de Narbonne, 31062 Toulouse Cedex, France
- Professor K.B. Eisenthal, Department of Chemistry, Columbia University, Havemeyer Hall, 116th Street and Broadway, New York, NY 10027, USA
- Professor J.E. Enderby, F.R.S., Institut Laue-Langevin, 156X, 38042 Grenoble Cedex, France
- Professor Dr. R.R. Ernst, Laboratorium für Physikalische Chemie, ETH Zentrum, CH-8092 Zurich, Switzerland
- Professor M.D. Fayer, Department of Chemistry, Stanford University, Stanford, CA 94305, USA
- Professor G.W. Flynn, Columbia Radiation Laboratory, Department of Physics, Columbia University, 538 West 120th Street, New York, NY 10027, USA
- Professor T.E. Furtak, Department of Physics, Colorado School of Mines, Golden, CO 80401, USA

LIST OF ADVISORY EDITORS

- Professor W.M. Gelbart, Department of Chemistry and Biochemistry, University of California, Los Angeles, CA 90024, USA
- Academician Professor V.I. Goldanskii, Institute of Chemical Physics, Academy of Sciences of the USSR, Ulitsa Kossygina 4, 117334 Moscow, USSR
- Dr. D.M. Golden, Director, Department of Chemical Kinetics, SRI International, 333 Ravenswood Avenue, Menlo Park, CA 94025, USA
- Professor L. Goodman, School of Chemistry, Wright and Rieman Chemical Laboratories, Rutgers State University, New Brunswick, NJ 08903, USA
- Professor Dr. Z.R. Grabowski, Institute of Physical Chemistry, Polish Academy of Sciences, 44/52 Kasprzaka, Warsaw 42, Poland
- Professor D. Hadži, Kemijski Institut "Boris Kidrič", Hajdrihova 19, YU-61001 Ljubljana, Yugoslavia
- Dr. N.C. Handy, University Chemical Laboratory, Lensfield Road, Cambridge CB2 1EW, UK
- Professor Y. Hatano, Department of Chemistry, Tokyo Institute of Technology, O-okayama, Meguro-ku, Tokyo 152, Japan
- Dr. Z. Herman, J. Heyrovský Institute of Physical Chemistry and Electrochemistry, Czechoslovak Academy of Sciences, Máchova 7, 121 38 Prague 2, Czechoslovakia
- Professor R.M. Hochstrasser, Department of Chemistry/D5, University of Pennsylvania, Philadelphia, PA 19104, USA
- Professor Dr. G.L. Hofacker, Lehrstuhl für Theoretische Chemie, Technische Universität München, Lichtenbergstrasse 4, D-8046 Garching near Munich, Germany
- Dr. B.J. Howard, Physical Chemistry Laboratory, Oxford University, South Parks Road, Oxford OX1 3QZ, UK
- Professor M. Ito, Department of Chemistry, Faculty of Science, Tohoku University, Sendai 980, Japan
- Professor C.K. Jørgensen, Département de Chimie Minérale, Analytique et Appliquée, 30 Quai Ansermet, CH-1211 Geneva 4, Switzerland
- Professor J. Jortner, Institute of Chemistry, Tel-Aviv University, 61390 Ramat Aviv, Tel Aviv, Israel
- Professor Dr. W. Kaiser, Fakultät für Physik der Technischen Universität München, Arcisstrasse 21, D-8000 Munich 2, Germany
- Professor Dr. E.E. Koch, Fritz-Haber-Institut der Max-Planck-Gesellschaft, Faradayweg 4-6, D-1000 Berlin 33, Germany
- Professor W. Kolos, Department of Theoretical Chemistry, University of Warsaw, ul. Pasteura 1, Warsaw 22, Poland
- Professor K. Kuchitsu, Department of Chemistry, Faculty of Science, The University of Tokyo, Bunkyo-ku, Tokyo 113, Japan
- Professor S. Leach, Laboratoire de Photophysique Moléculaire, Bâtiment 213, Université de Paris-Sud, 91405 Orsay, France
- Professor Y.T. Lee, Lawrence Berkeley Laboratory, University of California, 1 Cyclotron Road, Berkeley, CA 94720, USA

LIST OF ADVISORY EDITORS

- Professor S.R. Leone, Division of Chemistry, Joint Institute for Laboratory Astrophysics, Campus Box 440, University of Colorado, Boulder, CO 80309, USA
- Professor R.J. Le Roy, Guelph-Waterloo Centre for Graduate Work in Chemistry, University of Waterloo, Waterloo, Ontario, Canada N2L 3G1
- Professor R.D. Levine, Department of Physical Chemistry, The Hebrew University of Jerusalem, Jerusalem 91904, Israel
- Professor W.C. Lineberger, Department of Chemistry and JILA, Box 440, University of Colorado, Boulder, CO 80309, USA
- Professor E. Lippmaa, Institute of Chemical Physics and Biophysics, Estonian Academy of Sciences, Lenini puistee 10, 200001 Tallinn, USSR
- Professor Dr. J.P. Maier, Physikalisch-Chemisches Institut der Universität Basel, Klingelbergstrasse 80, CH-4056 Basel, Switzerland
- Professor R.A. Marcus, Department of Chemistry, Noyes Laboratory, California Institute of Technology, Pasadena, CA 91125, USA
- Professor S.F. Mason, F.R.S., Department of Chemistry, University of London, King's College, Strand, London WC2R 2LS, UK
- Professor C.A. McDowell, Department of Chemistry, University of British Columbia, 2036 Main Mall, Vancouver 8, British Columbia, Canada V6T 1Y6
- Professor H. Metiu, Department of Chemistry, University of California, Santa Barbara, CA 93106, USA
- Professor W.H. Miller, Department of Chemistry, University of California, Berkeley, CA 94720, USA
- Professor Yu.N. Molin, Institute of Chemical Kinetics and Combustion, Academy of Sciences, 630090 Novosibirsk, V-334, USSR
- Professor K. Morokuma, Institute for Molecular Science, Myodaiji, Okazaki 444, Japan
- Professor J.N. Murrell, School of Molecular Science, University of Sussex, Brighton BN1 9QJ, UK
- Professor S. Nagakura, Institute for Molecular Science, Myodaiji, Okazaki 444, Japan
- Professor E.E. Nikitin, Institute of Chemical Physics, Academy of Sciences, Vorobyevskoye chaussee 2b, 117334 Moscow, V-334, USSR
- Professor N.Y. Öhrn, Department of Chemistry, Quantum Theory Project, 363 Williamson Hall, University of Florida, Gainesville, FL 32611, USA
- Professor D. Phillips, The Royal Institution, 21 Albemarle Street, London W1X 4BS, UK
- Professor A. Pines, Department of Chemistry, University of California, Berkeley, CA 94720, USA
- Dr. A. Pullman, Directeur de Recherche au CNRS, Institut de Biologie Physico-Chimique, 13 Rue Pierre et Marie Curie, 75005 Paris, France
- Professor P. Pyykkö, Department of Chemistry, University of Helsinki, E. Hesperiankatu 4, 00100 Helsinki 10, Finland
- Professor Dr. M. Quack, Laboratorium für Physikalische Chemie, ETH-Zentrum, CH-8092 Zurich, Switzerland

LIST OF ADVISORY EDITORS

- Professor J.W. Rabalais, Chemistry Department, University of Houston, Houston, TX 77004, USA
- Professor C.N.R. Rao, F.R.S., Solid State and Structural Chemistry Unit, Indian Institute of Science, Bangalore 560012, India
- Professor S.A. Rice, Department of Chemistry, The James Franck Institute, The University of Chicago, 5640 Ellis Avenue, Chicago, IL 60637, USA
- Professor B.O. Roos, Theoretical Chemistry, Chemical Center, University of Lund, Box 124, S-221 00 Lund, Sweden
- Professor J.S. Rowlinson, F.R.S., Physical Chemistry Laboratory, Oxford University, South Parks Road, Oxford OX1 3QZ, UK
- Professor L. Salem, Laboratoire de Chimie Théorique, Bâtiment 490, Université de Paris Sud, 91405 Orsay, France
- Professor H.F. Schaefer III, Center for Computational Quantum Chemistry, School of Chemical Sciences, University of Georgia, Athens, GA 30602, USA
- Professor E.W. Schlag, Lehrstuhl für Physikalische Chemie I, Technische Universität München, Lichtenbergstrasse 4, D-8046 Garching near Munich, Germany
- Professor D.W. Setser, Department of Chemistry, Kansas State University, Manhattan, KS 66506, USA
- Dr. W. Siebrand, Division of Chemistry, National Research Council of Canada, Ottawa, Ontario, Canada K1A 0R6
- Professor K. Siegbahn, Institute of Physics, University of Uppsala, P.O. Box 530, S-751 21 Uppsala 1, Sweden
- Professor R. Silbey, Department of Chemistry, Massachusetts Institute of Technology, Cambridge, MA 02139, USA
- Professor J.P. Simons, Department of Chemistry, The University of Nottingham, Nottingham NG7 2RD, UK
- Professor R.E. Smalley, Department of Chemistry, Rice University, Houston, TX 77001, USA
- Professor D. Smith, Department of Space Research, University of Birmingham, P.O. Box 363, Birmingham B15 2TT, UK
- Professor I.W.M. Smith, Department of Chemistry, University of Birmingham, P.O. Box 363, Birmingham B15 2TT, UK
- Dr. B. Soep, Laboratoire de Photophysique Moléculaire, Bâtiment 213, Université de Paris Sud, 91405 Orsay, France
- Dr. B. Stevens, Department of Chemistry, University of South Florida, Tampa, FL 33620, USA
- Dr. S. Stolte, Fysisch Laboratorium, Katholieke Universiteit Nijmegen, Toernooiveld, 6525 ED Nijmegen, The Netherlands
- Dr. A.J. Stone, University Chemical Laboratory, Lensfield Road, Cambridge CB2 1EW, UK
- Professor W.C. Stwalley, Department of Chemistry and Physics, The University of Iowa, Iowa City, IA 52242, USA
- Professor J.K. Thomas, Department of Chemistry, University of Notre Dame, College of Science, Notre Dame, IN 46556, USA

LIST OF ADVISORY EDITORS

Professor B.A. Thrush, F.R.S., Department of Physical Chemistry, University of Cambridge, Lensfield Road, Cambridge CB2 1EP, UK

Professor J. Troe, Institut für Physikalische Chemie der Universität, D-3400 Göttingen, Germany

Professor D.G. Truhlar, Department of Chemistry, University of Minnesota, Minneapolis, MN 55455, USA

Professor Dr. J.H. van der Waals, Huygens Laboratorium, Rijksuniversiteit Leiden, Wassenaarseweg 78, 2300 RA Leyden, The Netherlands

Professor Dr. K.H. Welge, Fakultät für Physik, Universität Bielefeld, D-4800 Bielefeld, Germany

Professor J.W. White, Research School of Chemistry, Australian National University, Canberra, A.C.T. 2601, Australia

Dr. D.A. Wiersma, Laboratory of Physical Chemistry, University of Groningen, Nijenborgh 16, 9747 AG Groningen, The Netherlands

Professor R.S. Williams, Department of Chemistry and Biochemistry, University of California, Los Angeles, CA 90024, USA

Professor C. Wittig, Department of Chemistry, University of Southern California, Los Angeles, CA 90089, USA

Professor Dr. H.C. Wolf, Physikalisches Institut der Universität, Pfaffenwaldring 57, D-7000 Stuttgart 80, Germany

Professor R.N. Zare, Department of Chemistry, Stanford University, Stanford, CA 94305, USA

Professor G. Zerbi, Dipartimento di Chimica Industriale e Ingegneria Chimica, Politecnico di Milano, Piazza Leonardo da Vinci 32, 20133 Milan, Italy

Professor A.H. Zewail, Department of Chemistry, California Institute of Technology, Pasadena, CA 91125, USA

MASTER INDEX TO VOLUMES 131-140

- Aarts, J.F.M., see H. van Lonkhuyzen 140 (1987) 434
- Abascal, J.L.F., see S. Lago 135 (1987) 133
- Abe, H., see T. Imamura 135 (1987) 208
- Abrams, S.R., M. Green, R.P. Steer and M. Szymanski, Unusual deuterium isotope effect on the radiationless decay of xanthione S₂ 139 (1987) 182
- Abramson, E.H., see A.P.J.M. Jongenelis 136 (1987) 181
- Abriel, W., see G. Blasse 136 (1987) 460
- Ache, H.J., see Z.B. Alfassi 133 (1987) 86
- Acuña, A.U., F. Amat, J. Catalán, A. Costela, J.M. Figuera and J.M. Muñoz, Pulsed liquid lasers from proton transfer in the excited state 132 (1986) 567
- Adachi, Y., see T. Masaki 139 (1987) 62
- Adams, N.G., see C. Rebrion 136 (1987) 495
- Aerts, P.J.C., see O. Visser 134 (1987) 34
- Agostiano, A., K.A. Butcher, M.S. Showell, A.J. Gotch and F.K. Fong, Dipole-dipole transfer between acetone solvates of chlorophyll *a* and chlorophyll *a* dihydrate dimers in water/acetone mixtures. A model for P680 sensitized excitation 137 (1987) 37
- Agranovich, V.M. and I.B. Talanina, Impurity-induced gyrotropy in spectral regions near host exciton resonances 134 (1987) 525
- Ågren, H. and H.J.Aa. Jensen, An efficient method for the calculation of generalized overlap amplitudes for core photoelectron shake-up spectra 137 (1987) 431
- Ågren, H., A. Cesar and V. Carravetta, On the constant resonance width approximation for core electron ionization 139 (1987) 145
- Ahlich, R., see K.P. Sagarik 131 (1986) 74; 137 (1987) 96
- Ahsen, V., see C. Sirlin 139 (1987) 362
- Akagi, T., F. Imashiro, T. Terao, N. Hirota and S. Hayashi, A study of hydrogen-bond dynamics in carboxylic acids by NMR *T*₁ measurements: isotope effects and hydrogen-bond length dependence 139 (1987) 331
- Akins, D.L. and J.R. Lombardi, Excitation wavelength dependence of enhanced Raman bands of aggregated molecules 135 (1987) 495
- Albani, J. and B. Alpert, Porphyrin motions in the myoglobin heme-pocket 131 (1986) 147
- Albrecht, A.C., see J.S. Melinger 131 (1986) 271
- Aldoroty, R.A., see R.J. Hawkins 137 (1987) 83
- Alfassi, Z.B., W.G.F. Filby and H.J. Ache, Quenching and formation of *o*-positronium in solutions containing nitrodiphenyls 133 (1987) 86
- Al-Hassan, K.A. and M.A. El-Bayoumi, Large edge-excitation red-shift of the fluorescence of an ethanol solution of 4-amino-4'-nitrodiphenyl (AND). The case of a solute with a dipole moment increase in the excited state 138 (1987) 594
- Ali, A., J. Guo and P.J. Dagdigian, Collisionless and collision-induced B-X emission from laser-excited CN A²Π *v*=10 rotational levels 131 (1986) 331
- Ali, A., N. Furio and P.J. Dagdigian, Photolytic production of CN in metastable argon-cyanogen flows 136 (1987) 483

| | |
|---|----------------|
| Allara, D.L., see N.E. Schlotter | 132 (1986) 92 |
| Allara, D.L., see L. Rothberg | 133 (1987) 67 |
| Allen, W.D., see C.L. Janssen | 131 (1986) 352 |
| Almaleck, S.H., C.M. Marschoff, R.E. Cachau and E.A. Castro, Charge transfer in (M---OH ₂) ⁿ⁺ complexes and its possible bearing on the electric mobility of small cations | 133 (1987) 303 |
| Almlöf, J., see H.P. Lüthi | 135 (1987) 357 |
| Aloisi, G. and M. Carlà, Interfacial tension at the polarized Hg/H ₂ O interface | 131 (1986) 103 |
| Aloisi, G., R. Guidelli, R.A. Jackson and P. Barnes, A new method to determine the interfacial tension in Monte Carlo simulations | 133 (1987) 343 |
| Alpert, B., see J. Albani | 131 (1986) 147 |
| Alpert, B., see C.A. Royer | 134 (1987) 454 |
| Altheer, C., see M.D. Marcantonatos | 132 (1986) 247 |
| Alvarez, S., J. Novoa and F. Mota, The mechanism of electrical conductivity along polyhalide chains | 132 (1986) 531 |
| Al-Za'al, M., H.C. Miller and J.W. Farley, Observation of metastable states in the auto-detachment continuum of the negative molecular ion NH ⁻ | 131 (1986) 56 |
| Amaee, B., see G.C. Schatz | 132 (1986) 1 |
| Amano, T., see T. Nakanaga | 134 (1987) 195 |
| Amat, F., see A.U. Acuña | 132 (1986) 567 |
| Ameloot, M., see H. van Langen | 140 (1987) 394 |
| Amirav, A. and J. Jortner, Resonances in mediated intersystem crossing of jet-cooled anthracene derivatives | 132 (1986) 335 |
| Amirav, A., J. Jortner, M. Terazima and E.C. Lim, Rotational effects on intramolecular radiationless transitions in a large molecule | 133 (1987) 179 |
| Amos, A.T., see J.C. Kettley | 140 (1987) 286 |
| Amos, R.D., N.C. Handy, K.J. Jalkanen and P.J. Stephens, Efficient calculation of vibrational magnetic dipole transition moments and rotational strengths | 133 (1987) 21 |
| Amos, R.D., see E.D. Simandiras | 133 (1987) 324 |
| Amrein, A., H. Hollenstein, P. Locher, M. Quack, U. Schmitt and H. Bürger, Analysis of the ν_4 and ν_1 bands of CF ₃ Cl measured by supersonic free-jet FTIR spectroscopy | 139 (1987) 82 |
| Anderson, A., S. DeMoor and R.C. Hanson, Raman study of a new high pressure phase of hydrogen sulfide | 140 (1987) 471 |
| Anderson, A.G., J.C. Calabrese, W. Tam and I.D. Williams, Thiourea inclusion complexes of organometallics: optically non-linear materials | 134 (1987) 392 |
| Anderson, C.F., see M.D. Paulsen | 139 (1987) 448 |
| Anderson, S.G., see S.L. Howard | 140 (1987) 385 |
| Anderson, S.L., see S.A. Ruatta | 137 (1987) 5 |
| André, J.-J., see M. Maitrot | 133 (1987) 59 |
| André, J.-J., see Ph. Turek | 134 (1987) 471 |
| André, J.-M., see E.G. Derouane | 137 (1987) 336 |
| Andresen, P., see D. Weide | 136 (1987) 106 |
| Andrews, L., see S. Suzer | 140 (1987) 300 |
| Angerhofer, A., see J. Ullrich | 140 (1987) 416 |
| Ángyán, J.G., I.G. Csizmadia, R. Daudel and R.A. Poirier, The role of optimum supplementary d-orbitals for hypervalent selenium compounds | 131 (1986) 247 |
| Ángyán, J.G., R. Daudel, Á. Kucsman and I.G. Csizmadia, Surface modification by substitution. Changing topology of conformational potential energy surfaces | 136 (1987) 1 |

- Anisimov, O.A., see A.V. Veselov 133 (1987) 478; 136 (1987) 263
- Anisimov, O.A., J.M. Warman, M.P. de Haas and H. de Leng, The effect of accumulated dose on the lifetime of the highly mobile positive charge carriers formed in irradiated cyclohexane and trans-decalin 137 (1987) 365
- Anner, O., E. Zarura and Y. Haas, Jet-cooled exciplexes: cyanoanthracene with 2,5-dimethyl-2,4-hexadiene 137 (1987) 121
- Anselment, M., R.S. Smith, E. Daykin and L.F. DiMauro, Optical emission studies on graphite in a laser/vaporization supersonic jet cluster source 134 (1987) 444
- Antonetti, A., see J.W. Petrich 137 (1987) 369
- Aoyagi, K., see K. Fukui 140 (1987) 15
- Aoyagi, M., Y. Kubozono, M. Ata and Y. Gondo, Induced circular dichroism spectrum of 4,4'-bipyridyl radical cation- β -cyclodextrin inclusion complex 131 (1986) 201
- Aoyagi, M., see Y. Kubozono 137 (1987) 467
- Apkarian, V.A., see M.E. Fajardo 134 (1987) 51
- Apkarian, V.A., see L. Wiedeman 134 (1987) 55
- Apostol, M., see S. Svirschevsky 133 (1987) 271
- Apperley, D.C., see M. Mortimer 138 (1987) 209
- Appleton, W.R.S. and B. Brocklehurst, Effect of magnetic field on the radioluminescence of cyclohexane-benzene mixtures 136 (1987) 199
- Aquilanti, V., S. Cavalli and G. Grossi, Unimolecular dissociation rates by a semiclassical analysis of quantum resonance lifetimes 133 (1987) 531
- Aquilanti, V. and S. Cavalli, Unimolecular dissociation and resonances: adiabatic, sudden and statistical limits and comparison with RRKM and quantum model calculations for formaldehyde 133 (1987) 538
- Arai, S., see A. Yagishita 132 (1986) 437
- Arai, S., see M. Ukai 135 (1987) 51; 139 (1987) 612
- Arai, S., see P. Ma 137 (1987) 590
- Arai, T., see H. Sakuragi 135 (1987) 325
- Aramburu, J.A., M. Moreno and A. Bencini, Charge-transfer transitions in CuCl_4^{2-} and CuBr_4^{2-} complexes: dependence on the metal-ligand distance 140 (1987) 462
- Archer, B.J., see G.A. Parker 137 (1987) 564
- Arepalli, S., see D.C. Robie 134 (1987) 579
- Armentrout, P.B., see R. Georgiadis 137 (1987) 144
- Arsène, J., see C.K. Jørgensen 136 (1987) 475
- Arun Kumar, B.S., N. Suryaprakash, K.V. Ramanathan and C.L. Khetrpal, "Near magic angle" sample spinning in NMR spectra of molecules oriented in individual and mixed liquid crystals of opposite diamagnetic anisotropies 136 (1987) 227
- Asaad, A.N. and P. Krebs, Optical properties of excess electrons and the kinetics of their reaction with benzene in 1,4-dioxane/water mixtures 137 (1987) 553
- Asamoto, B. and R.C. Dunbar, Internal energy effects in photodissociation: relaxation of excited thiophenol ions formed by electron-impact ionization 139 (1987) 225
- Ashfold, M.N.R., C.D. Heryet, J.D. Prince and B. Tutchter, Competition between resonance-enhanced multiphoton ionisation and third-harmonic generation in acetylene vapour 131 (1986) 291
- Ashfold, M.N.R., R.N. Dixon, R.J. Stickland and C.M. Western, 2+1 MPI spectroscopy of $\tilde{\text{B}}^1\text{E}''$ state NH_3 and ND_3 : rotational analysis of the origin bands 138 (1987) 201
- Aslanov, L.A., see A.P. Suisalu 134 (1987) 617

| | |
|--|----------------|
| Astashkin, A.V., S.A. Dikanov, Yu.D. Tsvetkov and M.G. Goldfeld, Comparative analysis of ESE modulation from oxidized chlorophyll a and P700 centres in chloroplasts containing ^{15}N nuclei | 134 (1987) 438 |
| Astashkin, A.V., S.A. Dikanov and Yu.D. Tsvetkov, Spectrometer dead time: effect on electron spin echo modulation spectra in disordered systems | 136 (1987) 204 |
| Astashkin, A.V., S.A. Dikanov, V.V. Kurshev and Yu.D. Tsvetkov, Dependence of electron spin-echo modulation amplitude on the microwave field intensity | 136 (1987) 335 |
| Ata, M., see M. Aoyagi | 131 (1986) 201 |
| Ata, M., see Y. Kubozono | 137 (1987) 467 |
| Atkinson, G.H., see J.A. Koningstein | 140 (1987) 154 |
| Attard, P. and D.J. Mitchell, The forces between surfaces of mobile, orientable dipoles. Asymptotic expressions | 133 (1987) 347 |
| Attard, P., R. Kjellander and D.J. Mitchell, Interactions between electro-neutral surfaces bearing mobile charges | 139 (1987) 219 |
| Auerbach, R.A., see W.J. Rodriguez | 132 (1986) 558 |
| Ault, B.S., see N.P. Machara | 140 (1987) 411 |
| Auty, A.R., see A.G. Taylor | 131 (1986) 534 |
| Avarmaa, R.A., see A.P. Suisalu | 134 (1987) 617 |
| Avery, J., Correlation in iterated solutions of the momentum-space Schrödinger equation | 138 (1987) 520 |
| Avnir, D., M.L. Kagan and W. Ross, Formation of spatial dissipative structures during the photoreduction of Fe^{III} : the detection of a bifurcation point | 135 (1987) 177 |
| Avnir, D., see D. Pines-Rojanski | 139 (1987) 109 |
| Azumi, T., see Y. Tanaka | 132 (1986) 357 |

- Baba, H., see N. Ohta 133 (1987) 222; 135 (1987) 330; 138 (1987) 384
- Baba, R., see K. Itoh 135 (1987) 521
- Babbitt, R.J., see E.A. Mangle 133 (1987) 214
- Babbitt, R.J. and M.R. Topp, Jet spectroscopy of anthracene-alkane complexes 135 (1987) 182
- Bacci, M. and S. Cannistraro, Temperature dependence of the g values in blue copper protein EPR spectra 133 (1987) 109
- Bacci, M., Absorption band shape in five-coordinated copper(II) complexes: influence of the Jahn-Teller effect 134 (1987) 143
- Baciocco, G., P. Calvani and S. Cunsolo, The infrared ν_4 band and its combinations for CH_4 in a solid Kr matrix 132 (1986) 410
- Badilescu, S., L.S. Lussier, C. Sandorfy, H. Le Thanh and D. Vocelle, Attenuated total reflection infrared study of the protonation of a trans-retinylidene Schiff base on crystal surfaces 133 (1987) 63
- Baer, M., H. Nakamura and A. Ohsaki, A quantum-mechanical study of chemical reaction and charge-transfer processes in the $(\text{Ar} + \text{H}_2)^+$ system 131 (1986) 468
- Bafile, U., L. Ulivi, M. Zoppi and F. Barocchi, The three-body correlation spectral moments in depolarized interaction-induced light scattering of H_2 at 297 K 138 (1987) 559
- Bagchi, B., On the breakdown of the most probable distribution for Mayer clusters 134 (1987) 121
- Bagchi, B., Effects of non-equilibrium solvation dynamics on barrierless electronic relaxation in solution 135 (1987) 553
- Bagchi, B., New results in the theory of barrierless electronic relaxation in solution 135 (1987) 558
- Bagchi, B., Fractional viscosity dependence of relaxation rates and non-steady-state dynamics in barrierless reactions in solution 138 (1987) 315
- Bagchi, B., On the temperature dependence of the rate in barrierless reactions in solution 139 (1987) 119
- Baggott, J.E., H.M. Frey, P.D. Lightfoot and R. Walsh, The absorption cross section of the HCO radical at 614.59 nm and the rate constant for $\text{HCO} + \text{HCO} \rightarrow \text{H}_2\text{CO} + \text{CO}$ 132 (1986) 225
- Baggott, J.E., M.A. Blitz, H.M. Frey, P.D. Lightfoot and R. Walsh, Time-resolved studies of the reactions of gas-phase dimethylsilylene 135 (1987) 39
- Bagratashvili, V.N., V.N. Burimov, S.I. Ionov, A.P. Sviridov, A.A. Stuchebrukhov and I.M. Turovets, Infrared spectroscopy and intramolecular vibrational relaxation of $c\text{-C}_6\text{F}_{12}$ excited above the dissociation threshold 137 (1987) 45
- Bahns, J.T., see W.T. Luh 131 (1986) 335
- Bahzhin, N.M., see N.I. Sorokin 138 (1987) 170
- Bailey, R.T., F.R. Cruickshank, D. Pugh and I.J.M. Weir, The thermal diffusivity and thermal conductivity coefficient of methanol vapour 134 (1987) 311
- Bailly, D., C. Rossetti and G. Graner, Unexpected frequency shifts and linewidth changes for rovibrational lines in the infrared emission spectra of CO_2 excited by active nitrogen 140 (1987) 381
- Baker, G.J., B. Brocklehurst and I.R. Holton, Ion-recombination luminescence of alkane solutions excited by 15-150 eV photons 134 (1987) 83
- Balaji, V., K.K. Sunil and K.D. Jordan, Theoretical investigation of the structure and stability of AlCO and $\text{Al}(\text{CO})_2$ and their cations 136 (1987) 309
- Balasubramanian, K., CAS SCF/CI calculations on Si_4 and Si_4^+ 135 (1987) 283
- Balasubramanian, K., Electronic states and potential energy surfaces of ScH_2 135 (1987) 288
- Balasubramanian, K., M.Z. Liao and S.H. Lin, Relativistic configuration interaction calculations for electronic states of KrHe^+ 138 (1987) 49
- Balasubramanian, K., Relativistic calculations of electronic states of SnS 139 (1987) 262
- Balasubramanian, K., M.Z. Liao and M. Han, Theoretical investigation of electronic states of SeH and SeH^+ 139 (1987) 551

- Ballard, R.E., J. Jones, D. Read and A. Inchley, The He(I) photoelectron spectra of lipid phosphatides 132 (1986) 365
- Ballard, R.E., J. Jones, D. Read, A. Inchley and M. Cranmer, The He(I) photoelectron spectra of aqueous solutions of calcium salts 134 (1987) 177
- Ballard, R.E., J. Jones, D. Read and A. Inchley, He(I) photoelectron studies of lipid layers 135 (1987) 119
- Ballard, R.E., J. Jones, D. Read, A. Inchley and M. Cranmer, On the lowest ionisation energy band in the photoelectron spectra of phosphatidylcholines 135 (1987) 468
- Ballard, R.E., J. Jones, D. Read, A. Inchley and M. Cranmer, He(I) photoelectron studies of liquids and gases 137 (1987) 125
- Ballard, R.E., J. Jones, D. Read, A. Inchley and M. Cranmer, On the lowest ionisation energy band in the photoelectron spectra of phosphatidylcholines, *Chem. Phys. Letters* 135 (1987) 468. Erratum 138 (1987) 284
- Balling, L.C., see K.K. Lin 133 (1987) 246; 138 (1987) 168
- Bancroft, G.M., see J.D. Bozek 138 (1987) 33
- Bandrauk, A.D. and N. Gélinas, Non-adiabatic effects in third-harmonic generation. A coupled-equations study for Cl_2 , *Chem. Phys. Letters* 129 (1986) 362. Erratum 131 (1986) 164
- Banerjee, A.K. and M. Chowdhury, Linear dichroism spectra of cubic sodium uranyl acetate single crystal 139 (1987) 421
- Bansil, R., T. Berger, K. Toukan, M.A. Ricci and S.H. Chen, A molecular dynamics study of the OH stretching vibrational spectrum of liquid water 132 (1986) 165
- Baranović, G., see F. Sokolić 131 (1986) 513
- Baranowski, A., see K. Jerie 137 (1987) 42
- Bard, A.J., see J.K. Leland 139 (1987) 453
- Barigelletti, F., Effect of temperature on the photophysics of rhodamine 101 in a polar solvent 140 (1987) 603
- Barnes, I., see D. Martin 140 (1987) 195
- Barnes, I., V. Bastian, K.H. Becker and H. Niki, FTIR spectroscopic studies of the $\text{CH}_3\text{S} + \text{NO}_2$ reaction under atmospheric conditions 140 (1987) 451
- Barnes, P., see G. Aloisi 133 (1987) 343
- Barocchi, F., see U. Bafile 138 (1987) 559
- Baronavski, A.P., see S.W. McElvany 134 (1987) 214
- Barone, V., F. Lelj, P. Grande, N. Russo and M. Toscano, The fragmentation of $\text{C}_2\text{H}_6\text{N}^+$ ions: an alternative mechanism 133 (1987) 548
- Barra, A.L. and J.B. Robert, Magnetic shielding tensor components in a highly strained phosphorus molecule: 1,2,3-triphenylphosphirene 136 (1987) 224
- Barron, L.D., Reactions of chiral molecules in the presence of a time-non-invariant enantiomorphous influence: a new kinetic principle based on the breakdown of microscopic reversibility 135 (1987) 1
- Barthelat, J.C., see M. Hliwa 132 (1986) 205
- Barthelat, J.C., see C. Jouany 136 (1987) 52
- Bartlett, R.J., see J. Noga 134 (1987) 126
- Bartlett, R.J., see S. Pal 137 (1987) 273
- Bartlett, R.J., see J.F. Stanton 138 (1987) 525
- Basch, H., The electronic states of Al_3 136 (1987) 289
- Bassez, M.-P., see G.W. Robinson 137 (1987) 376
- Bastian, V., see I. Barnes 140 (1987) 451
- Bates, G.S., E.E. Burnell, G.L. Hoatson, P. Palfy-Muhoray and A. Weaver, Orientational order of rod- and disk-like solutes in the nematic liquid crystal 5CB 134 (1987) 161

| | |
|---|--------------------------------|
| Batista, A.B., see F.E. Jorge | 138 (1987) 115 |
| Bauder, A., see P. Groner | 139 (1987) 479 |
| Baughcum, S.L., see P.J. Wantuck | 138 (1987) 548 |
| Baumann, D., T. Ulrich and U.E. Steiner, Time-resolved investigation of singlet radical pair recombination in water-in-oil microemulsions: magnetic field effects in two time domains | 137 (1987) 113 |
| Baumgarten, M., W. Lubitz and C.J. Winscom, EPR and ENDOR studies of cobaloxime(II) | 133 (1987) 102 |
| Bauschlicher Jr., C.W. and S.R. Langhoff, Theoretical D_0 for NH ($X^3\Sigma^-$) | 135 (1987) 67 |
| Bauschlicher Jr., C.W., see S.R. Langhoff | 135 (1987) 543 |
| Bawagan, A.O., see C.E. Brion | 134 (1987) 76 |
| Bawagan, A.O. and C.E. Brion, Orbital imaging of the "lone pair" electrons in $N(CH_3)_3$, NH_3 and NF_3 by electron momentum spectroscopy | 137 (1987) 573 |
| Becerra, R. and H.M. Frey, Insertion reactions of methylene | 138 (1987) 330 |
| Bechthold, P.S., see U. Kettler | 131 (1986) 213 |
| Becker, K.H., see D. Martin | 140 (1987) 195 |
| Becker, K.H., see I. Barnes | 140 (1987) 451 |
| Becker, R.S. and L.V. Natarajan, Photophysics and photochromism of $\Delta^{2,2'}$ -bi-(2H-1,4-benzothiazine) | 132 (1986) 141 |
| Becker, U., see T.A. Ferrett | 138 (1987) 607 |
| Bekâroğlu, Ö., see C. Sirlin | 139 (1987) 362 |
| Beland, M., see T. Möller | 136 (1987) 551 |
| BelBruno, J.J., see G.A. Raiche | 134 (1987) 341 |
| Bell, M.B., J.K.G. Watson, P.A. Feldman, H.E. Matthews, S.C. Madden and W.M. Irvine, Deuterium hyperfine structure in interstellar C_3HD | 136 (1987) 588 |
| Bell, T.N., see V. Sandhu | 135 (1987) 260 |
| Bell, T.N., see B. Ruzsicska | 139 (1987) 72 |
| Belmajdoub, A., B. Diter and D. Canet, Multifield proton longitudinal relaxation measurements for the determination of correlation times in surfactant aggregates | 131 (1986) 426 |
| Belmajdoub, A., J. Brondeau, J.C. Boubel and D. Canet, Slow motions undergone by surfactant molecules in micelles. A 1H and ^{14}N nuclear magnetic relaxation study | 140 (1987) 389 |
| Bénard, M., see P. Mougenot | 136 (1987) 279 |
| Bencini, A., see J.A. Aramburu | 140 (1987) 462 |
| Bender, D., M. Eliades, D.A. Danzeiser, E.S. Fry and J.W. Bevan, Gas-phase rovibrational analysis of ν_1 HCN— $H^{35}Cl$ | 131 (1986) 134 |
| Bendow, B., see M. Eyal | 139 (1987) 395 |
| Benjamin, I. and W.P. Reinhardt, A one-dimensional model for phonon-induced relaxation | 135 (1987) 16 |
| Benjamin, I., I.L. Cooper and R.D. Levine, Dipole operator and vibrational overtone transitions in diatomic molecules via an algebraic approach | 139 (1987) 285 |
| Benmouna, M., see M.J. Grimson | 132 (1986) 55 |
| Ben-Shaul, A., see M. Silverberg | 134 (1987) 491 |
| Benson, J.M., see I. Novak | 135 (1987) 471 |
| Benson, J.M., I. Novak and A.W. Potts, Shape resonance in the 4d ionization of the molecular caesium halides | 140 (1987) 311 |
| Bérces, T., see G. Lendvay | 137 (1987) 175 |
| Beretta, M.G., see A. Bernardi | 133 (1987) 496; 138 (1987) 283 |
| Berg, D., see F.-W. Breitbarth | 135 (1987) 435 |

- Berg, L.-E., H. Martin, P. Royen and P. Weijnitz, A time-resolved optical double-resonance study of the $E^2\Sigma$ state of CaCl 132 (1986) 261
- Berg, M., see C.A. Walsh 134 (1987) 268; 139 (1987) 485
- Berg, M., C.A. Walsh, L.R. Narasimhan, K.A. Littau and M.D. Fayer, Homogeneous optical dephasing and line broadening processes in an organic glass: comparison of the temperature dependences of picosecond photon echo and hole burning experiments 139 (1987) 66
- Berger, T., see R. Bansil 132 (1986) 165
- Bernage, P., see Y. Lefebvre 139 (1987) 212
- Bernard, J., M. Hadad and Ph. Kottis, Specific photodimerization phenomena on the 2D excitons of crystal surfaces 133 (1987) 73
- Bernardi, A., M.G. Beretta, V. Malatesta and C. Tosi, Conformational analysis of oxazolidines by molecular and quantum mechanics and NMR spectroscopy 133 (1987) 496
- Bernardi, A., M.G. Beretta, V. Malatesta and C. Tosi, Conformational analysis of oxazolidines by molecular and quantum mechanics and by NMR spectroscopy, Chem. Phys. Letters 133 (1987) 496. Erratum 138 (1987) 283
- Bernath, P.F., see A.M.R.P. Bopegedera 136 (1987) 97
- Bernier, A. and Ph. Millié, Potential energy surfaces of HgH_2 134 (1987) 245
- Bernstein, R.B., see S.R. Gandhi 132 (1986) 6
- Bernstein, R.B., see R.D. Levine 132 (1986) 11
- Bernstorff, S., see A.M. Findley 131 (1986) 349
- Berquier, J.-M., see O. Faurskov Nielsen 132 (1986) 502
- Bertel, E., see G. Rosina 140 (1987) 200
- Bertocchi, P., see P. Lazzeretti 138 (1987) 465
- Bertolini, D., M. Cassettari and G. Salvetti, Solidification of supercooled water: an experimental study of the kinetics 136 (1987) 67
- Bertrand, P., The contributions to the electronic factor in bridge-assisted electron transfer processes 140 (1987) 57
- Bettinelli, M., L. di Sipio, G. Ingletto and C.D. Flint, Vibrational dispersion in ground and excited states: the $\Gamma_7(^2T_{2g}) \leftrightarrow \Gamma_8(^4A_{2g})$ absorption and luminescence spectra of crystalline K_2ReF_6 at 4 K 138 (1987) 361
- Bevan, J.W., see D. Bender 131 (1986) 134
- Beynon, J.H., see M. Hamdan 135 (1987) 511
- Bezant, M., see P. Clifford 135 (1987) 477
- Bhat, A., see J.R. Lakowicz 138 (1987) 587
- Bhat, S.V., see K. Murthy 133 (1987) 455
- Bhatia, D.S., see R.J. Wolf 132 (1986) 493
- Bhattacharyya, K., see K. Kemnitz 131 (1986) 285
- Bhattacharyya, K. and S.P. Bhattacharyya, The least-squares method for bound states: a re-examination 132 (1986) 405
- Bhattacharyya, S.P., see K. Bhattacharyya 132 (1986) 405
- Bigio, I.J., see O. Faurskov Nielsen 132 (1986) 502
- Bigio, L., see M.B. Knickelbein 131 (1986) 51
- Bill, H., see Y. Ravi Sekhar 136 (1987) 57
- Billy, N., see B. Girard 136 (1987) 101
- Bilmes, G.M., J.O. Tocho and S.E. Braslavsky, Laser-induced optoacoustic studies of the photoisomerization of the laser dye 3,3'-diethyloxadicyanone iodide (DODCI) 134 (1987) 335
- Bilmes, G.M., see L. Scaffardi 140 (1987) 163

- Binkley, J.S., see C.M. Rohlfing 134 (1987) 110
- Bintz, K.L., D.L. Thompson and J.W. Brady, Influence of anharmonicity of "bath" modes on intramolecular energy transfer from a local mode 131 (1986) 398
- Bischoff, J.L., see K.S. Pitzer 134 (1987) 60
- Bishop, D.M., see J.N. Silverman 132 (1986) 37
- Bishop, D.M. and B. Lam, Vibrational polarizabilities for H_2^+ , H_2 and N_2 134 (1987) 283
- Bishop, D.M., Reply to comment on calculations of the electrical properties of molecules 135 (1987) 595
- Bishop, D.M. and C. Pouchan, Self-consistent-field study of electrical properties and their derivatives for the isoelectronic series NH_2^- , H_2O and FH_2^+ 139 (1987) 531
- Biswas, S.C., S. Ray and A. Podder, Molecular configuration of α -furil 134 (1987) 541
- Bittman, J.S., see K.M. Christoffel 133 (1987) 525
- Bixon, M., J. Jortner, M.E. Michel-Beyerle, A. Ogrodnik and W. Lersch, The role of the accessory bacteriochlorophyll in reaction centers of photosynthetic bacteria: intermediate acceptor in the primary electron transfer? 140 (1987) 626
- Bjerre, N. and H. Helm, High-resolution laser spectroscopy of H_2 in a fast beam 134 (1987) 361
- Black, G. and L.E. Jusinski, Observations of long-lived $S_2(B \rightarrow X)$ emission in the 193 nm photodissociation of dimethyl disulfide 131 (1986) 310
- Black, G. and L.E. Jusinski, Laser-induced fluorescence of C_2H_5S radicals 136 (1987) 241
- Black, G. and L.E. Jusinski, Multiphoton production and detection of $N(^2D)$ 139 (1987) 41
- Black, G. and L.E. Jusinski, Laser-induced fluorescence of $i-C_3H_7S$ radicals 139 (1987) 431
- Blasse, G., see H.S. Kiliaan 133 (1987) 425
- Blasse, G., G.J. Dirksen and W. Abriel, The influence of distortion of the $Te(IV)$ coordination octahedron on its luminescence 136 (1987) 460
- Blasse, G., see M. Buijs 137 (1987) 381
- Blasse, G., see E.W.J.L. Oomen 138 (1987) 23, 584
- Blin, N., see K.A. Sahetchian 134 (1987) 156
- Blinder, S.M., Time-dependent WKB expansion for the non-relativistic Coulomb propagator 134 (1987) 288
- Blitz, M.A., see J.E. Baggott 135 (1987) 39
- Block, J.H., see K. Christmann 131 (1986) 192
- Blom, C.E., K. Möller and R.R. Filgueira, Gas discharge modulation using fast electronic switches: application to HeH^+ 140 (1987) 489
- Blum, L., see P.P. Schmidt 140 (1987) 370
- Blümich, B., see Y. Yang 139 (1987) 239
- Bodenhausen, G., see S. Wimperis 132 (1986) 194; 140 (1987) 41
- Bodenhausen, G., see P. Pfändler 138 (1987) 195
- Bodenhausen, G., see G. Jaccard 138 (1987) 601
- Böhm, M.C. and A.M. Oleś, Transferability of interatomic correlation energies 137 (1987) 166
- Bollinger, J.-C., R. Faure, T. Yvernault and D. Stahl, On the existence of the protonated hydronium dication H_4O^{2+} in sulfolane solution 140 (1987) 579
- Bondarenko, E.A., see E.T. Verkhovtseva 140 (1987) 181
- Bondybey, V.E., see W.D. Reents Jr. 131 (1986) 1
- Bonin, K.D., see W. Happer 135 (1987) 451
- Bonnelle, J.P., see M. Lenglet 136 (1987) 478
- Bopegedera, A.M.R.P., C.R. Brazier and P.F. Bernath, Laser spectroscopy of calcium and strontium monoacetylides 136 (1987) 97
- Bordas-Nagy, J. and J.L. Holmes, Kinetic energy spectroscopy of high-Rydberg fragments from keV collisions of H_2^+ , D_2^+ , N_2^+ and C_2^+ ions with rare-gas atoms 132 (1986) 200

- Borell, P.M., H.-G. Löhmansröben and K. Luther, Fast internal conversions of S_1 cycloheptatrienes investigated by multiphoton ionization 136 (1987) 371
- Börnert, P., W. Dreher, A. Gössler, G. Klee, R. Peter and W. Schneider, Improvements in ^{19}F NMR imaging in perfluorocarbons 136 (1987) 319
- Böse, H., H. Förster and W. Frede, Induced overtones of homonuclear diatomics in zeolitic matrices 138 (1987) 401
- Bosio, L., see C. Sirlin 139 (1987) 362
- Bossard, A.R., G. Paraskevopoulos and D.L. Singleton, The rate constant of the reaction $\text{OD} + \text{DNO}_3$. Pressure dependence and kinetic isotope effect 134 (1987) 583
- Botschwina, P., A theoretical investigation of HC_3NH^+ 139 (1987) 255
- Böttcher, R., see R. Kirmse 133 (1987) 81
- Boubel, J.C., see A. Belmajdoub 140 (1987) 389
- Bouchard, D.A., see J.A. Schmidt 138 (1987) 346
- Boudjema, B., see M. Maitrot 133 (1987) 59
- Boulon, G., see V. Poncon 133 (1987) 363
- Boulon, G., see Y. Kalisky 136 (1987) 368
- Bouma, W.J., see R.H. Nobes 135 (1987) 78
- Bourmada, N., C. Lafage and P. Devolder, Absolute rate constants of the reactions of OH with cyclohexane and ethane at 296 ± 2 K by the discharge flow method 136 (1987) 209
- Bowers, M.S., B.H. Choi and K.T. Tang, Quantum mechanical determination of rates of reactions involving hydrogen isotopes 136 (1987) 145
- Bowman, J.M., see C.L. Janssen 131 (1986) 352
- Bowman, J.M., see K.M. Christoffel 133 (1987) 525
- Boyle, M.E., see B.E. Williamson 140 (1987) 483
- Boysan, H.F., see I.S. Dring 132 (1986) 283
- Boysan, H.F., see D.A. Greenhalgh 133 (1987) 458
- Bozek, J.D., K.H. Tan, G.M. Bancroft and J.S. Tse, High resolution gas phase photoabsorption spectra of SiCl_4 and $\text{Si}(\text{CH}_3)_4$ at the silicon L edges: characterization and assignment of resonances 138 (1987) 33
- Bradburn, G.R., see H.V. Lilenfeld 131 (1986) 276
- Brady, J.W., see K.L. Bintz 131 (1986) 398
- Brakaspathy, R. and S. Singh, Effect of molecular interactions on the O-H stretching force constants for associated water species 131 (1986) 394
- Braslavsky, S.E., see K. Heihoff 131 (1986) 183
- Braslavsky, S.E., see G.M. Bilmes 134 (1987) 335
- Brauer, B.-E. and M.C. Thurnauer, Spectroscopic studies of 1,2-diphenyl-3,3,4,4-tetramethylcyclobutene and 3,4-diphenyl-2,5-dimethyl-2,4-hexadiene radical cations and their possible interconversion 133 (1987) 207
- Brauer, H.-D., see R. Schmidt 138 (1987) 18
- Braun, W., see T.J. Wallington 138 (1987) 538
- Braun, W. and T.J. Wallington, A detailed energy transfer mechanism in pentafluorobenzene/argon mixtures 140 (1987) 441
- Brazier, C.R., see A.M.R.P. Bopegedera 136 (1987) 97
- Brearley, A.M., R.C. Patel and D.B. McDonald, Geminant ion-electron recombination kinetics in non-polar liquids by time-resolved fluorescence 140 (1987) 270
- Bréchnignac, C., M. Broyer, Ph. Cahuzac, G. Delacretaz, P. Labastie and L. Wöste, Single-photon double ionization of mercury clusters using synchrotron radiation 133 (1987) 45

- Breckenridge, W.H., see A. Kowalski 132 (1986) 263
- Breckenridge, W.H. and J.-H. Wang, Dynamics of the reactions of $\text{Mg}(3s3p^1P_1)$ with H_2 , HD, and D_2 : rotational quantum state distributions of MgH (MgD) products 137 (1987) 195
- Breckenridge, W.H. and J.-H. Wang, The lack of leaving-atom isotope effects on rotational state distributions in $\text{M}^* + \text{H}_2(\text{HD}) \rightarrow \text{MH}(\nu, N) + \text{H}(\text{D})$ reactions: "half-collision" classical trajectories on model H-M-H anisotropic potential surfaces 139 (1987) 28
- Bree, A., Vibronic coupling in the low-energy excited states of anthracene 131 (1986) 65
- Breiland, W.G., see P. Ho 132 (1986) 422
- Breitbarth, F.-W., D. Berg and H.-J. Tiller, On the excitation of $\text{CCl}(A^2\Delta)$ in CCl_4 and $\text{CCl}_4/\text{rare gas}$ discharges 135 (1987) 435
- Breton, J., see J.W. Petrich 137 (1987) 369
- Brewer, J.H., see P.W. Percival 133 (1987) 465; 137 (1987) 398; 138 (1987) 613
- Brewer, P.D., Two-photon laser-induced fluorescence and "2+1" multiphoton ionization of silicon atoms 136 (1987) 557
- Brickmann, J., Y.M. Engel and R.D. Levine, The distribution of intensities in a vibrational spectrum: a model computational study of the transition to classical chaos 137 (1987) 441
- Bright, T.B., see N.E. Schlotter 132 (1986) 92
- Brillante, A., K. Strössner and K. Syassen, Effect of pressure on the luminescence of 9,10-dichloroanthracene crystals 134 (1987) 331
- Brion, C.E., see A. Yagishita 132 (1986) 437
- Brion, C.E., A.O. Bawagan and K.H. Tan, The argon 3s photoelectron satellite spectrum at high resolution ($h\nu = 60\text{--}170$ eV) 134 (1987) 76
- Brion, C.E., see A.O. Bawagan 137 (1987) 573
- Brito Cruz, C.H., R.L. Fork, W.H. Knox and C.V. Shank, Spectral hole burning in large molecules probed with 10 fs optical pulses 132 (1986) 341
- Brocklehurst, B., see G.J. Baker 134 (1987) 83
- Brocklehurst, B., see W.R.S. Appleton 136 (1987) 199
- Brondeau, J., see A. Belmajdoub 140 (1987) 389
- Brooks, R.L. and B.G. Nickel, Rotational perturbation between two electronically excited states of ^4HeD 139 (1987) 503
- Broomfield, K. and R.M. Lambert, Carbon monoxide binding and catalysis by unusual valence states of copper: CAS SCF calculations on the $^2\Pi$ state of CuCO 139 (1987) 267
- Broquier, M., A. Picard-Bersellini and J. Hall, An inelastic rotational transfer study of NH_3 colliding with H_2 and He 136 (1987) 531
- Brose, K.-H., T. Luty and C.J. Eckhardt, Lattice dynamical approach to the phase transition in A-TCNB charge-transfer crystals 137 (1987) 17
- Brown, I.M., P.J. Phillips and D. Parikh, Triplet-state ESR spectra of aromatic molecules oriented in stretched polyethylene films 132 (1986) 273
- Brown, P.R., P.B. Davies and S.A. Johnson, Infrared laser spectroscopy of SH^+ 132 (1986) 582
- Brown, P.R., P.B. Davies and S.A. Johnson, Infrared laser absorption spectra of Rydberg transitions of O atoms 133 (1987) 239
- Browne, P.G., see C.E. Little 134 (1987) 560
- Broyer, M., see C. Bréchnignac 133 (1987) 45
- Brumer, P., see D. Gruner 138 (1987) 310
- Brunet, J.P., see X. Chapuisat 136 (1987) 153
- Brunner, E., see D. Freude 139 (1987) 325
- Bruno, A.E., U. Schubert, H.J. Neusser and E.W. Schlag, Resonantly enhanced 2+2 multiphoton ionization spectra of N_2 via the $\tilde{a}^1\Pi_g$ state: a line intensity study 131 (1986) 31

| | |
|---|-------------------------------|
| Brunvoll, J., see S.J. Cyvin | 140 (1987) 124 |
| Brus, L.E., see R.C. Haddon | 131 (1986) 165 |
| Brzezinski, B., J. Olejnik and G. Zundel, The influence of additional N atoms in molecules on the formation of the intramolecular $\text{NH}^+ \dots \text{N}$ bond | 135 (1987) 93 |
| Buch, A., see Y. Kalisky | 136 (1987) 368 |
| Buck, H.M., see R.A.J. Janssen | 132 (1986) 459 |
| Buckley, C.D., D.A. Hunter, P.J. Hore and K.A. McLauchlan, Electron spin resonance of spin-correlated radical pairs | 135 (1987) 307 |
| Buckley, C.D. and K.A. McLauchlan, The influence of ST_{-1} mixing in spectra which exhibit electron spin polarization (CIDEP) from the radical pair mechanism | 137 (1987) 86 |
| Buenker, R.J., see R.A. Phillips | 137 (1987) 157 |
| Buenker, R.J., see G. Theodorakopoulos | 138 (1987) 71 |
| Buenker, R.J., see P.R. Bunker | 139 (1987) 159 |
| Buijs, M., J.I. Vree and G. Blasse, Energy migration in one-dimensional $\text{Li}_6\text{Eu}(\text{BO}_3)_3$ | 137 (1987) 381 |
| Buján-Núñez, M.C., see M.A. López-Quintela | 138 (1987) 476 |
| Bullett, D.W., Electronic structure of osmium cluster carbonyls: $\text{Os}_3(\text{CO})_{12}$, $\text{Os}_6(\text{CO})_{18}$, $[\text{Os}_6(\text{CO})_{18}]^{2-}$, $[\text{Os}_{10}\text{C}(\text{CO})_{24}]^{2-}$ | 135 (1987) 373 |
| Bulska, H., see J. Sepiol | 140 (1987) 607 |
| Bumgarner, R.E., see D.J. Pauley | 132 (1986) 67; 135 (1987) 486 |
| Bunker, P.R., D.B. Knowles, B.L. Schürmann and R.J. Buenker, The ab initio calculation of the band origin and vibrational frequencies of the $\tilde{\text{A}}-\tilde{\text{X}}$ system of HNCl using the non-rigid bender Hamiltonian | 139 (1987) 159 |
| Burak, I., see A. Gedanken | 137 (1987) 587 |
| Bürger, H., see A. Amrein | 139 (1987) 82 |
| Burgers, P.C., J.K. Terlouw, T. Weiske and H. Schwarz, CNH_2^+ : laboratory generation of a proposed interstellar species | 132 (1986) 69 |
| Burimov, V.N., see V.N. Bagratashvili | 137 (1987) 45 |
| Burkhart, R.D., Models for intramolecular triplet exciton migration applied to vinyl aromatic polymers | 133 (1987) 568 |
| Burnell, E.E., see G.S. Bates | 134 (1987) 161 |
| Burnell, E.E. and C.A. de Lange, On the determination of chemical shielding anisotropies of solutes in liquid-crystal mixtures of opposite diamagnetic anisotropies | 136 (1987) 87 |
| Burrow, P.D., see K.L. Stricklett | 131 (1986) 279 |
| Burrow, P.D., A. Modelli and K.D. Jordan, Temporary anion states of the chlorobenzenes | 132 (1986) 441 |
| Bussert, W. and S.R. Leone, Orbital alignment effects in the $\text{Ca}(4s5p^1\text{P}_1)$ to $\text{Ca}(4s5p^3\text{P}_J)$ electronic energy transfer with molecular collision partners | 138 (1987) 269 |
| Bussert, W. and S.R. Leone, State-specific orbital alignment effects in electronic energy transfer: $\text{Sr}(5s6p^1\text{P}_1) + \text{M} \rightarrow \text{Sr}(5s6p^3\text{P}_J, 4d5p^3\text{F}_4, ^3\text{F}_3) + \text{M}$ | 138 (1987) 276 |
| Butayev, B.S., see K.V. Ermakov | 138 (1987) 153 |
| Butayev, B.S., A.S. Saakyan and V.P. Spiridonov, The Morse-like model for the potential function of linear XY_2 molecules | 138 (1987) 303 |
| Butcher, K.A., see A. Agostiano | 137 (1987) 37 |
| Byers Brown, W., High symmetries in quantum chemistry | 136 (1987) 128 |
| Byers Brown, W., High symmetries in quantum chemistry, Chem. Phys. Letters 136 (1987) 128. Erratum | 139 (1987) 612 |

| | |
|--|--------------------------------|
| Cachau, R.E., see S.H. Almaleck | 133 (1987) 303 |
| Cahuzac, Ph., see C. Bréchnignac | 133 (1987) 45 |
| Calabrese, J.C. and W. Tam, Organometallics for non-linear optics: metal-pyridine and bipyridine complexes | 133 (1987) 244 |
| Calabrese, J.C., see A.G. Anderson | 134 (1987) 392 |
| Calef, D.F. and B.M. Pettitt, A theoretical study of the structure of shocked water | 139 (1987) 129 |
| Callear, A.B. and P.M. Shiundu, Temperature dependence of the $\text{Hg}6s6p(^3P_0 \rightarrow ^3P_1)$ transition induced by nitrogen | 136 (1987) 342 |
| Callen, B., see M. Lambert | 139 (1987) 45 |
| Callis, P.R., see D. Theiste | 133 (1987) 14 |
| Callis, P.R., see A.A. Rehms | 140 (1987) 83 |
| Calogero, R., see S. Cannistraro | 139 (1987) 116 |
| Calvani, P., see G. Baciocco | 132 (1986) 410 |
| Camacho, J.J., see A. Pardo | 131 (1986) 490 |
| Cameron, R.E. and D.P. Shelton, Non-resonant third-order susceptibilities measured for ethane, propane and <i>n</i> -butane | 133 (1987) 520 |
| Caminati, W., see A.C. Fantoni | 133 (1987) 27 |
| Campion, A., see D. Harradine | 135 (1987) 501 |
| Campion, A., see X. Jiang | 140 (1987) 95 |
| Camy-Peyret, C., J.-M. Flaud, L. Lechuga-Fossat, G. Laverdet and G. le Bras, The absorption of gaseous dinitrogen pentoxide in the 8.1 and 5.7 μm spectral regions | 139 (1987) 345 |
| Canet, D., see A. Belmajdoub | 131 (1986) 426; 140 (1987) 389 |
| Cannistraro, S., see M. Bacci | 133 (1987) 109 |
| Cannistraro, S., C. Petrillo, F. Sacchetti, R. Calogero and C.O. Gualerzi, Neutron diffraction evidence for substrate-triggered intermolecular interactions in the ribosomal protein IF-2 | 139 (1987) 116 |
| Cantù, L., see L. de Salvo Souza | 131 (1986) 160 |
| Cao, C., see R. Chen (Y.T. Chen) | 137 (1987) 471 |
| Car, R., see D. Hohl | 139 (1987) 540 |
| Cardy, H., C. Larrieu and A. Dargelos, An ab initio study of the tetrahedral NH_4^+ ion | 131 (1986) 507 |
| Carlà, M., see G. Aloisi | 131 (1986) 103 |
| Carlson, R.J. and J.C. Wright, Perturbative description of extra resonances in CARS | 140 (1987) 101 |
| Carmeli, B. and H. Metiu, An efficient Monte Carlo method for calculating the equilibrium properties for a quantum system coupled strongly to a classical one | 133 (1987) 543 |
| Carr, R.W., see P. Ho | 132 (1986) 422 |
| Carravetta, V., see H. Ågren | 139 (1987) 145 |
| Carrington Jr., T., L. Halonen and M. Quack, Fermi resonance in CHX_3 : a Hamiltonian in symmetrized curvilinear internal coordinates | 140 (1987) 512 |
| Čársky, P., see P. Hobza | 134 (1987) 418 |
| Čársky, P., see J. Sauer | 134 (1987) 553 |
| Carter, R.C., C.E. Miller, R.A. Palmer, P.S. May, D.H. Metcalf and F.S. Richardson, Circularly polarized luminescence (CPL) spectra of samarium(III) in trigonal $\text{Na}_3[\text{Sm}(\text{oxydiacetate})_3] \cdot 2\text{NaClO}_4 \cdot 6\text{H}_2\text{O}$ | 131 (1986) 37 |
| Carter, S., see J. Senekowitsch | 140 (1987) 375 |
| Carvell, M., C.A. Leng, F.J. Leng and G.J.T. Tiddy, Comment on "Observations of a vanishing miscibility loop in the phase diagram of solutions of a mixed non-ionic-ionic amphiphile" | 137 (1987) 188 |

| | |
|---|---------------------|
| Casalone, G., F. Merati and G.F. Tantardini, EHT study of hydrogen chemisorption on Pt-Au(111) bimetallic clusters | 137 (1987) 234 |
| Casey, K.G., see E.L. Quitevis | 132 (1986) 77 |
| Cassettari, M., see D. Bertolini | 136 (1987) 67 |
| Castaño, O., see P. Karadakov | 140 (1987) 367 |
| Castleman Jr., A.W., see O. Echt | 135 (1987) 229 |
| Castro, E.A., see S.H. Almaleck | 133 (1987) 303 |
| Casu, M., A. Lai, C. Meloni and G. Saba, A ^{23}Na and ^{31}P NMR investigation of the binding of Ni^{2+} to Na-DNA | 137 (1987) 533 |
| Catalán, J., see A.U. Acuña | 132 (1986) 567 |
| Cataliotti, R.S., see A. Santucci | 138 (1987) 244 |
| Catenaccio, A., see H. Mechetti | 140 (1987) 189 |
| Causà, M., R. Dovesi, C. Roetti, E. Kotomin and V.R. Saunders, A periodic ab initio Hartree-Fock calculation on corundum | 140 (1987) 120 |
| Cavalli, S., see V. Aquilanti | 133 (1987) 531, 538 |
| Cavanagh, R.R., see E.J. Heilweil | 134 (1987) 181 |
| Cederbaum, L.S., see J. Kucar | 140 (1987) 525 |
| Celii, F.G., J. Fulara, J.P. Maier and M. Rösslein, The $\tilde{\text{B}}^2\Pi \leftarrow \tilde{\text{X}}^2\Pi$ laser excitation spectrum of ClCN^+ in the gas phase | 131 (1986) 325 |
| Celii, F.G., P.M. Whitmore and K.C. Janda, Observation of UV-induced photochemistry of $\text{Fe}(\text{CO})_5$ adsorbed on the Ag(110) surface | 138 (1987) 257 |
| Černušák, I., see M. Urban | 135 (1987) 346 |
| Cesar, A., see H. Ågren | 139 (1987) 145 |
| Chachaty, C., see K.A. Sahetchian | 134 (1987) 156 |
| Chachaty, C., see F. Zabel | 134 (1987) 433 |
| Chakraborty, D.K., see J. Tellinghuisen | 134 (1987) 565 |
| Chakravorty, K.P., see W.T. Luh | 131 (1986) 335 |
| Chakravorty, S.J., see S.R. Gadre | 132 (1986) 535 |
| Chandler, D., Comment on "A new RISM integral equation for solvated polymers" | 140 (1987) 108 |
| Chandler, D.W., see T.A. Spiglanin | 137 (1987) 414 |
| Chandra, H., S.P. Mishra and M.C.R. Symons, Electron spin resonance studies of the effects of ionizing radiation on cyanamide and dimethyl cyanamide | 134 (1987) 307 |
| Chandrakumar, N. and K. Nagayama, A new experimental method for heteronuclear correlation spectroscopy with cross-polarization | 133 (1987) 288 |
| Chandrasekhar, J. and C.N.R. Rao, Computer simulation of quenched liquids: the glassy state of water | 131 (1986) 267 |
| Chapuisat, X., J.P. Brunet and A. Nauts, Dynamics of four particles in hyperspherical coordinates | 136 (1987) 153 |
| Chapuisat, X., see A. Nauts | 136 (1987) 164 |
| Chasovnikov, S.A., see A.I. Chichinin | 138 (1987) 371 |
| Chen, C.H., see M.P. McCann | 138 (1987) 250 |
| Chen, K. and C. Pei, Kinematic constraints on the final-state interaction in photodissociation processes. Numerical results on the rotational population distributions of HS photofragments | 134 (1987) 259 |
| Chen, K. and C. Pei, Kinematic constraints on the final state interaction in photodissociation processes. Predissociative mechanism of NO_2 at 337 nm | 137 (1987) 361 |

- Chen, L.X.-Q., J.W. Petrich, G.R. Fleming and A. Perico, Picosecond fluorescence studies of polypeptide dynamics: fluorescence anisotropies and lifetimes 139 (1987) 55
- Chen, S.H., see R. Bansil 132 (1986) 165
- Chen, T.T., see Y.C. Chou 137 (1987) 386
- Chen, X., L. Li, H. Zhao and C. Zhang, Study of single vibrational level relaxation in $\text{CS}_2(\text{R}^3\text{B}_2)$ by stimulated emission pumping 136 (1987) 546
- Chen (Y.T. Chen), R., J. Liang, Y. Du, C. Cao, D. Yin, S. Wang and T. Zhang, Linear free energy relationship between rate constants and basicities of N-substituted phenyl glycines in positronium-glycine complex formation 137 (1987) 471
- Cherek, H., see I. Gryczynski 135 (1987) 193
- Chergui, M., see J. le Calvé 132 (1986) 256
- Cheshnovsky, O., S.H. Yang, C.L. Pettiette, M.J. Craycraft, Y. Liu and R.E. Smalley, Ultraviolet photoelectron spectroscopy of semiconductor clusters: silicon and germanium 138 (1987) 119
- Cheshnovsky, O., see S.H. Yang 139 (1987) 233
- Chevalier, M. and A. de Martino, Double-resonance observation of the $(3\nu_3, F_1)$ state of methane 135 (1987) 446
- Chewter, L.A., K. Müller-Dethlefs and E.W. Schlag, Determination of the ionization energy of the benzene-argon complex by zero kinetic energy photoelectron spectroscopy 135 (1987) 219
- Chichinin, A.I., S.A. Chasovnikov and L.N. Krasnoperov, The laser photolysis of ICl at 530 nm: a time-resolved LMR study 138 (1987) 371
- Chidichimo, G., see D. Imbardelli 134 (1987) 96; 135 (1987) 319
- Choi, B.H., see M.S. Bowers 136 (1987) 145
- Choi, S.E., see S.R. Gandhi 132 (1986) 6
- Chou, M.Y., see W.D. Knight 134 (1987) 1
- Chou, Y.C., N.T. Liang, R.L. Pan, C.S. Kuo and T.T. Chen, The effects of protonation on the surface-enhanced Raman scattering from ATP molecules adsorbed on the Ag electrode 137 (1987) 386
- Chowdhury, M., see T. Kundu 133 (1987) 507
- Chowdhury, M., see M. Vala 134 (1987) 610
- Chowdhury, M., see A.K. Banerjee 139 (1987) 421
- Christmann, K., M. Ehsasi, W. Hirschwald and J.H. Block, Hydrogen on rhodium(110): the formation of a high-density chemisorbed phase 131 (1986) 192
- Christodoulides, A.A., L.G. Christophorou and D.L. McCorkle, Effect of temperature on the low-energy (≤ 1 eV) electron attachment to perfluorocyclobutane ($c\text{-C}_4\text{F}_8$) 139 (1987) 350
- Christoffel, K.M., J.S. Bittman and J.M. Bowman, Ab initio simulation of the photoelectron spectra of HCO^- and DCO^- 133 (1987) 525
- Christophorou, L.G., see A.A. Christodoulides 139 (1987) 350
- Chu, S.-I., see J. Needels 139 (1987) 35
- Chu, S.C., see K.L. Stricklett 131 (1986) 279
- Chu, S.Y., see S.-L. Lee 137 (1987) 279
- Chuang, C., see R.S. Ruoff 138 (1987) 553
- Ciccotti, G., see P. Sindzingre 136 (1987) 35
- Cina, J.A., Classical adiabatic angle and geometrical phase in spin precession 132 (1986) 393
- Cioslowski, J., Graph theoretical approach to the topological spin Hamiltonian applied to conjugated molecules 134 (1987) 507
- Cioslowski, J., The connected moments expansion for the zero-point energy of coupled anharmonic oscillators 136 (1987) 515
- Cioslowski, J., Steepest descent perturbation theory for a non-linear Schrödinger equation describing the solvent-molecule interaction 137 (1987) 78

- Cioslowski, J., M. Kertesz, P.R. Surjan and R.A. Poirier, Connected moments expansion calculations of the correlation energy in small molecules 138 (1987) 516
- Clark, R.J.H., see S.D. Conradson 135 (1987) 463
- Claxton, T.A., A.M. Graham and M.C.R. Symons, On the interpretation of level-crossing resonance results for the muonated ethyl radical 138 (1987) 610
- Clayden, N.J., Computer simulations of ^2H MAS NMR spinning sideband spectra 131 (1986) 517
- Clemenger, K., see W.D. Knight 134 (1987) 1
- Clementi, E., see K.S. Kim 131 (1986) 451
- Clementi, E., see M.W. Evans 138 (1987) 149
- Clifford, P., N.J.B. Green, M. Bezant and M.J. Pilling, The approximation of collisional energy relaxation by imbedding diffusion processes 135 (1987) 477
- Clift, N.M. and N.G. Parsonage, Monte Carlo studies of two-dimensional commensurate-incommensurate transitions 140 (1987) 572
- Cline, J.I., see N. Sivakumar 137 (1987) 403
- Clouter, M.J., see A.R.W. McKellar 140 (1987) 117
- Coffey, W.T. and P.M. Corcoran, The non-linear itinerant oscillator model: the effect on the polarisability spectrum of including barrier-crossing by dipoles 139 (1987) 290
- Cohen, M.L., see W.D. Knight 134 (1987) 1
- Collins, J.R., see W. Koch 132 (1986) 330
- Colvin, M.E., see B.H. Lengsfeld III 135 (1987) 340
- Comes, F.J., see A.U. Grunewald 132 (1986) 121; 133 (1987) 501
- Comes, F.J., see K.-H. Gericke 137 (1987) 510
- Conceicao, J., see S.H. Yang 139 (1987) 233
- Connor, J.N.L., see G.C. Schatz 132 (1986) 1
- Conradson, S.D., R.F. Dallinger, B.I. Swanson, R.J.H. Clark and V.B. Croud, Resonance Raman study of the ν_1 band structure of $[\text{Pt}(\text{en})_2][\text{Pt}(\text{en})_2\text{Br}_2](\text{ClO}_4)_4$ 135 (1987) 463
- Contarini, S., see S.F. Ho 133 (1987) 171
- Conte, J.C. and J.M.G. Martinho, Comparison between the kinetics of convolution and of differential equations 134 (1987) 350
- Conwell, E.M., see C.B. Duke 131 (1986) 82
- Cook, J.S., J.S. Dryden, P.B. Gwan and J. Ferguson, Photochemical production of F centers in KBr crystals doped with Se^{2-} 138 (1987) 415
- Cook, M.C., see O. Echt 135 (1987) 229
- Coombe, R.D., see S.J. David 136 (1987) 352
- Coombe, R.D., see A.P. Ongstad 136 (1987) 358
- Cooper, D.L., Ab initio investigation of low-lying $^2\Sigma^+$ and $^2\Pi$ states of NO^{2+} 132 (1986) 377
- Cooper, D.L., J. Gerratt, M. Raimondi and S.C. Wright, The electronic structure of 1,3-dipoles: spin-coupled descriptions of nitron and diazomethane 138 (1987) 296
- Cooper, I.L., see I. Benjamin 139 (1987) 285
- Copeland, R.A., J.B. Jeffries and D.R. Crosley, Transition probabilities in $\text{OH } A^2\Sigma^+ - X^2\Pi$; bands with $\nu' = 0$ and 1, $\nu'' = 0$ to 4 138 (1987) 425
- Corcoran, P.M., see W.T. Coffey 139 (1987) 290
- Corti, M., see L. de Salvo Souza 131 (1986) 160
- Costela, A., see A.U. Acuña 132 (1986) 567
- Courtieu, J., N.T. Lai and L. Werbelow, Creation of multiquantum coherences from equilibrium spin systems 140 (1987) 565
- Cox, A.P., see D.W. Knight 132 (1986) 103

- Cox, A.P., see C.A. Rego 139 (1987) 595
 Cox, D.M., see M.R. Zakin 135 (1987) 223
 Cox, R.A., see M.E. Jenkin 137 (1987) 548
 Cox, S.F.J., see P.W. Percival 133 (1987) 465; 137 (1987) 398; 138 (1987) 613
 Cramer, C.J., C.E. Dykstra and S.E. Denmark, An ab initio study of the [1,2] proton transfer from phosphine oxide to phosphinic acid 136 (1987) 17
 Cranmer, M., see R.E. Ballard 134 (1987) 177; 135 (1987) 468; 137 (1987) 125; 138 (1987) 284
 Craycraft, M.J., see O. Cheshnovsky 138 (1987) 119
 Cremer, D. and M. Schindler, Energy, geometry and NMR chemical shifts of dimethyldioxirane 133 (1987) 293
 Cremer, D., see J. Gauss 133 (1987) 420; 138 (1987) 131
 Cristinziano, P. and F. Lelj, A molecular dynamics study of associations in solution. An *NPT* simulation of the urea dimer in water 140 (1987) 401
 Crosley, D.R., see N.L. Garland 134 (1987) 189
 Crosley, D.R., see R.A. Copeland 138 (1987) 425
 Cross, R.J., Tests of the infinite-order sudden approximation 138 (1987) 146
 Croud, V.B., see S.D. Conradson 135 (1987) 463
 Cruickshank, F.R., see R.T. Bailey 134 (1987) 311
 Csizmadia, I.G., see J.G. Ángyán 131 (1986) 247; 136 (1987) 1
 Csizmadia, I.G., see M.G. Sylvain 136 (1987) 575
 Cummins, P.G., J.B. Hayter, J. Penfold and E. Staples, A small-angle neutron scattering investigation of shear-aligned hexaethyleneglycolmono-hexadecylether ($C_{16}E_6$) micelles as a function of temperature 138 (1987) 436
 Cunsolo, S., see G. Baciocco 132 (1986) 410
 Curl, R.F., see S.C. O'Brien 132 (1986) 98
 Curtiss, L.A., A theoretical study of the inversion barrier in NF_3^+ 136 (1987) 566
 Curtiss, T.J., see S.R. Gandhi 132 (1986) 6
 Cyvin, B.N., see S.J. Cyvin 140 (1987) 124
 Cyvin, S.J., see I. Gutman 136 (1987) 137
 Cyvin, S.J., B.N. Cyvin and J. Brunvoll, Half essentially disconnected coronoid hydrocarbons 140 (1987) 124
 Czarnik-Matusewicz, B., see J.P. Hawranek 138 (1987) 397
 Czyzak, S.R., see D.K. Neumann 131 (1986) 14

- Dagata, J.A., D.W. Squire, C.S. Dulcey, D.S.Y. Hsu and M.C. Lin, MPI/MS detection of SiF and SiF₂ radicals produced from the reaction of F₂ and NF₃ with silicon 134 (1987) 151
- Dagaut, P., see M.J. Kurylo 139 (1987) 513
- Dagdighian, P.J., see A. Ali 131 (1986) 331; 136 (1987) 483
- Dai, H.L., see D. Frye 133 (1987) 249
- Dalgarno, A., see S. Preston 138 (1987) 157
- Dallinger, R.F., see S.D. Conradson 135 (1987) 463
- Dalvi, A.G.I., see M. Kumar 134 (1987) 102
- Dam, N., C. Liedenbaum, S. Stolte and J. Reuss, Rotational distributions in seeded molecular beams 136 (1987) 73
- Damany, H., see P. Moutard 132 (1986) 521
- Damany, N., see P. Moutard 132 (1986) 521
- D'Aniello Jr., M.J., see R.T. Roginski 135 (1987) 525
- Danilova, S.V., see O.V. Gritsenko 134 (1987) 423
- Dannenberg, J.J., see D.D.M. Wayner 131 (1986) 189
- Danzeiser, D.A., see D. Bender 131 (1986) 134
- Dao, P. and A. Twarowski, Photokinetics of gas phase europium(III) chelated with hexafluoroacetylacetonate 139 (1987) 507
- Dargelos, A., see H. Cardy 131 (1986) 507
- Das, K., see S. Ramasesha 138 (1987) 462
- Das, P.K., see H. Hiratsuka 137 (1987) 255
- Das, P.K., see R. Duguid 139 (1987) 475
- Da Silva, E.C. and M.A.C. Nascimento, Ab initio and configuration interaction calculations for some $\sigma \rightarrow \pi^*$ superexcited states of the trans-1,3-butadiene molecule 138 (1987) 509
- Daskalakis, M.F., see C.E. Dykstra 137 (1987) 266
- Das Sarma, S., see K.E. Khor 134 (1987) 43
- Das Sarma, S., see S.M. Paik 135 (1987) 128
- Datta, S.N. and S. Priyadarshy, A generalized time-dependent pseudopotential 135 (1987) 147
- Daudel, R., see J.G. Ángyán 131 (1986) 247; 136 (1987) 1
- Daudey, J.P., see C. Jouany 136 (1987) 52
- Daul, C., see J.N. Gex 132 (1986) 276
- Daul, C., see A. Goursot 138 (1987) 339
- David, S.J., A.P. Ongstad, M.A. MacDonald and R.D. Coombe, Chemical generation of excited IF(B³Π₀₊) 136 (1987) 352
- David, S.J., see A.P. Ongstad 136 (1987) 358
- Davies, M.K., see A.O.S. Maczek 136 (1987) 471
- Davies, P.B., see P.R. Brown 132 (1986) 582; 133 (1987) 239
- Davies, P.B. and P.A. Martin, Infrared laser spectroscopy of the fundamental band of a³Π CO 136 (1987) 527
- Davila, J., A. Harriman and L.R. Milgrom, A light-harvesting array of synthetic porphyrins 136 (1987) 427
- Daykin, E., see M. Anselment 134 (1987) 444
- Debenedetti, P.G., Derivation of operational definitions for the computer calculation of partial molar properties in multicomponent mixtures 132 (1986) 325
- Debenedetti, P.G., Derivation of operational definitions for the computer calculation of partial molar properties in multicomponent mixtures, Chem. Phys. Letters 132 (1986) 325. Erratum 133 (1987) 574
- De Bleijser, J., see C.J.M. van Rijn 135 (1987) 57

- De Bleijser, J., see J.R.C. van der Maarel 135 (1987) 62
- De Boer, E., see G. Zwanenburg 140 (1987) 11
- De Boer, S., K.J. Vink and D.A. Wiersma, Optical dynamics of condensed molecular aggregates: An accumulated photon-echo and hole-burning study of the J aggregate 137 (1987) 99
- Declémy, A., C. Rullière and Ph. Kottis, Picosecond solvation of electronically excited solutes in alcoholic solvents: non-Debye behaviour of the time-dependent fluorescence shift related to hydrogen bonding 133 (1987) 448
- Declémy, A., see C. Rullière 134 (1987) 64; 135 (1987) 213
- Dedieu, A., S. Sakaki, A. Strich and P.E.M. Siegbahn, A theoretical study of CO insertion reactions: an assessment of electron correlation effects 133 (1987) 317
- DeFrees, D.J. and A.D. McLean, A priori predictions of the rotational constants for protonated formaldehyde and protonated methanol 131 (1986) 403
- Degiorgio, V., see L. de Salvo Souza 131 (1986) 160
- De Haas, M.P., see O.A. Anisimov 137 (1987) 365
- De Heer, W.A., see W.D. Knight 134 (1987) 1
- De Juan, J., I.W.M. Smith and B. Veyret, Kinetics of $\text{CN}(\nu=0)$ and $\text{CN}(\nu=1)$ with H_2 , HCl and HBr 132 (1986) 108
- Delacretaz, G., see C. Bréchignac 133 (1987) 45
- Delahay, P. and A. Dziedzic, Transition dipole-solvent interaction in photoionization 132 (1986) 401
- De Lange, C.A., see E.E. Burnell 136 (1987) 87
- De Lange, C.A., see B.G. Koenders 138 (1987) 1
- De la Rubia, J., see V. Garzó 132 (1986) 526; 135 (1987) 143; 138 (1987) 283
- Delaval, J.M., see Y. Lefebvre 139 (1987) 212
- De Leng, H., see O.A. Anisimov 137 (1987) 365
- DeLuca, M.J., see L.A. Posey 131 (1986) 170
- Demarquay, J. and J. Fraissard, ^{129}Xe NMR of xenon adsorbed on zeolites. Relationship between the chemical shift and the void space 136 (1987) 314
- De Martino, A., see M. Chevalier 135 (1987) 446
- De Melo, C.P. and R. Silbey, Non-linear polarizabilities of conjugated chains: regular polyenes, solitons, and polarons 140 (1987) 537
- Demmer, D.R., J.W. Hager, G.W. Leach and S.C. Wallace, Picosecond dynamics of intramolecular vibrational redistribution in the S_2 state of jet-cooled azulene 136 (1987) 329
- DeMoor, S., see A. Anderson 140 (1987) 471
- Demuynck, J., see P. Mougnot 136 (1987) 279
- Denmark, S.E., see C.J. Cramer 136 (1987) 17
- Derouane, E.G. and R.A. Hubert, Resolution and assignment of framework sites in zeolite ZSM-5 by correlation of X-ray and NMR measurements 132 (1986) 315
- Derouane, E.G., J.-M. André and A.A. Lucas, A simple van der Waals model for molecule-curved surface interactions in molecular-sized microporous solids 137 (1987) 336
- Derouane, E.G. and J.B. Nagy, Surface curvature effects on the NMR chemical shift for molecules trapped in microporous solids 137 (1987) 341
- De Sagey, G.T., see O.L. Malta 134 (1987) 495
- De Salvo Souza, L., M. Corti, L. Cantù and V. Degiorgio, Observation of a vanishing miscibility loop in the phase diagram of solutions of a mixed non-ionic-ionic amphiphile 131 (1986) 160
- De Santis, A., M. Sampoli, V. Mazzacurati and M.A. Ricci, Raman spectra of water in the translational region 133 (1987) 381
- De Schryver, F.C., see P. Vandereecken 136 (1987) 441

- De Silvestri, S., see L.R. Williams 139 (1987) 244
- Desiraju, G.R., J.A.R.P. Sarma and T.S.R. Krishna, Dipole-dipole interactions and the inversion motif in the crystal structures of planar chloro aromatics: the unusual packings of 1,2,3-trichlorobenzene and 1,2,3,7,8,9-hexachlorodibenzo-*p*-dioxin 131 (1986) 124
- Desiraju, G.R. and B.N. Murty, Correlation between crystallographic and spectroscopic properties for C-H...O bonds in terminal acetylenes 139 (1987) 360
- Desrosiers, M.F., see D.W. Werst 133 (1987) 201
- Devdariani, A.Z. and A.L. Zagrebin, Spin-changing collisions in the $\text{Ca}(4s5p^1P_1)+\text{He}$ system 131 (1986) 197
- Devolder, P., see N. Bourmada 136 (1987) 209
- Devonshire, R., see I.S. Dring 132 (1986) 283
- Devonshire, R., see D.A. Greenhalgh 133 (1987) 458
- Dewar, M.J.S. and B.M. O'Connor, Testing ab initio procedures; the 6-31G* model 138 (1987) 141
- D'Huysser, A., see M. Lenglet 136 (1987) 478
- Di Castro, V. and G. Polzonetti, A photoemission study of the Cu/MnO interface 139 (1987) 215
- Diercksen, G.H.F., see P. Pyykkö 134 (1987) 575
- Diercksen, G.H.F., see M. Urban 135 (1987) 346
- Dierker, S.B., C.A. Murray, J.D. LeGrange and N.E. Schlotter, Characterization of order in Langmuir-Blodgett monolayers by unenhanced Raman spectroscopy 137 (1987) 453
- Dietzsch, W., see R. Kirmse 133 (1987) 81
- Dikanov, S.A., see A.V. Astashkin 134 (1987) 438; 136 (1987) 204, 335
- DiMauro, L.F., see M. Anselment 134 (1987) 444
- DiMauro, L.F. and T.A. Miller, Laser-induced fluorescence of CO^+ and the $\text{CO } a^3\Pi_i$ state produced by multiphoton absorption in a supersonic jet 138 (1987) 175
- Dimicoli, I., see M. Mons 131 (1986) 298
- Dirksen, G.J., see G. Blasse 136 (1987) 460
- Di Sipio, L., see M. Bettinelli 138 (1987) 361
- Distefano, G., see A. Modelli 132 (1986) 448
- Diter, B., see A. Belmajdoub 131 (1986) 426
- Dixit, S.N., see H. Rudolph 137 (1987) 521
- Dixon, R.N., see M.N.R. Ashfold 138 (1987) 201
- Dixon, R.N. and R.P. Tuckett, The sign of the spin-orbit coupling constant in $(t_2)^5 \text{ } ^2T_2$ states of MX_4^+ ions 140 (1987) 553
- Doane, J.W., see J.M. Pope 139 (1987) 589
- Dobkowski, J., see J.K.S. Wan 131 (1986) 129
- Dobkowski, J., see C. Rullière 137 (1987) 408
- Dohlus, R., see H. Graener 140 (1987) 306
- Domcke, W. and H. Köppel, Model calculation on the pump-probe measurement of ultrafast electronic population decay in polyatomic molecules 140 (1987) 133
- Domen, K., see A. Kudo 133 (1987) 517
- Donaldson, D.J. and S.R. Leone, Time-resolved FTIR photofragment emission spectroscopy: HCl vibrational distributions from the 193 nm photolysis of chloroethylenes 132 (1986) 240
- Donnelly, R.A., Geometry optimization by simulated annealing 136 (1987) 274
- Donovan, R.J., M.A. MacDonald, K.P. Lawley, A.J. Yencha and A. Hopkirk, Oscillatory continuum emission from the $\text{F}(0_u^+)$ ion-pair state of I_2 138 (1987) 571
- Dore, J.C., see A.N. North 132 (1986) 541
- Doronin, Yu.S., see E.T. Verkhovtseva 140 (1987) 181

| | |
|---|-------------------------------|
| Doubleday Jr., C., see M.B. Zimmt | 134 (1987) 549 |
| Dovesi, R., see M. Causà | 140 (1987) 120 |
| Downey, S.W., see G.L. Keaton | 137 (1987) 26 |
| Drabe, K.E., see B.G. Koenders | 138 (1987) 1 |
| Drake, S.R., P.P. Edwards, B.F.G. Johnson, J. Lewis, E.A. Marseglia, S.D. Obertelli and N.C. Pyper, The emergence of paramagnetism in transition-metal carbonyl clusters | 139 (1987) 336 |
| Dreher, W., see P. Börnert | 136 (1987) 319 |
| Drexhage, K.H., see R. Schmidt | 138 (1987) 18 |
| Drickamer, H.G., see W.S. Hammack | 132 (1986) 231 |
| Drickamer, H.G., see R.T. Roginski | 135 (1987) 525 |
| Dring, I.S., R. Devonshire, J. Meads, H.F. Boysan and D.A. Greenhalgh, Observation of non-equilibrium effects in free-convective flows using CARS. Recirculating flow relaxation spectrometry | 132 (1986) 283 |
| Dring, I.S., see D.A. Greenhalgh | 133 (1987) 458 |
| Drummond, C.J., F. Grieser and T.W. Healy, Effect of electrolyte on the mean interfacial solvent and electrostatic characteristics of cationic micelles | 140 (1987) 493 |
| Dryden, J.S., see J.S. Cook | 138 (1987) 415 |
| Du, Y., see R. Chen (Y.T. Chen) | 137 (1987) 471 |
| Dubov, D.Yu., see A.A. Vostrikov | 139 (1987) 124 |
| Dudde, R., see K.-H. Frank | 132 (1986) 83 |
| Dugan, H., see M. Lambert | 139 (1987) 45 |
| Duguid, R., B.D. Maxwell, Y. Munoz-Sola, K. Muthuramu, V. Rasbury, T.-V. Singh, H. Morrison, P.K. Das and G.L. Hug, Radiationless decay in substituted alkylbenzenes in solution | 139 (1987) 475 |
| Duke, C.B., E.M. Conwell and A. Paton, Localized molecular excitons in polyaniline | 131 (1986) 82 |
| Dulcey, C.S., see D.W. Squire | 131 (1986) 112 |
| Dulcey, C.S., see J.A. Dagata | 134 (1987) 151 |
| Dul'tsev, E.N., see N.I. Sorokin | 138 (1987) 170 |
| Dunbar, R.C., see B. Asamoto | 139 (1987) 225 |
| Duncan, J.L. and H. Merson, The use of isotopic centrifugal distortion differences towards a better definition of the molecular harmonic potential function | 138 (1987) 55 |
| Duncan, M.A., see R.G. Wheeler | 131 (1986) 6 |
| Duncan, T.M., see T.W. Root | 137 (1987) 57 |
| Dunn, K.M., The isolated CH chromophore in CD ₂ FH and CD ₃ H | 139 (1987) 165 |
| Dupeyrat, G., see P. Gaucherel | 132 (1986) 63 |
| Dupuis, M., see K.S. Kim | 131 (1986) 451 |
| Dürr, J., see M. Lenglet | 136 (1987) 478 |
| Durup, J., Hemiquantal reaction dynamics with ingoing half-trajectory matching | 132 (1986) 299 |
| Durup, J., see F.X. Gadéa | 138 (1987) 43; 140 (1987) 110 |
| Durup-Ferguson, M., see M. Heninger | 131 (1986) 439 |
| Dutta, P.K. and M.A. Thomson, The oxidation of ferrocene to ferricenium ion in zeolite Y: a resonance Raman study | 131 (1986) 435 |
| Duveneck, G., see K.A. Zachariasse | 133 (1987) 390 |
| Dyet, J.A., M.R.S. McCoustra and J. Pfab, The visible spectrum of jet-cooled CF ₃ NO | 135 (1987) 534 |
| Dyet, J.A., see M.R.S. McCoustra | 136 (1987) 231 |
| Dyet, J.A., M.R.S. McCoustra and J. Pfab, The visible spectrum of jet-cooled CF ₃ NO, Chem. Phys. Letters 135 (1987) 534. Erratum | 137 (1987) 398 |

Master index to volumes 131-140

| | |
|--|--------------------------------|
| Dykstra, C.E., see C.J. Cramer | 136 (1987) 17 |
| Dykstra, C.E., see S. Liu | 136 (1987) 22 |
| Dykstra, C.E., S. Liu, M.F. Daskalakis, J.P. Lucia and M. Takahashi, Further tests of the approximate double substitution coupled-cluster method | 137 (1987) 266 |
| Dymanus, A., see P. Verhoeve | 132 (1986) 213 |
| Dymanus, A., see G. Meijer | 136 (1987) 519; 139 (1987) 603 |
| Dziedzic, A., see P. Delahay | 132 (1986) 401 |

| | |
|--|----------------|
| Echt, O., M.C. Cook and A.W. Castleman Jr., Multiphoton ionization studies of xenon clusters | 135 (1987) 229 |
| Eckhardt, C.J., see M. Morrow | 131 (1986) 118 |
| Eckhardt, C.J., see K.-H. Brose | 137 (1987) 17 |
| Eckhardt, C.J., see M.E. Morrow | 140 (1987) 263 |
| Eden, J.G., see D.B. Geohegan | 139 (1987) 519 |
| Edwards, P.P., see S.R. Drake | 139 (1987) 336 |
| Efthimiopoulos, T., see M.J. Proctor | 137 (1987) 223 |
| Ehsasi, M., see K. Christmann | 131 (1986) 192 |
| Eibschutz, M., D. Salomon, D.W. Murphy, S. Zahurak and J.V. Waszczak, Direct observation of charge transfer in lithium intercalated 2H-TaSe ₂ by ¹⁸¹ Ta Mössbauer spectroscopy | 135 (1987) 592 |
| Eilbeck, J.C., see A.C. Scott | 132 (1986) 23 |
| Eisenthal, K.B., see K. Kemnitz | 131 (1986) 285 |
| Eisenthal, K.B., see J.M. Hicks | 135 (1987) 413 |
| El-Basil, S., Novel applications of Randić molecular connectivity index on data reduction of chemical graphs | 137 (1987) 543 |
| El-Bayoumi, M.A., see K.A. Al-Hassan | 138 (1987) 594 |
| Elber, R. and M. Karplus, A method for determining reaction paths in large molecules: application to myoglobin | 139 (1987) 375 |
| Eliades, M., see D. Bender | 131 (1986) 134 |
| Elsaesser, T. and B. Schmetzer, Excited-state proton transfer in 2-(2'-hydroxy-phenyl)benzothiazole: formation of the anion in polar solvents | 140 (1987) 293 |
| Emilsson, T., see R.S. Ruoff | 138 (1987) 553 |
| Encinas, M.V. and E.A. Lissi, Solubilization of neutral molecules in AOT inverse micelles in <i>n</i> -heptane | 132 (1986) 545 |
| Endo, Y., see Y. Kawashima | 135 (1987) 441 |
| Engel, Y.M., see J. Brickmann | 137 (1987) 441 |
| Engelen, D., see H. van Langen | 138 (1987) 99 |
| Engelhardt, G., see A. Samoson | 134 (1987) 589 |
| Engelking, P.C., "Magic" losses from metastable N _{2n} ⁺ clusters as a statistical evaporation process | 139 (1987) 6 |
| Epstein, S.T., Comments on adiabatic calculations of the electrical properties of molecules | 133 (1987) 276 |
| Erkoç, Ş., see S. Özder | 135 (1987) 582 |
| Ermakov, K.V., B.S. Butayev and V.P. Spiridonov, The equilibrium short-time density matrix for a one-dimensional anharmonic oscillator | 138 (1987) 153 |
| Ermler, W.C., see R.B. Ross | 134 (1987) 115 |
| Ernst, R.R., see O.W. Sørensen | 135 (1987) 313 |
| Eryomin, V. and N. Kuz'menko, Simple relations in the Stuckelberg model of bound-continuum transitions | 136 (1987) 510 |
| Estreicher, S., see D.S. Marynick | 132 (1986) 383 |
| Evans, M.W., G.C. Lie and E. Clementi, A molecular dynamics simulation of rotational flow induced by a left circularly polarized high-energy infrared laser field | 138 (1987) 149 |
| Evard, D.D., see N. Sivakumar | 137 (1987) 403 |
| Even, R., see M. Maitrot | 133 (1987) 59 |
| Even, R., see D. Markovitsi | 137 (1987) 107 |
| Even, R., see T.-H. Tran-Thi | 139 (1987) 207 |

Master index to volumes 131-140

- Evleth, E.M. and E. Kassab, Some observations on the computed forms of the bond rupture surfaces in H_2 , CH_4 and C_2H_6 131 (1986) 475
 Ewing, D.W. and G.V. Pfeiffer, Structures of C_5 134 (1987) 413
 Eyal, M., see R. Reisfeld 132 (1986) 252; 138 (1987) 377
 Eyal, M., R. Reisfeld, C.K. Jørgensen and B. Bendow, Laser properties of holmium and erbium in thorium-, zinc- and yttrium-based fluoride glass 139 (1987) 395
 Eyal, M., R. Reisfeld, A. Schiller, C. Jacoboni and C.K. Jørgensen, Energy transfer between manganese(II) and thulium(III) in transition-metal fluoride glasses 140 (1987) 595
 Eyler, J.R., see S.W. McElvany 134 (1987) 214
 Eyler, J.R., see M. Moini 137 (1987) 311

| | |
|--|--------------------------------|
| Fajardo, M.E. and V.A. Apkarian, Stimulated radiative dissociation and gain measurements of Xe ₂ Cl in solid xenon | 134 (1987) 51 |
| Fajardo, M.E., see L. Wiedeman | 134 (1987) 55 |
| Fantoni, A.C., W. Caminati and R. Meyer, Torsional interactions in methyl vinyl ketone | 133 (1987) 27 |
| Fantucci, P., see G. Pacchioni | 134 (1987) 407 |
| Farley, J.W., see M. Al-Za'al | 131 (1986) 56 |
| Farnell, L. and J.F. Ogilvie, Comment on "Ab initio calculations of doublet states of NH ⁺ " | 137 (1987) 191 |
| Fataftah, Z.A., see M.R. Ibrahim | 136 (1987) 583 |
| Faure, R., see J.-C. Bollinger | 140 (1987) 579 |
| Faurskov Nielsen, O., I.J. Bigio, I. Olsen and J.-M. Berquier, Low-frequency (20-400 cm ⁻¹) vibrational spectra of N-methylacetamide in the liquid state | 132 (1986) 502 |
| Favre, P. and C.W. Schl pfer, Correlation of the electronic structure of dihedral Ni(0) (d ¹⁰) and planar Ni(II) (d ⁸) complexes | 139 (1987) 250 |
| Fayer, M.D., see C.A. Walsh | 134 (1987) 268; 139 (1987) 485 |
| Fayer, M.D., see M. Berg | 139 (1987) 66 |
| Fearey, B.L., see J.K. Gillie | 134 (1987) 316 |
| Feick, R., see O. Ogrodnik | 135 (1987) 576 |
| Feldman, P.A., see M.B. Bell | 136 (1987) 588 |
| Felker, P.M. and G.V. Hartland, Fourier transform coherent Raman spectroscopy | 134 (1987) 503 |
| Fenistein, S., see M. Heninger | 131 (1986) 439 |
| Fenzlaff, H.-P., see A. K hn | 135 (1987) 335 |
| Ferguson, E.E., see M. Heninger | 131 (1986) 439 |
| Ferguson, E.E., Unimolecular decomposition of H ₃ CONO ⁺ | 138 (1987) 450 |
| Ferguson, J., E. Krausz and J. Vrbancich, Magnetic circular dichroism and the assignments of metal-ligand charge transfer states in Ru(bpy) ₃ ²⁺ and related systems | 131 (1986) 463 |
| Ferguson, J., see J.S. Cook | 138 (1987) 415 |
| Ferrante, R.F., see R.J. van Zee | 139 (1987) 426 |
| Ferrer, I.J., M. Pujadas and P. Salvador, A comparative study of the electroreduction of polycrystalline and single crystal CdS electrodes: implications for H ₂ evolution in colloidal suspensions | 139 (1987) 271 |
| Ferrero, J.C., see J. Xu | 137 (1987) 63 |
| Ferrett, T.A., M.N. Piancastelli, D.W. Lindle, P.A. Heimann, L.J. Medhurst, S.H. Liu and D.A. Shirley, Resonance effects on the inner-valence levels of SF ₆ in the photon-energy range 52-72 eV | 134 (1987) 146 |
| Ferrett, T.A., P.A. Heimann, H.G. Kerkhoff, U. Becker, D.W. Lindle and D.A. Shirley, Photoelectron asymmetry parameter for the S 2p level of SO ₂ | 138 (1987) 607 |
| Ferretti, A. and N.K. Rahman, A study of coupled logistic maps and their usefulness for modelling physico-chemical processes | 133 (1987) 150 |
| Ferretti, A. and N.K. Rahman, Coupled logistic maps in physico-chemical processes: co-existing attractors and their implications | 140 (1987) 71 |
| Fessenden, R.W., see H. Hiratsuka | 137 (1987) 255 |
| Fichou, D. and A. Kirsch-de Mesmaeker, Transient photopotentials at the cobalt-doped zinc oxide/electrolyte interface | 132 (1986) 128 |
| Fiechter, S., see A. Fojtik | 134 (1987) 477 |
| Figuera, J.M., see A.U. Acuña | 132 (1986) 567 |
| Filby, W.G.F., see Z.B. Alfassi | 133 (1987) 86 |
| Filgueira, R.R., see C.E. Blom | 140 (1987) 489 |

| | |
|--|---|
| Filippini, G. and M. Simonetta, Model calculations for benzene on Rh(111): a lattice-dynamical approach | 137 (1987) 295 |
| Filseth, S.V., see M. Lambert | 139 (1987) 45 |
| Finckh, P., see H. Heitele | 134 (1987) 273; 138 (1987) 237 |
| Findley, A.M., S. Bernstorff and G.L. Findley, Systematics in the ionization energies of rare gas clusters | 131 (1986) 349 |
| Findley, G.L., see A.M. Findley | 131 (1986) 349 |
| Findley, G.L., see J.A. Wilder | 137 (1987) 345 |
| Fink, W.H., see W.J. Stevens | 139 (1987) 15 |
| Fischer, G., Molecular beam infrared spectroscopy of benzene dimers | 139 (1987) 316 |
| Fischer, J., see U. Heinbuch | 135 (1987) 588 |
| Fischer, S.F., see P.O.J. Scherer | 131 (1986) 153; 136 (1987) 431; 137 (1987) 32 |
| Flament, J.P., see D. Winkoun | 139 (1987) 546 |
| Flammang, R., see C. Wentrup | 137 (1987) 241; 139 (1987) 613 |
| Flanagan, H.L. and D.J. Singel, The impact of excitation frequency on the nuclear modulation of electron spin echoes: ^{14}N hyperfine and quadrupole interactions of DPPH in disordered solids | 137 (1987) 391 |
| Flaud, J.-M., see C. Camy-Peyret | 139 (1987) 345 |
| Fleming, G.R., see L.X.-Q. Chen | 139 (1987) 55 |
| Flesch, G.D., see J.-D. Shao | 132 (1986) 58 |
| Flint, C.D., see M. Bettinelli | 138 (1987) 361 |
| Flores, J.R. and J. Largo-Cabrerizo, The low-lying electronic states of H_2CN^+ : a preliminary ab initio study | 137 (1987) 482 |
| Flores, J.R., A. Largo-Cabrerizo and J. Largo-Cabrerizo, A theoretical study of SiC_2^+ | 140 (1987) 26 |
| Fojtík, A., H. Weller, S. Fiechter and A. Henglein, Preparation of colloidal silicon and preliminary photochemical experiments | 134 (1987) 477 |
| Fojtík, A. and J. Jirkovský, Flash photolysis of Q-particles of Cd_3P_2 in aqueous solution | 137 (1987) 226 |
| Fojtík, A., A. Henglein, L. Katsikas and H. Weller, Photochemistry of semiconductor colloids: preparation of CdO and In_2O_3 sols and some photo-reactions | 138 (1987) 535 |
| Follmeg, B., P. Rosmus and H.-J. Werner, Vibration-rotation transition probabilities in CH^+ and CD^+ | 136 (1987) 562 |
| Fong, F.K., see A. Agostiano | 137 (1987) 37 |
| Fontijn, A., see D.F. Rogowski | 132 (1986) 413; 137 (1987) 219 |
| Ford, W.E., see P.V. Kamat | 135 (1987) 421 |
| Fork, R.L., see C.H. Brito Cruz | 132 (1986) 341 |
| Fornasiero, D. and F. Grieser, A linear dichroism study of colloidal silver in stretched polymer films | 139 (1987) 103 |
| Förster, H., see H. Böse | 138 (1987) 401 |
| Fotakis, C., see M.J. Proctor | 137 (1987) 223 |
| Fouassier, J.P., D.J. Lougnot, A. Paverne and F. Wieder, Time-resolved laser-pumped dye laser spectroscopy: energy and electron transfer in ketones | 135 (1987) 30 |
| Fournier, P.G. and R.E. March, Comment on "Ab initio investigation of low-lying $^2\Sigma^+$ and $^2\Pi$ states of NO^{2+} " | 137 (1987) 596 |
| Fowler, P.W., How unusual is C_{60} ? Magic numbers for carbon clusters | 131 (1986) 444 |
| Fraissard, J., see J. Demarquay | 136 (1987) 314 |
| Francisco, J.S., Z. Li and I.H. Williams, Dissociation dynamics of the trifluoromethoxy radical | 140 (1987) 531 |

| | |
|---|--------------------------------|
| Frank, A., F. Iachello and R. Lemus, Algebraic methods for molecular electronic spectra | 131 (1986) 380 |
| Frank, C.W., see R. Hayashi | 135 (1987) 123 |
| Frank, K.-H., R. Dudde and E.E. Koch, Electron affinity levels of benzene and azabenzenes on Cu(111) and Au(110) revealed by inverse photoemission | 132 (1986) 83 |
| Fraser, I.F. and R.D. Peacock, The excited-state geometry of $[\text{Re}_2\text{Cl}_8]^{2-}$ | 137 (1987) 583 |
| Frede, W., see H. Böse | 138 (1987) 401 |
| Frederick, J.H., Uniform semiclassical quantization of multi-dimensional systems: application to vibration-rotation eigenvalues | 131 (1986) 60 |
| Freed, J.H., see S.B. Rananavare | 140 (1987) 255 |
| Freed, K.F., see M.R. Hoffmann | 136 (1987) 392 |
| Freedman, T.B., see L.A. Nafie | 134 (1987) 225 |
| Freedman, T.B., see C.G. Zimba | 134 (1987) 233 |
| Frenkel, D., see P. Sindzingre | 136 (1987) 35 |
| Frenking, G., see W. Koch | 132 (1986) 330; 139 (1987) 149 |
| Frenking, G. and W. Koch, The singlet-triplet splitting of the low-lying electronic states of H_2O^{2+} and a comparison with isoelectronic CH_2 and CHe_2^+ | 138 (1987) 503 |
| Freude, D., J. Haase and J. Klinowski, Solid-state NMR studies of framework defects in thermally treated zeolite Ca-A | 133 (1987) 491 |
| Freude, D., E. Brunner, H. Pfeifer, D. Prager, H.-G. Jerschewitz, U. Lohse and G. Oehlmann, Magic-angle-spinning NMR studies of dealuminated zeolites | 139 (1987) 325 |
| Freund, H.-J. and C.-M. Liegener, Autoionization of CO after $\text{Cl}s \rightarrow 2\pi^*$ excitation: a comparison with photoemission and Auger decay | 134 (1987) 70 |
| Freund, H.-J., see D. Weide | 136 (1987) 106 |
| Freund, H.-J., H. Kossmann and V. Schmidt, Photoionization of inner valence electrons in gaseous NO: a synchrotron radiation study | 137 (1987) 425 |
| Frey, H.M., see J.E. Baggott | 132 (1986) 225; 135 (1987) 39 |
| Frey, H.M., see R. Becerra | 138 (1987) 330 |
| Fricke, B., see D. Heinemann | 137 (1987) 180 |
| Friedrich, B., see S.L. Howard | 140 (1987) 385 |
| Friedrich, J., see W. Köhler | 134 (1987) 200 |
| Friedrich, J., see J. Meiler | 134 (1987) 263 |
| Friedrichs, M.S. and R.A. Friesner, Solution of the Pauli master equation via the Lanczos algorithm | 137 (1987) 285 |
| Friesner, R.A., see M.S. Friedrichs | 137 (1987) 285 |
| Fronzoni, G. and V. Galasso, Ab initio study of the low-lying excited states of cyclopropane by the equations-of-motion method | 133 (1987) 307 |
| Frost, R.J. and I.W.M. Smith, Combining transition state theory with quasiclassical trajectory calculations: application to the nitrogen exchange reaction $\text{N} + \text{N}_2(\nu)$ | 140 (1987) 499 |
| Fry, E.S., see D. Bender | 131 (1986) 134 |
| Frye, D., H.T. Liou and H.L. Dai, Stimulated emission polarization spectroscopy of $\nu_2 = 2$, $\tilde{X}^1\text{A}_g$ glyoxal | 133 (1987) 249 |
| Fujii, M., see A. Goto | 135 (1987) 407 |
| Fujii, M., see T. Kakinuma | 140 (1987) 427 |
| Fujii, T. and E. Shimizu, Photophysics on solid surfaces. Ground state configuration of dimeric pyrene in the adsorbed state on a silica gel surface and geometrical relaxation for excimer formation | 137 (1987) 448 |
| Fujimura, Y., see S. Sato | 140 (1987) 169 |

Master index to volumes 131-140

| | |
|--|----------------|
| Fujimura, Y., K. Honma and O. Kajimoto, Reaction between electronically excited species: $O(^1D_2) + NO^*_2 \rightarrow NO(A) + O_2$ | 140 (1987) 320 |
| Fujino, M., Photoconductivity in organopolysilanes | 136 (1987) 451 |
| Fujishima, A., see K. Itoh | 135 (1987) 521 |
| Fujita, M., see N. Ohta | 135 (1987) 330 |
| Fukuda, K., see Y. Iino | 140 (1987) 76 |
| Fukuda, Y., see T. Imamura | 135 (1987) 208 |
| Fukui, K., H. Ohya-Nishiguchi, N. Hirota, K. Aoyagi and H. Ogoshi, Magnetic properties of a penta-coordinated high-spin cobalt(II) complex: acetate-N-methyloctaethylporphyrinato-cobalt(II) | 140 (1987) 15 |
| Fukutome, H., A. Takahashi and M. Ozaki, Design of conjugated polymers with polaronic ferromagnetism | 133 (1987) 34 |
| Fukutome, H., see A. Igawa | 133 (1987) 399 |
| Fulara, J., see F.G. Celii | 131 (1986) 325 |
| Funk, D.J., see A. Kowalski | 132 (1986) 263 |
| Furio, N., see A. Ali | 136 (1987) 483 |
| Furrer, A., see W. Urland | 132 (1986) 113 |
| Furukawa, H., M. Takahashi and M. Ito, A surface-enhanced Raman study of the electrochemical reduction of 4-cyanopyridine | 132 (1986) 498 |
| Furumiya, Y., see S. Yamabe | 131 (1986) 261 |
| Futrell, J.H., see S.L. Howard | 140 (1987) 385 |

- Gabriel, H., see H. Kühle 132 (1986) 570
- Gadéa, F.X., see B. Lepetit 135 (1987) 377
- Gadéa, F.X. and J. Durup, On the fine-structure dependence of the Cs(7p, $^2P^o_{1/2,3/2}$) + H₂ → CsH + H reaction cross section 138 (1987) 43
- Gadéa, F.X. and J. Durup, On the fine-structure dependence of the Cs(7p, $^2P^o_{1/2,3/2}$) + H → CsH + H reaction cross section, Chem. Phys. Letters 138 (1987) 43. Erratum 140 (1987) 110
- Gadre, S.R. and S.J. Chakravorty, The average electron momentum density and rigorous bounds to average electron densities for atoms and molecules 132 (1986) 535
- Gadzuk, J.W., Selectivity of elementary molecular processes in molecule-surface collisions 136 (1987) 402
- Galasso, V., see G. Fronzoni 133 (1987) 307
- Galili, T., see A. Regev 131 (1986) 140
- Gallhuber, E., see H. Yersin 134 (1987) 497; 140 (1987) 157
- Gallup, G.A., see M.D. Peterman 131 (1986) 367
- Gamble Jr., E.B., see L.R. Williams 139 (1987) 244
- Gandhi, S.R., T.J. Curtiss, Q.-X. Xu, S.E. Choi and R.B. Bernstein, Oriented molecule beams: pulsed, focused beams of methyl halides in pure *JKM* rotational states 132 (1986) 6
- Gandin, E., see A. Seret 135 (1987) 427; 138 (1987) 615
- Garcia, E., see A. Laganà 139 (1987) 140
- Gardner, J.M. and M.I. Lester, Resonant photoionization spectroscopy of refractory metal-rare gas complexes: AlAr 137 (1987) 301
- Garland, N.L. and D.R. Crosley, Collisional quenching of CH A²Δ, *v*' = 0 at 1300 K 134 (1987) 189
- Garner, D.M., see P.W. Percival 133 (1987) 465; 137 (1987) 398; 138 (1987) 613
- Garoff, S., see L. Rothberg 133 (1987) 67
- Garzó, V. and J. de la Rubia, Coupling between shear flow and temperature gradient for the very hard particles interaction 132 (1986) 526
- Garzó, V. and J. de la Rubia, The Hilbert expansion of the BGK equation 135 (1987) 143
- Garzó, V. and J. de la Rubia, The Hilbert expansion of the BGK equation, Chem. Phys. Letters 135 (1987) 143. Erratum 138 (1987) 283
- Gaub, H.E., see H.D. Göbel 138 (1987) 441
- Gaucherel, P., J.B. Marquette, C. Rebrion, G. Poissant, G. Dupeyrat and B.R. Rowe, Temperature dependence of slow charge-exchange reactions: N₂⁺ + O₂ from 8 to 163 K 132 (1986) 63
- Gäumann, T., see P. Pfändler 138 (1987) 195
- Gauss, J. and D. Cremer, The IR spectra of carbonyl oxide and dioxirane: a theoretical investigation at a correlated level 133 (1987) 420
- Gauss, J. and D. Cremer, Implementation of analytical energy gradients at third- and fourth-order Møller-Plesset perturbation theory 138 (1987) 131
- Gedanken, A., The magnetic circular dichroism of the *A* band in CF₃I, C₂H₅I and *t*-BuI 137 (1987) 462
- Gedanken, A. and I. Burak, The magnetic circular dichroism of the ¹Σ⁺ → ¹Δ transition in carbonyl sulfide 137 (1987) 587
- Geers-Müller, R. and F. Stuhl, On the kinetics of the reactions of oxygen atoms with NO₂, N₂O₄, and N₂O₃ at low temperatures 135 (1987) 263
- Geertsens, J., Nuclear spin-spin coupling constants in a coupled-cluster polarization propagator approach 134 (1987) 400
- Gélinas, N., see A.D. Bandrauk 131 (1986) 164
- Geohegan, D.B. and J.G. Eden, Xe₂Cl and Kr₂F excited state (4²Γ) absorption spectra: measurements of absolute cross sections 139 (1987) 519

| | |
|--|--------------------------------|
| George, S.M., see C.H. Mak | 135 (1987) 381 |
| George, T.F., see P.T. Leung | 134 (1987) 375 |
| George, T.F., see Z.C. Wu | 137 (1987) 291 |
| George, T.F., see I. Last | 138 (1987) 225 |
| Georgiadis, R. and P.B. Armentrout, Multiphoton ionization of VOCl_3 | 137 (1987) 144 |
| Georgian, T., see J.A. Wilder | 137 (1987) 345 |
| Georgiou, S. and C.A. Wight, Photofragment spectroscopy of η -cyclopentadienylnickel nitrosyl | 132 (1986) 511 |
| Gerhardt, Ph., S. Löffler and K.H. Homann, Polyhedral carbon ions in hydrocarbon flames | 137 (1987) 306 |
| Gericke, K.-H., see A.U. Grunewald | 132 (1986) 121; 133 (1987) 501 |
| Gericke, K.-H., S. Klee and F.J. Comes, Rotational anisotropy and product state distribution in the photodissociation of deuterium peroxide | 137 (1987) 510 |
| Gerlach-Meyer, U., E. Linnebach, K. Kleinermanns and J. Wolfrum, H-atom photofragments from H_2O_2 dissociated at 193 nm | 133 (1987) 113 |
| Gerratt, J., see D.L. Cooper | 138 (1987) 296 |
| Gersonde, I., see H. Kühle | 132 (1986) 570 |
| Gex, J.N., C. Daul and A. von Zelewsky, Rapid exchange of Ca^{2+} between the bulk and the coordination site of ascorbic acid radical anion as observed by ESR spectroscopy | 132 (1986) 276 |
| Gibson, E.M., A.C. Jones and D. Phillips, 4-N,N-dimethylaminobenzonitrile: the absence of a* fluorescence under jet-cooled conditions | 136 (1987) 454 |
| Gien, T.T., Core-corrected modified Glauber approximation for e^\pm -alkali-metal-atom collisions | 139 (1987) 23 |
| Gies, M., see S.C. Liu | 134 (1987) 133 |
| Gilat, G., Chiral interaction and thermodynamics | 137 (1987) 492 |
| Gill, P.M.W. and L. Radom, Deceptive convergence in Møller-Plesset perturbation energies | 132 (1986) 16 |
| Gill, P.M.W. and L. Radom, A rationalization of unusually late transition structures for dication fragmentations | 136 (1987) 294 |
| Gillie, J.K., B.L. Fearey, J.M. Hayes, G.J. Small and J.H. Golbeck, Persistent hole burning of the primary donor state of photosystem I: strong linear electron-phonon coupling | 134 (1987) 316 |
| Gillies, C.W., see J. Zozom | 140 (1987) 64 |
| Giniger, R. and E.M. Kosower, Crystallite clusters of syn-bimanes in low-temperature, low-polarity glasses | 140 (1987) 205 |
| Girard, B., N. Billy, G. Gouedard and J. Vigué, LIF study of the $\text{I}_2 + \text{F} \rightarrow \text{IF} + \text{I}$ reaction: Population of the $v''=0$ level of IF | 136 (1987) 101 |
| Girard, C., see C. Girardet | 137 (1987) 149 |
| Girard, C. and C. Girardet, Potential energy calculations for argon and methane adsorbed on $\text{MgO}(001)$ substrate | 138 (1987) 83 |
| Girardeau, M.D. and C.I. Ivanov, Space-time correlation function representation of reactive scattering by large systems | 131 (1986) 389 |
| Girardet, C. and C. Girard, A structure registry condition for the interaction energy between two solids | 137 (1987) 149 |
| Girardet, C., see C. Girard | 138 (1987) 83 |
| Giraudeau, A., see Ph. Turek | 134 (1987) 471 |
| Gisby, J.A. and S.H. Walmsley, A model of the effects of pressure on the near ultraviolet absorption spectrum of crystalline naphthalene | 135 (1987) 275 |
| Gislason, E.A., see M. Sizun | 139 (1987) 1 |
| Glasbeek, M., see P.M.H.L. Tegelaar | 140 (1987) 1 |

- Gliński, J., see K. Jerie 137 (1987) 42
- Glownia, J.H., J. Misewich and P.P. Sorokin, Subpicosecond IR transient absorption spectroscopy: measurement of internal conversion rates in DABCO vapor 139 (1987) 491
- Göbel, H.D., H.E. Gaub and H. Möhwald, Shape and microstructure of crystalline domains in polydiacetylene monolayers 138 (1987) 441
- Gochin, M., H. Zimmermann and A. Pines, Assignment of dipolar couplings and estimation of conformational probabilities in partially oriented hexane 137 (1987) 51
- Goddard, J.D., The geometry and vibrational frequencies of formyl cyanide, CHOCN 132 (1986) 483
- Godwin, F.G., P.A. Gorry, P.M. Hughes, D. Raybone, T.M. Watkinson and J.C. Whitehead, Two-photon VVV laser-induced fluorescence detection of $I^*(^2P_{1/2})$ and $I(^2P_{3/2})$ from alkyl iodide photodissociation at 248 nm 135 (1987) 163
- Goedken, V.L., see S. Tero-Kubota 131 (1986) 430
- Golbeck, J.H., see J.K. Gillie 134 (1987) 316
- Goldfeld, M.G., see A.V. Astashkin 134 (1987) 438
- Golič, L., see R. Kirmse 133 (1987) 81
- Gómez Llorente, J.M. and E. Pollak, Order out of chaos in the H_3^+ molecule 138 (1987) 125
- Gondo, Y., see M. Aoyagi 131 (1986) 201
- Gondo, Y., see Y. Kubozono 137 (1987) 467
- Goodby, J.W., see J.S. Patel 137 (1987) 91
- Goodwin, E.J., N.W. Howard and A.C. Legon, The rotational spectrum of ^{15}N -ammonium chloride vapour: characterisation of the hydrogen-bonded dimer $H_3N...HCl$ 131 (1986) 319
- Goodwin, H.A. and K.H. Sugiyarto, Lattice trapping of metastable quintet state bis(2,6-bis pyrazol-3-yl)pyridine)iron(II) bis(tetrafluoroborate), a spin crossover system, and kinetics of the quintet-singlet transformation 139 (1987) 470
- Gordon, M.S. and M.W. Schmidt, Potential triplet silylenes 132 (1986) 294
- Gordon, R.J., see D.C. Robie 134 (1987) 579
- Gorry, P.A., see F.G. Godwin 135 (1987) 163
- Gosavi, R.K. and O.P. Strausz, Molecular orbital studies of the spectral and structural properties of chlorosilylydyne, $SiCl$ 131 (1986) 243
- Gössler, A., see P. Börnert 136 (1987) 319
- Gotch, A.J., see A. Agostiano 137 (1987) 37
- Goto, A., M. Fujii and M. Ito, Two-color fluorescence dip and MPI spectra of jet-cooled pyrazine 135 (1987) 407
- Götting, R., V. Herrero, J.P. Toennies and M. Vodegel, Determination of the absolute scattering cross section for the reaction $D+H_2(v=1)\rightarrow HD+H$ at 0.33 eV 137 (1987) 524
- Gouedard, G., see B. Girard 136 (1987) 101
- Goursot, A., B. le Motais, C. Daul, E. Penigault and A.M. Koulkes-Pujo, Electronic structure and absorption spectra of a dimeric tantalum(III) compound and its transient anion 138 (1987) 339
- Grabowska, A., see J. Sepiol 140 (1987) 607
- Grabowski, Z.R., see C. Rullière 137 (1987) 408
- Grad, J., Y.J. Yan and S. Mukamel, Time-dependent self-consistent field approximation for semiclassical dynamics using Gaussian wavepackets in phase space 134 (1987) 291
- Graen, H.H., see F.P. Netzer 133 (1987) 49
- Graener, H. and A. Laubereau, Ultrafast vibrational energy transfer of polyethylene investigated with picosecond laser pulses 133 (1987) 378
- Graener, H., R. Dohlus and A. Laubereau, Infrared double resonance spectroscopy of bromoform with picosecond pulses 140 (1987) 306

- Gragued, K., see M. Larzillière 134 (1987) 467
- Graham, A.M., see T.A. Claxton 138 (1987) 610
- Graham, R.G., Magnetic circular dichroism saturation behaviour of species with spherically symmetrical ground states 133 (1987) 193
- Graham, R.G., R. Grinter and R.J. Singer, Magnetic circular dichroism measurements of the magnetization properties of matrix-isolated species having spin angular momentum only 133 (1987) 196
- Grande, P., see V. Barone 133 (1987) 548
- Graner, G., see D. Bailly 140 (1987) 381
- Grant, E.R., see M.B. Knickelbein 131 (1986) 51
- Grätzel, M., see J.J. Ramsden 132 (1986) 269
- Grätzel, M., see N. Serpone 136 (1987) 47
- Green, J.L., A.R. Lacey and M.G. Sceats, Determination of the total hydration number of a LiCl cation-anion pair via collective proton motions 134 (1987) 385
- Green, J.L., A.R. Lacey and M.G. Sceats, Collective small-amplitude proton motions in the hydration shells of aqueous alcohol solutions 137 (1987) 537
- Green, M., see S.R. Abrams 139 (1987) 182
- Green, N.J.B., see P. Clifford 135 (1987) 477
- Greenblatt, G.D., H. Zuckermann and Y. Haas, OH production in the collision-free UV photolysis of aliphatic nitro compounds 134 (1987) 593
- Greenblatt, G.D. and A.R. Ravishankara, Collisional quenching of NO(A, $v' = 0$) by various gases 136 (1987) 501
- Greene, B.I., J. Orenstein, R.R. Millard and L.R. Williams, Picosecond relaxation dynamics in polydiacetylene-*p*TS 139 (1987) 381
- Greenhalgh, D.A., see I.S. Dring 132 (1986) 283
- Greenhalgh, D.A., R. Devonshire, I.S. Dring, J. Meads and H.F. Boysan, A temperature calibration device for high-temperature spectroscopy: CARS spectrum of N₂ gas in thermal equilibrium at 3467 K 133 (1987) 458
- Greenhalgh, D.A., see L.A. Rahn 133 (1987) 513
- Greenlief, C.M., see P.L. Radloff 132 (1986) 88
- Grev, R.S., see B.S. Thies 140 (1987) 355
- Grieser, F., see D. Fornasiero 139 (1987) 103
- Grieser, F., see C.J. Drummond 140 (1987) 493
- Griesinger, C., see O.W. Sørensen 135 (1987) 313
- Griffin, R.G., see D.P. Raleigh 138 (1987) 285
- Griffiths, I.W., see M. Hamdan 135 (1987) 511
- Griller, D., see D.D.M. Wayner 131 (1986) 189
- Grimm, J., T. Kirski and C. von Borczyskowski, Triplet electron spin dephasing in the disordered chemically mixed molecular crystal dichlorobenzene/dibromobenzene 131 (1986) 522
- Grimmer, A.-R., F. von Lampe and M. Mägi, Solid-state high-resolution ²⁹Si MAS NMR of silicates with sixfold coordinated silicon 132 (1986) 549
- Grimson, M.J. and M. Benmouna, The small-angle scattering of polyelectrolyte solutions 132 (1986) 55
- Grimson, M.J., see F. Ould Kaddour 140 (1987) 51
- Grinter, R., see R.G. Graham 133 (1987) 196
- Gritsenko, O.V., S.V. Danilova, N.U. Zhanpeisov, V.G. Malkin and G.M. Zhidomirov, On the evaluation of the correlation energy and the total non-relativistic Born-Oppenheimer energy for the water molecule 134 (1987) 423
- Groner, P., R. Gunde, T.-K. Ha and A. Bauder, Microwave spectrum, dipole moment and ab initio structure of iminopyruvonnitrile (CH₃C(CN)=NH) 139 (1987) 479

| | |
|---|----------------|
| Grossi, G., see V. Aquilanti | 133 (1987) 531 |
| Grotheer, H.-H., see U. Meier | 133 (1987) 162 |
| Grubb, A. and C.S. Sharma, Radical simplification of the minimax theory | 133 (1987) 154 |
| Gruner, D. and P. Brumer, Efficient evaluation of harmonic polyatomic Franck-Condon factors | 138 (1987) 310 |
| Grunewald, A.U., K.-H. Gericke and F.J. Comes, Photofragmentation dynamics of H ₂ O ₂ at 193 nm | 132 (1986) 121 |
| Grunewald, A.U., K.-H. Gericke and F.J. Comes, Photodissociation of room-temperature and jet-cooled water at 193 nm | 133 (1987) 501 |
| Grunze, M. and R.N. Lamb, Preparation and adhesion of ultrathin polyimide films on polycrystalline silver | 133 (1987) 283 |
| Grupp, A., see P. Höfer | 132 (1986) 279 |
| Grupp, A., see M. Winter | 133 (1987) 482 |
| Gruwel, M.L.H., M.S. McKinnon and R.E. Wasylshen, Magic-angle-spinning ¹⁵ N NMR of ammonium sulfate | 139 (1987) 321 |
| Gryczynski, I., see J.R. Lakowicz | 131 (1986) 343 |
| Gryczynski, I., H. Cherek, G. Laczko and J.R. Lakowicz, Enhanced resolution of anisotropic rotational diffusion by multi-wavelength frequency-domain fluorometry and global analysis | 135 (1987) 193 |
| Gryczynski, I., see N. Joshi | 135 (1987) 200 |
| Gualerzi, C.O., see S. Cannistraro | 139 (1987) 116 |
| Güdel, H.U., see H. Riesen | 133 (1987) 429 |
| Guerra, M., see A. Modelli | 132 (1986) 448 |
| Guerra, M., Angular dependence of the β -proton hyperfine coupling constant in β -substituted ethyl radicals | 139 (1987) 463 |
| Guest, M.F., see I.H. Hillier | 134 (1987) 403 |
| Guidelli, R., see G. Aloisi | 133 (1987) 343 |
| Guillaud, G., see M. Maitrot | 133 (1987) 59 |
| Guillaume, F., see G. Rothschild | 131 (1986) 164 |
| Guissani, Y., see F. Sokolić | 131 (1986) 513 |
| Gunde, R., see P. Groner | 139 (1987) 479 |
| Guo, J., see A. Ali | 131 (1986) 331 |
| Gupta, S., see C.P. Williams | 140 (1987) 250 |
| Gustafsson, O., G. Kindvall, M. Larsson, B.J. Olsson and P. Sigraý, An experimental and theoretical investigation of the radiative properties of the A ³ Π state of NH | 138 (1987) 185 |
| Gutman, I., Z. Marković and S. Marković, A simple method for the approximate calculation of Hosoya's index | 134 (1987) 139 |
| Gutman, I., Wiener numbers of benzenoid hydrocarbons: two theorems | 136 (1987) 134 |
| Gutman, I. and S.J. Cyvin, A new method for the enumeration of Kekulé structures | 136 (1987) 137 |
| Gutowsky, H.S., see R.S. Ruoff | 138 (1987) 553 |
| Guyot-Sionnest, P., see J.H. Hunt | 133 (1987) 189 |
| Gvishi, R., see R. Reisfeld | 138 (1987) 377 |
| Gwan, P.B., see J.S. Cook | 138 (1987) 415 |
| Gwynne, S.V., see H.T. Williams | 138 (1987) 95 |

| | |
|---|----------------|
| Ha, T.-K., see M.T. Nguyen | 136 (1987) 413 |
| Ha, T.-K., see P. Groner | 139 (1987) 479 |
| Haas, Y., see G.D. Greenblatt | 134 (1987) 593 |
| Haas, Y., see O. Anner | 137 (1987) 121 |
| Haase, J., see D. Freude | 133 (1987) 491 |
| Haber, K.S., see M.B. Knickelbein | 131 (1986) 51 |
| Hadad, M., see J. Bernard | 133 (1987) 73 |
| Haddon, R.C., L.E. Brus and K. Raghavachari, Rehybridization and π -orbital alignment: the key to the existence of spheroidal carbon clusters | 131 (1986) 165 |
| Hagan, T., D. Pilloud and P. Suppan, Thermochromic shifts of some molecular and exciplex fluorescence spectra | 139 (1987) 499 |
| Häger, J., see H. Vach | 133 (1987) 279 |
| Hager, J.W., see D.R. Demmer | 136 (1987) 329 |
| Hall, J., see M. Broquier | 136 (1987) 531 |
| Halonen, L., see T. Carrington Jr. | 140 (1987) 512 |
| Halpern, B. and M. Kori, Statistical energy partitioning in surface reactions: The Pt-catalyzed oxidations of C and CO | 138 (1987) 261 |
| Hamaguchi, H., see J. Sue | 134 (1987) 87 |
| Hamaguchi, H., see T. Urano | 137 (1987) 559 |
| Hamdan, H. and J. Klinowski, Isomorphous substitution of framework silicon by aluminium in silicalite: factors determining resolution of ^{29}Si magic-angle-spinning NMR spectra of pentasil zeolites | 139 (1987) 576 |
| Hamdan, M., F.M. Harris, I.W. Griffiths and J.H. Beynon, Kinetic energy spectra of N_2^+ photofragments in the laser photodissociation of N_2O^+ | 135 (1987) 511 |
| Hamilton, P.A., High-resolution laser spectroscopy of the $\text{A}^2\Pi_u-\text{X}^2\Pi_g$ system of Br_2^+ | 140 (1987) 591 |
| Hammack, W.S., H.G. Drickamer, M.D. Lowery and D.N. Hendrickson, Effect of pressure-induced freezing on the energy of the intervalence transfer electronic absorption band of binuclear mixed-valence complexes | 132 (1986) 231 |
| Han, M., see K. Balasubramanian | 139 (1987) 551 |
| Handy, N.C., see R.D. Amos | 133 (1987) 21 |
| Handy, N.C., see E.D. Simandiras | 133 (1987) 324 |
| Handy, N.C., see R.H. Nobes | 138 (1987) 481 |
| Haner, M., see F. Spano | 135 (1987) 97 |
| Hanley, L., see S.A. Ruatta | 137 (1987) 5 |
| Hansen, P.A., see J.N. Moore | 138 (1987) 110 |
| Hanson, R.C., see A. Anderson | 140 (1987) 471 |
| Happer, W., K.D. Bonin and T.G. Walker, The stability of spin-polarized nitrogen crystals | 135 (1987) 451 |
| Harbison, G.S., see D.P. Raleigh | 138 (1987) 285 |
| Harradine, D. and A. Champion, Surface Raman spectroscopy without enhancement: pyridine adsorbed on Ni(111) and Ni(100) | 135 (1987) 501 |
| Harriman, A., see A. Regev | 131 (1986) 140 |
| Harriman, A., see J. Davila | 136 (1987) 427 |
| Harris, F.M., see M. Hamdan | 135 (1987) 511 |
| Harrison, J.A., see H.R. Mayne | 133 (1987) 185 |
| Harter, W.G. and D.E. Weeks, Rovibrational spectral fine structure of icosahedral molecules | 132 (1986) 387 |
| Hartland, G.V., see P.M. Felker | 134 (1987) 503 |
| Hartree, W.S., see A. Kvaran | 137 (1987) 209 |

| | |
|---|--------------------------------|
| Hase, W.L., see R.J. Wolf | 132 (1986) 493 |
| Hase, W.L., Properties of variational transition states for association reactions | 139 (1987) 389 |
| Hasegawa, A., see K. Ohta | 136 (1987) 465 |
| Hasegawa, K., see Y. Tanimoto | 137 (1987) 330 |
| Hashimoto, K., see M. Hiramoto | 133 (1987) 440 |
| Hasse, J., see H. Stegemeyer | 137 (1987) 516 |
| Hatakeyama, A., see T. Tsutsui | 132 (1986) 563 |
| Hattori, T. and T. Kobayashi, Femtosecond dephasing in a polydiacetylene film measured by degenerate four-wave mixing with an incoherent nanosecond laser | 133 (1987) 230 |
| Hauser, A. and E. Krausz, The excited-state absorption of $\text{Ru}(\text{bpy})_3^{2+}$ reexamined | 138 (1987) 355 |
| Havriliak, S., see B.H. Lengsfeld III | 135 (1987) 340 |
| Hawkins, R.J. and R.A. Aldoroty, The osmotic bulk modulus of a colloid crystal of infinite rod-like molecules | 137 (1987) 83 |
| Hawranek, J.P., see R. Szostak | 131 (1986) 483 |
| Hawranek, J.P. and B. Czarnik-Matusiewicz, Infrared dispersion of the H-bonded pentachlorophenol-acetonitrile complex | 138 (1987) 397 |
| Hayaishi, T., see A. Yagishita | 132 (1986) 437 |
| Hayashi, H., see T. Imamura | 135 (1987) 208 |
| Hayashi, H., Y. Sakaguchi, M. Tsunooka, H. Yanagi and M. Tanaka, Laser flash photolysis study of magnetic field effects on the photodecomposition of phenacyl phenyl sulfone in micellar solution | 136 (1987) 436 |
| Hayashi, R., S. Tazuke and C.W. Frank, Pressure effects on the twisted intramolecular charge transfer (TICT) phenomenon | 135 (1987) 123 |
| Hayashi, S., see T. Akagi | 139 (1987) 331 |
| Hayes, J.M., see J.K. Gillie | 134 (1987) 316 |
| Haymet, A.D.J., see O.A. Karim | 138 (1987) 531 |
| Hayter, J.B., see P.G. Cummins | 138 (1987) 436 |
| He, G.-Z., see R. Lü | 131 (1986) 339 |
| Head, J.D. and M.C. Zerner, An approximate Hessian for molecular geometry optimization | 131 (1986) 359 |
| Healy, T.W., see C.J. Drummond | 140 (1987) 493 |
| Heath, J.R., see S.C. O'Brien | 132 (1986) 98 |
| Hegarty, D., see O. Visser | 134 (1987) 34 |
| Heidrich, D., M. Rückert and H.-J. Köhler, The course of photon exchange reactions: a theoretical study | 136 (1987) 13 |
| Heihoff, K. and S.E. Braslavsky, Triplet lifetime determination by laser-induced optoacoustic spectroscopy. Benzophenone/iodide revisited | 131 (1986) 183 |
| Heilweil, E.J., R.R. Cavanagh and J.C. Stephenson, Population relaxation of $\text{CO}(v=1)$ vibrations in solution phase metal carbonyl complexes | 134 (1987) 181 |
| Heimann, P.A., see T.A. Ferrett | 134 (1987) 146; 138 (1987) 607 |
| Heinbuch, U. and J. Fischer, Liquid argon in a cylindrical carbon pore: molecular dynamics and Born-Green-Yvon results | 135 (1987) 588 |
| Heinemann, D., D. Kolb and B. Fricke, H_2 solved by the finite element method | 137 (1987) 180 |
| Heinz, T.F., see K. Kemnitz | 131 (1986) 285 |
| Heisel, F., J.A. Miehé and J. Rachidi, The dynamics of the intramolecular and orientational motions of pinacyanol | 134 (1987) 379 |
| Heisel, F., J.A. Miehé and A.W. Szemik, Experimental evidence of an intramolecular reaction in excited PRODAN solution | 138 (1987) 321 |

- Heiss, A., see K.A. Sahetchian 134 (1987) 156
- Heitele, H., M.E. Michel-Beyerle and P. Finckh, Electron transfer through intramolecular bridges in donor/acceptor systems 134 (1987) 273
- Heitele, H., M.E. Michel-Beyerle and P. Finckh, The influence of dielectric relaxation on intramolecular electron transfer 138 (1987) 237
- Helm, H., see N. Bjerre 134 (1987) 361
- Helman, A.B., Electron exchange in the tetracyanoquinodimethane system: the interpretation of the unexpected solvent dependence 135 (1987) 529
- Hemminger, J.C., see M.G. Sherman 137 (1987) 298
- Henderson, M.A., see P.L. Radloff 132 (1986) 88
- Hendrickson, D.N., see W.S. Hammack 132 (1986) 231
- Heneghan, S.P., see W.T. Luh 131 (1986) 335
- Henglein, A., A. Kumar, E. Janata and H. Weller, Photochemistry and radiation chemistry of semiconductor colloids: reaction of the hydrated electron with CdS and non-linear optical effects 132 (1986) 133
- Henglein, A., see A. Fojtik 134 (1987) 477; 138 (1987) 535
- Heni, M. and E. Illenberger, Dissociative electron attachment to CF₃I: an example of a completely unbalanced excess energy distribution 131 (1986) 314
- Heninger, M., S. Fenistein, M. Durup-Ferguson, E.E. Ferguson, R. Marx and G. Mauclaire, Radiative lifetime for $\nu=1$ and $\nu=2$ ground state NO⁺ ions 131 (1986) 439
- Hensler, G., see H. Yersin 134 (1987) 497; 140 (1987) 157
- Herbelin, J., Electronic energy transfer between NF(b) and IF(X) 133 (1987) 331
- Herman, M., see J. vander Auwera 135 (1987) 432
- Herman, P.R., A.A. Madej and B.P. Stoicheff, Rovibronic spectra of Ar₂ and coupling of rotation and electronic motion 134 (1987) 209
- Hermant, R.M., see B. Wegewijs 140 (1987) 587
- Herrero, V., see R. Götting 137 (1987) 524
- Heryet, C.D., see M.N.R. Ashfold 131 (1986) 291
- Hetherington III, W.M., E.W. Koenig and W.M.K.P. Wijekoon, CARS spectrum of O₂⁻ formed by the trapping of photo-generated electrons on a ZnO surface 134 (1987) 203
- Heuer, W., L. Schröter and H. Zacharias, Adsorbate resonance enhancement in optical surface second-harmonic generation: S on Pd(100) 135 (1987) 299
- Hiberty, Ph.C., see G. Ohanessian 137 (1987) 437
- Hicks, J.M., see K. Kemnitz 131 (1986) 285
- Hicks, J.M., M.T. Vandersall, E.V. Sitzmann and K.B. Eisenthal, Polarity-dependent barriers and the photoisomerization dynamics of molecules in solution 135 (1987) 413
- Higashi, G.S., see L. Rothberg 133 (1987) 67
- Higuchi, J., see S. Tero-Kubota 131 (1986) 430
- Hikida, T., see H. Hiratsuka 139 (1987) 187
- Hilinski, E.F., see J.A. Schmidt 138 (1987) 346
- Hill, C.L., see J.A. Schmidt 138 (1987) 346
- Hillier, I.H., see D. Moncrieff 131 (1986) 545
- Hillier, I.H., M.A. Vincent, M.F. Guest and W. von Niessen, On the structure and valence ionization energies of *o*-benzyne 134 (1987) 403
- Hillig, K.W., J. Matos, A. Scioly and R.L. Kuczkowski, The microwave spectrum of argon-phosphorus trifluoride 133 (1987) 359
- Hipes, P.G. and A. Kuppermann, Lifetime analysis of high-energy resonances in three-dimensional reactive scattering 133 (1987) 1

- Hipps, K.W. and B. Susla, Electronic transitions in tetrahedral cobalt(II) observed by inelastic electron tunneling spectroscopy 132 (1986) 507
- Hiramatsu, M., see R. Nakagaki 134 (1987) 171
- Hiramoto, M., K. Hashimoto and T. Sakata, Electron transfer and photoluminescence dynamics of CdS particles deposited on porous vycor glass 133 (1987) 440
- Hirao, K., Integral dependent spin couplings in symmetry adapted cluster (SAC) calculations 135 (1987) 539
- Hirao, K., see H. Wasada 139 (1987) 155
- Hiraoka, H., see H. Masuhara 135 (1987) 103; 138 (1987) 283
- Hiraoka, K., see S. Yamabe 131 (1986) 261
- Hirata, F. and R.M. Levy, A new RISM integral equation for solvated polymers 136 (1987) 267
- Hirata, Y., see H. Ohoyama 131 (1986) 20
- Hirata, Y., N. Mataga, Y. Mukai and Y. Koyama, Picosecond time-resolved absorption study of all-trans- and 9-cis-retinal: configurational relaxation in the triplet state 134 (1987) 166
- Hiratsuka, H., S. Rajadurai, P.K. Das, G.L. Hug and R.W. Fessenden, Evidence for non-radiative triplet-doublet energy transfer in the naphthalene-benzophenone system in tetrahydrofuran 137 (1987) 255
- Hiratsuka, H., T. Yamazaki, Y. Maekawa, Y. Kajii, T. Hikida and Y. Mori, Fluorescence spectra and lifetimes of chalcone ketyl radical anions 139 (1987) 187
- Hirayama, S., F. Tanaka and K. Shobatake, Excess-energy-insensitive fluorescence decay of jet-cooled 9,10-dicyanoanthracene 140 (1987) 447
- Hirayama, T., see H. Sekiya 138 (1987) 597
- Hirose, C., see T. Masaki 139 (1987) 62
- Hirota, E., see Y. Kawashima 131 (1986) 205; 135 (1987) 441
- Hirota, N., see T. Akagi 139 (1987) 331
- Hirota, N., see K. Fukui 140 (1987) 15
- Hirschwald, W., see K. Christmann 131 (1986) 192
- Hliwa, M., J.C. Barthelat, M. Pélissier and F. Spiegelmann, Calculation and analysis of the low-lying excited $^3,^1\Sigma^+$ states of copper hydride 132 (1986) 205
- Ho, P., W.G. Breiland and R.W. Carr, Kinetics of the reactions of HSiCl with SiH₄ and SiH₂Cl₂ 132 (1986) 422
- Ho, S.F., S. Contarini and J.W. Rabalais, Metallization channels in ion-induced decomposition of molybdates and niobates 133 (1987) 171
- Hoatson, G.L., see G.S. Bates 134 (1987) 161
- Hobbs, R.H., see H.H. Michels 134 (1987) 571
- Hobza, P., B. Schneider, J. Sauer, P. Čársky and R. Zahradník, MP4 interaction energies and basis set superposition errors for the (H₂)₂ dimer 134 (1987) 418
- Hobza, P., see J. Sauer 134 (1987) 553
- Hochstrasser, R.M., see G.R. Holtom 131 (1986) 44
- Hochstrasser, R.M., see A.B. Myers 132 (1986) 585
- Hochstrasser, R.M., see J.N. Moore 138 (1987) 110
- Höfer, P., A. Grupp, H. Nebenführ and M. Mehring, Hyperfine sublevel correlation (HYSCORE) spectroscopy: a 2D ESR investigation of the squaric acid radical 132 (1986) 279
- Hoff, A.J., see D.A. Hunter 134 (1987) 6
- Hoff, A.J., see P.J. Hore 137 (1987) 495
- Hoff, A.J., see E.J. Lous 140 (1987) 620
- Hoffmann, M.R., X.-C. Wang and K.F. Freed, Influence of molecular geometry on valence space for quasidegenerate many-body perturbation theory 136 (1987) 392

| | |
|--|----------------|
| Hohl, D., R.O. Jones, R. Car and M. Parrinello, The structure of selenium clusters - Se_3 to Se_8 | 139 (1987) 540 |
| Hollenstein, H., see A. Amrein | 139 (1987) 82 |
| Holmes, J.L., see J. Bordas-Nagy | 132 (1986) 200 |
| Holroyd, R.A., see R.C. Muñoz | 137 (1987) 250 |
| Holt, P.L., see A.B. Myers | 132 (1986) 585 |
| Holtom, G.R., H.P. Trommsdorff and R.M. Hochstrasser, Impurity-induced double proton transfer in benzoic acid crystals | 131 (1986) 44 |
| Holton, I.R., see G.J. Baker | 134 (1987) 83 |
| Holzappel, W., see R. Leonhardt | 133 (1987) 373 |
| Homann, K.H., see Ph. Gerhardt | 137 (1987) 306 |
| Honda, K. and K. Kitaura, A new form for intermolecular potential energy functions | 140 (1987) 53 |
| Honma, K., see Y. Fujimura | 140 (1987) 320 |
| Hopkirk, A., see R.J. Donovan | 138 (1987) 571 |
| Hore, P.J., see D.A. Hunter | 134 (1987) 6 |
| Hore, P.J., see C.D. Buckley | 135 (1987) 307 |
| Hore, P.J., D.A. Hunter, C.D. McKie and A.J. Hoff, Electron paramagnetic resonance of spin-correlated radical pairs in photosynthetic reactions | 137 (1987) 495 |
| Hoshino, M., H. Seki, M. Kaneko, K. Kinoshita Jr. and H. Shizuka, Low-temperature laser photolysis of benzophenone in neat diethylaniline: optical detection of an excited triplet state with a strong charge-transfer structure at 77 K | 132 (1986) 209 |
| Hosur, R.V., see A. Majumdar | 138 (1987) 431 |
| Houriet, R., see P. Pfändler | 138 (1987) 195 |
| Hovis, F.E., see Ph.D. Whitefield | 135 (1987) 454 |
| Hovis, F.E. and Ph.D. Whitefield, Quenching of $\text{N}_2(\text{A}^3\Sigma_u^+, v=0)$ by H | 138 (1987) 162 |
| Howard, B.J., see D. Prichard | 135 (1987) 9 |
| Howard, N.W., see E.J. Goodwin | 131 (1986) 319 |
| Howard, S.L., A.L. Rockwood, W. Trafton, B. Friedrich, S.G. Anderson and J.H. Futrell, Observation of fine-structure transitions in rare gas charge transfer at surprisingly low energies using a crossed-molecular beam technique | 140 (1987) 385 |
| Hsu, D.S.Y., see J.A. Dagata | 134 (1987) 151 |
| Hu, X.-M., see C.G. Zimba | 134 (1987) 233 |
| Huber, J.R., see M. Nonella | 131 (1986) 376 |
| Huber, M., F. Lendzian, W. Lubitz, E. Tränkle, K. Möbius and M.R. Wasielewski, EN-DOR and TRIPLE resonance in solutions of the chlorophyll a and bis(chlorophyll)cyclophane radical cations | 132 (1986) 467 |
| Hubert, R.A., see E.G. Derouane | 132 (1986) 315 |
| Huestis, D.L., see N.W. Winter | 133 (1987) 311 |
| Hufnagel, F., see J.K. Vij | 139 (1987) 77 |
| Hug, G.L., see H. Hiratsuka | 137 (1987) 255 |
| Hug, G.L., see R. Duguid | 139 (1987) 475 |
| Hughes, P.M., see F.G. Godwin | 135 (1987) 163 |
| Hunt, J.H., P. Guyot-Sionnest and Y.R. Shen, Observation of C-H stretch vibrations of monolayers of molecules using optical sum-frequency generation | 133 (1987) 189 |
| Hunter, D.A., A.J. Hoff and P.J. Hore, Theoretical calculations of RYDMR effects in photosynthetic bacteria | 134 (1987) 6 |
| Hunter, D.A., see C.D. Buckley | 135 (1987) 307 |

Master index to volumes 131-140

| | |
|---|----------------|
| Hunter, D.A., see P.J. Hore | 137 (1987) 495 |
| Huo, W.M., see H. Rudolph | 137 (1987) 521 |
| Huppert, D., see D. Pines-Rojanski | 139 (1987) 109 |
| Hüttner, W., H. Träuble, H.U. Wieland and H. Müller, The magnetic hyperpolarizability anisotropy of molecular hydrogen | 140 (1987) 421 |
| Huzinaga, S., see O. Matsuoka | 140 (1987) 567 |

| | |
|---|--|
| Iachello, F., see A. Frank | 131 (1986) 380 |
| Ibrahim, M.R. and Z.A. Fataftah, Estimation of zero-point energies of bromo and thio compounds | 136 (1987) 583 |
| Ibuki, T., N. Washida, U. Itoh, Y. Toyoshima and H. Onuki, Absorption spectra of SiCl ₄ , Si ₂ Cl ₆ , SiF ₃ CH ₃ and GeF ₄ in the VUV region | 136 (1987) 447 |
| Igawa, A. and H. Fukutome, A Riemann geometrical formulation of the principle of least electronic motion in chemical reactions | 133 (1987) 399 |
| I'Haya, Y.J., see T. Sano | 138 (1987) 291 |
| Iino, Y., T. Tani, M. Sakuda, H. Nakahara and K. Fukuda, Persistent hole burning of 1,4-disubstituted anthraquinone molecules | 140 (1987) 76 |
| Ikeda, H., see T. Kobayashi | 133 (1987) 54 |
| Ikeda, N., K. Imagi, H. Masuhara, N. Nakashima and K. Yoshihara, Picosecond transient absorption spectral and kinetic study on benzophenone microcrystals by diffuse reflectance laser photolysis method | 140 (1987) 281 |
| Illenberger, E., see M. Heni | 131 (1986) 314 |
| Illenberger, E., see A. Kühn | 135 (1987) 335 |
| İltan, E., see S. Özder | 135 (1987) 582 |
| Imagi, K., see N. Ikeda | 140 (1987) 281 |
| Imajo, T., K. Shibuya and K. Obi, Rotational energy transfer in the NO A ² Σ ⁺ (v' = 0) state with He and Ar | 137 (1987) 139 |
| Imamura, T., N. Tamai, Y. Fukuda, I. Yamazaki, S. Nagakura, H. Abe and H. Hayashi, External magnetic field effect on the fluorescence of CS ₂ excited to the V ¹ B ₂ state with nanosecond and picosecond dye lasers | 135 (1987) 208 |
| Imashiro, F., see T. Nakai | 132 (1986) 554 |
| Imashiro, F., see T. Akagi | 139 (1987) 331 |
| Imbardelli, D. and G. Chidichimo, An investigation of the dynamics of CH ₃ I in a nematic mesophase by NMR linewidth analysis | 134 (1987) 96 |
| Imbardelli, D., G. Chidichimo and M. Longeri, Nuclear relaxation of partially oriented pyridine determined by linewidth analysis of ¹ H NMR spectra | 135 (1987) 319 |
| Inchley, A., see R.E. Ballard | 132 (1986) 365; 134 (1987) 177; 135 (1987) 119, 468; 137 (1987) 125; 138 (1987) 284 |
| Indoe, S.B., see A.J. MacDermott | 135 (1987) 159 |
| Ingletto, G., see M. Bettinelli | 138 (1987) 361 |
| Inoue, A., Electron-impact-induced phosphorescence and mechanism of triplet-state formation in biacetyl | 132 (1986) 72 |
| Inoue, G., see M. Suzuki | 131 (1986) 24 |
| Ionov, S.I., see V.N. Bagratashvili | 137 (1987) 45 |
| Ippen, E.P., see L.R. Williams | 139 (1987) 244 |
| Irie, M., see T. Tsutsui | 132 (1986) 563 |
| Irvine, W.M., see M.B. Bell | 136 (1987) 588 |
| Isaka, H., see H. Takahashi | 140 (1987) 90 |
| Ishizaka, S. and M. Kotani, Estimation of extinction coefficient and radiative lifetime of a free radical, <i>p</i> -aminophenylthiyl | 139 (1987) 89 |
| Ish-Shalom, M., see Y. Kalisky | 136 (1987) 368 |
| Israel, G., see V. Řehák | 132 (1986) 236 |
| Itaya, A., T. Kawamura, H. Masuhara, Y. Taniguchi and M. Mitsuya, Fluorescence spectral changes of vacuum-deposited films of ω(1-pyrenyl)alkanoic acids induced by an excimer laser: molecular aspects of laser annealing | 133 (1987) 235 |

- Itaya, A., H. Sakai and H. Masuhara, Excimer dynamics of poly(N-vinylcarbazole) films revealed by time-correlated single photon counting measurements 138 (1987) 231
- Ito, H., Y. Ozaki, K. Suzuki, T. Kondow and K. Kuchitsu, Perturbations in the $CN(B^2\Sigma^+-X^2\Sigma^+)$ tail band system. Vibrational assignment of the $B^2\Sigma^+ \sim ^4\Pi$ perturbation 139 (1987) 581
- Ito, K., see M. Ukai 135 (1987) 51; 139 (1987) 612
- Ito, M., see H. Furukawa 132 (1986) 498
- Ito, M., see A. Goto 135 (1987) 407
- Ito, M., see F. Kitamura 136 (1987) 62
- Ito, M., see T. Kakinuma 140 (1987) 427
- Ito, T., see S. Tero-Kubota 131 (1986) 430
- Itoh, K., R. Baba and A. Fujishima, Application of a pulsed laser-induced photopotential technique to the current doubling process on polycrystalline oxide semiconductor electrodes 135 (1987) 521
- Itoh, K., see K. Nakagawa 137 (1987) 458
- Itoh, M., see Y. Tanimoto 136 (1987) 42; 137 (1987) 330
- Itoh, T., Non-radiative processes of benzaldehyde vapour: excitation energy dependence of the phosphorescence quantum yield in the presence of a foreign gas 133 (1987) 254
- Itoh, U., see T. Ibuki 136 (1987) 447
- Ivanov, C.I., see M.D. Girardeau 131 (1986) 389
- Ivanov, G.K., The resonance annihilation of slow positrons on molecules 135 (1987) 89
- Iwai, K., see Y. Tanimoto 136 (1987) 42
- Iwasaki, M., see K. Toriyama 132 (1986) 456
- Iyer, R.M., see S.K. Kulshreshtha 134 (1987) 239

- Jaccard, G., S. Wimperis and G. Bodenhausen, Observation of $2I_zS_z$ order in NMR relaxation studies for measuring cross-correlation of chemical shift anisotropy and dipolar interactions 138 (1987) 601
- Jackson, I.P. and J.W. White, Domain mobility and rotational tunnelling of hydrogen in graphite intercalates 134 (1987) 397
- Jackson, R.A., see G. Aloisi 133 (1987) 343
- Jacoboni, C., see M. Eyal 140 (1987) 595
- Jaegermann, P., F. Lendzian, G. Rist and K. Möbius, Time-resolved ESR and ENDOR during the photolysis of ω,ω -dimethoxy- ω -phenyl-acetophenone 140 (1987) 615
- Jagannathan, N.R. and C.N.R. Rao, A ^{13}C NMR spectroscopic study of the phase transitions of alkane dicarboxylic acids in the solid state 140 (1987) 46
- Jagannathan, N.R., Correlation between a structural parameter and the carboxyl ^{13}C chemical shielding tensors in compounds containing carboxylic carbon as a functional group 140 (1987) 548
- Jalink, H., S. Stolte and D.H. Parker, Dependence of the BaO^* product chemiluminescence spectrum on the N_2O reactant orientation in the $\text{Ba} + \text{N}_2\text{O} \rightarrow \text{BaO}^* + \text{N}_2$ reaction 140 (1987) 215
- Jalkanen, K.J., see R.D. Amos 133 (1987) 21
- James, D.R., see B.D. Wagner 138 (1987) 181
- Jameson, A.K. and C.J. Jameson, Gas-phase ^{13}C chemical shifts in the zero-pressure limit: refinements to the absolute shielding scale for ^{13}C 134 (1987) 461
- Jameson, A.K., see C.J. Jameson 135 (1987) 254
- Jameson, C.J., see A.K. Jameson 134 (1987) 461
- Jameson, C.J. and A.K. Jameson, Concurrent ^{19}F and ^{77}Se or ^{19}F and ^{125}Te NMR T_1 measurements for determination of ^{77}Se and ^{125}Te absolute shielding scales 135 (1987) 254
- Janata, E., see A. Henglein 132 (1986) 133
- Janda, K.C., see N. Sivakumar 137 (1987) 403
- Janda, K.C., see F.G. Celii 138 (1987) 257
- Janke, W. and H. Kleinert, The effective classical potential of the double-well potential 137 (1987) 162
- Jansen, B., see G. Meijer 136 (1987) 519
- Janssen, C.L., W.D. Allen, H.F. Schaefer III and J.M. Bowman, The infrared spectrum of the hydrogen bifluoride anion: unprecedented variation with level of theory 131 (1986) 352
- Janssen, R.A.J. and H.M. Buck, The $\text{S}^+\text{PCl}_2\text{F}^-$ phosphoranyl radical. An ESR and ab initio quantum-chemical study 132 (1986) 459
- Jaszuński, M., Perturbation theory of pair polarizabilities 135 (1987) 565
- Jaszuński, M., A mixed numerical-analytical approach to the calculation of non-linear electric properties 140 (1987) 130
- Jaworska-Augustyniak, A., J. Karolczak, A. Maciejewski and J. Wojtczak, Determination of the quantum yield for the formation of the T_1 state of ferrocene by sensitized isomerization of phenylosazone D-glucose 137 (1987) 134
- Jeffries, J.B., see R.A. Copeland 138 (1987) 425
- Jelski, D.A., see Z.C. Wu 137 (1987) 291
- Jenkin, M.E. and R.A. Cox, Kinetics of the gas-phase reaction of OH with nitrous acid 137 (1987) 548
- Jensen, H.J.Aa., see H. Ågren 137 (1987) 431
- Jerie, K., A. Baranowski, B. Rozenfeld, K. Orzechowski and J. Gliński, Positron annihilation in the vicinity of the critical solution point of methanol-cyclohexane mixtures 137 (1987) 42
- Jerschewitz, H.-G., see A. Samoson 134 (1987) 589
- Jerschewitz, H.-G., see D. Freude 139 (1987) 325
- Jeung, G.-H., see A.J. Ross 132 (1986) 44

- Jiang, X. and A. Campion, Chemical effects in surface-enhanced Raman scattering: pyridine chemisorbed on silver adatoms on Rh (100) 140 (1987) 95
- Jirkovský, J., see A. Fojtík 137 (1987) 226
- Jo, M., Y. Kuwahara, M. Onchi and M. Nishijima, Oxygen adsorption on Pd(110) at 300 K - low-energy electron diffraction and electron energy loss spectroscopy studies 131 (1986) 106
- Jodhan, A., see V. Sandhu 135 (1987) 260
- Jodhan, A., see B. Ruzsicska 139 (1987) 72
- Joens, J.A., Gaussian approximation for the temperature dependence of a continuous electronic spectrum 138 (1987) 512
- Johnson, B.F.G., see S.R. Drake 139 (1987) 336
- Johnson, M.A., see L.A. Posey 131 (1986) 170
- Johnson, M.L., see J.R. Lakowicz 131 (1986) 343; 138 (1987) 587
- Johnson, M.L., see N. Joshi 135 (1987) 200
- Johnson, S.A., see P.R. Brown 132 (1986) 582; 133 (1987) 239
- Jolly, J., see A. Plain 135 (1987) 46
- Jones, A.C., see A.G. Taylor 131 (1986) 534
- Jones, A.C., see E.M. Gibson 136 (1987) 454
- Jones, D., see A. Modelli 132 (1986) 448
- Jones, H. and J. Lindenmayer, Diode laser spectroscopy of lithium chloride at elevated temperatures 135 (1987) 189
- Jones, J., see R.E. Ballard 132 (1986) 365; 134 (1987) 177; 135 (1987) 119, 468; 137 (1987) 125; 138 (1987) 284
- Jones, R.D., see D. Theiste 133 (1987) 14
- Jones, R.O., see D. Hohl 139 (1987) 540
- Jongenelis, A.P.J.M., E.H. Abramson, A.M.P. Ros and J. Schmidt, Triplet exciton zero-field ODMR on naphthalene at 1.2 K 136 (1987) 181
- Jordan, K.D., see P.D. Burrow 132 (1986) 441
- Jordan, K.D., see V. Balaji 136 (1987) 309
- Jorge, F.E. and A.B. Batista, Comment on "Direct consequences of the bond index statistical interpretation" 138 (1987) 115
- Jørgensen, C.K., see M.D. Marcantonatos 132 (1986) 247
- Jørgensen, C.K., see R. Reisfeld 132 (1986) 252
- Jørgensen, C.K., M. Lenglet and J. Arsène, Critical comparison of configuration interaction and oxidation state with spectroscopic properties of nickel oxide and other solid oxides 136 (1987) 475
- Jørgensen, C.K., see M. Lenglet 136 (1987) 478
- Jørgensen, C.K., see M. Eyal 139 (1987) 395; 140 (1987) 595
- Jortner, J., see A. Amirav 132 (1986) 335; 133 (1987) 179
- Jortner, J., see I. Rips 133 (1987) 411
- Jortner, J., see D. Scharf 134 (1987) 502
- Jortner, J., see M. Bixon 140 (1987) 626
- Joshi, N., see J.R. Lakowicz 131 (1986) 343
- Joshi, N., M.L. Johnson, I. Gryczynski and J.R. Lakowicz, Radiation boundary conditions in collisional quenching of fluorescence; determination by frequency-domain fluorometry 135 (1987) 200
- Jouany, C., J.C. Barthelat and J.P. Daudey, Stabilization of a π double bond between two boron atoms. A theoretical approach 136 (1987) 52
- Jucks, K.W. and R.E. Miller, The ν_1 vibrational fundamental of the cyanogen-HF binary complex 139 (1987) 201

Master index to volumes 131-140

- Jug, G., Theory of NMR field-gradient spectroscopy for anomalous diffusion in fractal networks 131 (1986) 94
- Jung, K.-H., see S.H. Kang 131 (1986) 496
- Jusinski, L.E., see G. Black 131 (1986) 310; 136 (1987) 241; 139 (1987) 41, 431
- Just, Th., see U. Meier 133 (1987) 162

| | |
|---|-------------------------------|
| Kaatze, U., The dielectric spectrum of water in the microwave and near-millimetre wavelength region | 132 (1986) 291 |
| Kadam, R.M., see M. Kumar | 134 (1987) 102 |
| Kagan, M.L., see D. Avnir | 135 (1987) 177 |
| Kaim, W. and S. Kohlmann, EPR evidence for related electronic structures of α -diimine complexes with $[\text{Ru}(\text{bpy})_2]^{2+}$ and $\text{Re}(\text{CO})_3(\text{halide})$ fragments | 139 (1987) 365 |
| Kaiser, W., see R. Leonhardt | 133 (1987) 373 |
| Kajii, Y., see H. Hiratsuka | 139 (1987) 187 |
| Kajimoto, O., see Y. Fujimura | 140 (1987) 320 |
| Kakinuma, T., M. Fujii and M. Ito, Two-color fluorescence dip and ion dip spectra of jet-cooled benzene | 140 (1987) 427 |
| Kalcher, J. and A.F. Sax, The electronic structure of the disilavinylidene anion | 133 (1987) 135 |
| Kaldor, A., see M.R. Zakin | 135 (1987) 223 |
| Kalisky, J., see V. Poncon | 133 (1987) 363 |
| Kalisky, Y., V. Poncon, G. Boulon, R. Reisfeld, A. Buch and M. Ish-Shalom, Time-resolved spectroscopy of chromium(III) in mullite transparent glass ceramics | 136 (1987) 368 |
| Källebring, B. and S. Larsson, Singlet spectra of chromophores in the reaction center of <i>Rhodospseudomonas viridis</i> as calculated by the CNDO/S method | 138 (1987) 76 |
| Kalponzos, C., see W.T. Lotshaw | 138 (1987) 615 |
| Kalpouzos, C., see W.T. Lotshaw | 136 (1987) 323 |
| Kamat, P.V. and W.E. Ford, Photochemistry on surfaces: triplet-triplet energy transfer on colloidal TiO_2 particles | 135 (1987) 421 |
| Kamei, H., see S. Kobayashi | 138 (1987) 333 |
| Kamioka, K. and S.E. Webber, Intracoil excited singlet state annihilation in polyvinylidiphenylanthracene | 133 (1987) 353 |
| Kamysnyi, A.L., see A.P. Suisalu | 134 (1987) 617 |
| Kanamaru, N., Long-lived fluorescence decay components in glyoxal | 137 (1987) 487 |
| Kanata, H., S. Yamamoto and S. Saito, Microwave spectroscopic determination of the dipole moment of cyclopropenylidene, C_3H_2 | 140 (1987) 221 |
| Kaneko, M., see M. Hoshino | 132 (1986) 209 |
| Kanezaki, E., The adsorption depth profile of rhodamine B on silica particles by photoacoustic spectroscopy | 138 (1987) 352 |
| Kang, S.H. and K.-H. Jung, Iterative solution of the master equation for thermal unimolecular reactions by the method of variable successive overrelaxation | 131 (1986) 496 |
| Karadakov, P. and O. Castaño, A note on time-dependent variational principles | 140 (1987) 367 |
| Karim, O.A. and J.A. McCammon, Rate constants for ion pair formation and dissociation in water | 132 (1986) 219 |
| Karim, O.A. and B.M. Pettitt, Two-dimensional fluids in a periodic external potential: intercalation in graphite | 137 (1987) 72 |
| Karim, O.A. and A.D.J. Haymet, The ice/water interface | 138 (1987) 531 |
| Karolczak, J., see A. Jaworska-Augustyniak | 137 (1987) 134 |
| Karpfen, A., Ab initio studies on polymers: torsional potential in helical sulfur chains | 136 (1987) 571 |
| Karplus, M., see B.M. Pettitt | 136 (1987) 383 |
| Karplus, M., see R. Elber | 139 (1987) 375 |
| Kasai, T., see H. Ohoyama | 131 (1986) 20; 136 (1987) 236 |
| Kasakura, A., see H. Umemoto | 139 (1987) 311 |
| Kassab, E., see E.M. Evleth | 131 (1986) 475 |

| | |
|--|--|
| Kasuya, T., see K. Tsukiyama | 137 (1987) 315 |
| Kato, R., see E. Morikawa | 131 (1986) 209 |
| Katsikas, L., see A. Fojtik | 138 (1987) 535 |
| Katsikides, A., see A.N. North | 132 (1986) 541 |
| Kawaguchi, K., see Y. Kawashima | 131 (1986) 205; 135 (1987) 441 |
| Kawamura, T., see A. Itaya | 133 (1987) 235 |
| Kawasaki, M. and H. Sato, Photodissociation of molecular beams of SO ₂ at 193 nm | 139 (1987) 585 |
| Kawashima, Y., K. Kawaguchi and E. Hirota, Detection of HBO by discharge modulated infrared diode laser spectroscopy | 131 (1986) 205 |
| Kawashima, Y., Y. Endo, K. Kawaguchi and E. Hirota, Detection and equilibrium molecular structure of a short-lived molecule, HBO, by microwave spectroscopy | 135 (1987) 441 |
| Kawazumi, H. and T. Ogawa, Absolute cross sections for the formation of CN(X, $\nu=0$) produced by controlled electron impact on BrCN and CH ₃ CN | 140 (1987) 458 |
| Keaton, G.L., N.S. Nogar and S.W. Downey, An optogalvanic study of Rydberg oxygen atoms | 137 (1987) 26 |
| Keijzers, C.P., see G. Zwanenburg | 140 (1987) 11 |
| Kellö, V., see M. Urban | 135 (1987) 346 |
| Kemister, G. and S. Nordholm, A note on the accuracy of correlation energy estimation by local approximation: first ionization energies and electron affinities of light atoms | 133 (1987) 121 |
| Kemister, G., see J. Robles | 134 (1987) 27 |
| Kemnitz, K., K. Bhattacharyya, J.M. Hicks, G.R. Pinto, K.B. Eisenthal and T.F. Heinz, The phase of second-harmonic light generated at an interface and its relation to absolute molecular orientation | 131 (1986) 285 |
| Kenkre, V.M. and D. Schmid, Consequences of initial condition analysis for the interpretation of transient grating observations | 140 (1987) 238 |
| Kenney-Wallace, G.A., see W.T. Lotshaw | 136 (1987) 323; 138 (1987) 615 |
| Kerkhoff, H.G., see T.A. Ferrett | 138 (1987) 607 |
| Kern, C.W., see R.B. Ross | 134 (1987) 115 |
| Kertesz, M., see J. Cioslowski | 138 (1987) 516 |
| Kettler, U., P.S. Bechthold and W. Krasser, Photochemistry and resonance Raman scattering of Ag ₃ clusters isolated in solid xenon matrices | 131 (1986) 213 |
| Kettley, J.C., J.W. Oram, T.F. Palmer, J.P. Simons and A.T. Amos, Solvent shifts in van der Waals complexes of perylene | 140 (1987) 286 |
| Khanra, B.C., see S. Modak | 134 (1987) 39 |
| Khetrapal, C.L., see B.S. Arun Kumar | 136 (1987) 227 |
| Khmelnitsky, V.E., see N.L. Lavrik | 140 (1987) 582 |
| Khor, K.E. and S. Das Sarma, Simulation of self-diffusion on silicon surface using Stillinger-Weber potential | 134 (1987) 43 |
| Khromov, I.E., see A.A. Stuchebrukhov | 134 (1987) 251 |
| Kiefl, R.F., see P.W. Percival | 133 (1987) 465; 137 (1987) 398; 138 (1987) 613 |
| Kikuma, J., see H. Umemoto | 139 (1987) 311 |
| Kiliaan, H.S., J.F.A.K. Kotte and G. Blasse, Ultraviolet ⁵ H ₃ and visible ⁵ D ₁ luminescence of europium(III) co-doped with cerium(III) in hexagonal NaGdF ₄ | 133 (1987) 425 |
| Kim, H.L., S. Reid and J.D. McDonald, Intramolecular vibrational state mixing in glyoxal by stimulated emission pumping spectroscopy | 139 (1987) 525 |
| Kim, K.S., M. Dupuis, G.C. Lie and E. Clementi, Revisiting small clusters of water molecules | 131 (1986) 451 |

- Kim, Y.H., see Y.O. Koh 140 (1987) 243
- Kim, Y.S., see I. Last 138 (1987) 225
- Kimura, A., see M. Ukai 135 (1987) 51; 139 (1987) 612
- Kindvall, G., see O. Gustafsson 138 (1987) 185
- Kinnunen, P.K.J., A.-P. Tulkki, H. Lemmetyinen, J. Paakkola and J.A. Virtanen, Characteristics of excimer formation in Langmuir-Blodgett assemblies of 1-palmitoyl-2-pyrenedecanoylphosphatidylcholine and dipalmitoylphosphatidylcholine 136 (1987) 539
- Kinoshita, S., N. Nishi and T. Kushida, Stochastic behavior of the dynamic Stokes shift in rhodamine 6G 134 (1987) 605
- Kinoshita Jr., K., see M. Hoshino 132 (1986) 209
- Kirin, D. and G.S. Pawley, Pressure dependence of the low-frequency Raman spectra of 4,4'-difluorobenzophenone and 4,4'-dibromobenzophenone 134 (1987) 327
- Kirmse, R., K. Köhler, J. Stach, W. Dietzsch, R. Böttcher and L. Golič, ^{103}Rh and ^{33}S hyperfine interactions in tetraphenylarsonium-bis(maleonitriledithiolato)rhodate(II), $(\text{Ph}_4\text{As})_2[\text{Rh}(\text{mnt})_2]$: a single-crystal EPR-ENDOR study 133 (1987) 81
- Kirsch-de Mesmaeker, A., see D. Fichou 132 (1986) 128
- Kirski, T., see J. Grimm 131 (1986) 522
- Kitamura, F., M. Takahashi and M. Ito, Anodic oxidation of cyanide and cyanate ions on a platinum electrode 136 (1987) 62
- Kitaura, K., see K. Honda 140 (1987) 53
- Kitsopoulos, T., see D.C. Robie 134 (1987) 579
- Kjellander, R., see P. Attard 139 (1987) 219
- Klassen, N.V. and C.K. Ross, The assignment of an intense optical absorption band in the radiolysis of alkane/ CCl_4 to CCl_4^- 132 (1986) 478
- Klee, G., see P. Börner 136 (1987) 319
- Klee, S., see K.-H. Gericke 137 (1987) 510
- Kleinerhanns, K., see U. Gerlach-Meyer 133 (1987) 113
- Kleinert, H., see W. Janke 137 (1987) 162
- Klinowski, J., see D. Freude 133 (1987) 491
- Klinowski, J., see H. Hamdan 139 (1987) 576
- Klopper, W. and W. Kutzelnigg, Møller-Plesset calculations taking care of the correlation cusp 134 (1987) 17
- Klots, C.E., Enthalpy conversion in sonic-nozzle expansions 137 (1987) 353
- Klots, T.D., see R.S. Ruoff 138 (1987) 553
- Knickelbein, M.B., K.S. Haber, L. Bigio and E.R. Grant, High-resolution two-photon spectroscopy of the NO_2 $3p\sigma$ $^2\Sigma_u^+$ (000) Rydberg state 131 (1986) 51
- Knight, D.W. and A.P. Cox, Combined microwave-optical barrier determination for molecules with a heavy symmetric internal top: CF_3NO and CF_3CHO 132 (1986) 103
- Knight, W.D., W.A. de Heer, W.A. Saunders, K. Clemenger, M.Y. Chou and M.L. Cohen, Alkali metal clusters and the jellium model 134 (1987) 1
- Knowles, D.B., see P.R. Bunker 139 (1987) 159
- Knowles, P.J., On the validity and applicability of the connected moments expansion 134 (1987) 512
- Knowles, P.J., see R.H. Nobes 138 (1987) 481
- Knox, W.H., see C.H. Brito Cruz 132 (1986) 341
- Kobayashi, S., see M. Yamashita 137 (1987) 578
- Kobayashi, S., H. Yokoyama and H. Kamei, Substituent and solvent effects on electronic absorption spectra and thermal isomerization of push-pull-substituted cis-azobenzenes 138 (1987) 333

- Kobayashi, T. and H. Ikeda, Dependence of the spectrum and decay of transient photoinduced reflectance change on excitation wavelength and intensity in polydiacetylene single crystals 133 (1987) 54
- Kobayashi, T., see T. Hattori 133 (1987) 230
- Kobayashi, T., see M. Terauchi 137 (1987) 319
- Koch, E.E., see K.-H. Frank 132 (1986) 83
- Koch, W., J.R. Collins and G. Frenking, Are there neutral helium compounds which are stable in their ground state? A theoretical investigation of HeBCH and HeBeO 132 (1986) 330
- Koch, W., see G. Frenking 138 (1987) 503
- Koch, W., G. Frenking and B.T. Luke, Theoretical investigations of the low-lying electronic states of the HeC^{2+} dication 139 (1987) 149
- Kochanski, E., Non-additivity of SCF interaction energies in $\text{H}_3\text{O}^+(\text{H}_2\text{O})_2$ 133 (1987) 143
- Kocot, A., see K. Pasterny 139 (1987) 295
- Koenders, B.G., K.E. Drabe and C.A. de Lange, Photoelectron spectroscopic study of resonant multiphoton ionisation of atomic and molecular bromine 138 (1987) 1
- Koenig, E.W., see W.M. Hetherington III 134 (1987) 203
- Koffend, J.B., see M. Larzillière 134 (1987) 467
- Koh, Y.O., Y.H. Kim and H.K. Shin, Collisional energy transfer processes involving van der Waals bonds 140 (1987) 243
- Köhler, H.-J., see D. Heidrich 136 (1987) 13
- Köhler, K., see R. Kirmse 133 (1987) 81
- Köhler, W. and J. Friedrich, Comments on the determination of dispersion in the kinetics of hole-burning reactions 134 (1987) 200
- Kohles, N. and A. Laubereau, Investigation of the rotational dynamics in liquids by time-resolved CARS 138 (1987) 365
- Kohlmann, S., see W. Kaim 139 (1987) 365
- Kojima, H., Y. Sakai and H. Tagashira, Photo-injected electron current in cryogenic liquids: A comparison of liquid Ar, Ne, He, N_2 , and H_2 near their boiling points 140 (1987) 631
- Kolb, D., see D. Heinemann 137 (1987) 180
- Komarynsky, M. and S.I. Weissman, Comment on "Association between lithium biphenylide and biphenyl" 131 (1986) 438
- Komorowski, L., Empirical evaluation of chemical hardness 134 (1987) 536
- Komorowski, S.J., see J. Waluk 133 (1987) 368
- Kondow, T., see H. Ito 139 (1987) 581
- Koningstein, J.A., see P. Myslinski 135 (1987) 35
- Koningstein, J.A., H. Lemaire and G.H. Atkinson, Electronic Raman scattering from terbium gallium garnet excited with a picosecond laser 140 (1987) 154
- Konowalow, D.D., see W.T. Luh 131 (1986) 335
- Konowalow, D.D. and B.H. Lengsfeld III, The electronic and vibrational energies of the $^5\Sigma_g^+$ state of He_2 which corresponds asymptotically to the interaction of two $1s2s\ ^3S$ He atoms 139 (1987) 417
- Koot, W., see W.J. van der Zande 140 (1987) 175
- Kopitz, B., Z. Xu and C. Wittig, Product energy distributions from the 193 nm photodissociation of NH_3 137 (1987) 505
- Köppel, H., see W. Domcke 140 (1987) 133
- Kori, M., see B. Halpern 138 (1987) 261
- Kornweitz, H., A. Persky and R.D. Levine, Reply to Comment on "The effect of reagent rotation on steric requirements of elementary exchange reactions" 133 (1987) 187

- Korvatovsky, B.N., see P. Pančoška 139 (1987) 49
- Kosower, E.M., see R. Giniger 140 (1987) 205
- Kossmann, H., see H.-J. Freund 137 (1987) 425
- Koszykowski, M.L., see L.A. Rahn 133 (1987) 513
- Kotani, M., see E. Morikawa 131 (1986) 209
- Kotani, M., see S. Ishizaka 139 (1987) 89
- Kotomin, E., see M. Causà 140 (1987) 120
- Kotsarenko, N.S., see V.M. Mastikhin 139 (1987) 93
- Kotte, J.F.A.K., see H.S. Kiliaan 133 (1987) 425
- Kottis, Ph., see J. Bernard 133 (1987) 73
- Kottis, Ph., see A. Declémy 133 (1987) 448
- Koulkes-Pujo, A.M., see A. Goursot 138 (1987) 339
- Kowalski, A., D.J. Funk and W.H. Breckenridge, Excitation spectra of CaAr, SrAr and BaAr molecules in a supersonic jet 132 (1986) 263
- Koyama, Y., see Y. Hirata 134 (1987) 166
- Kozankiewicz, B., The origin of delayed fluorescence in charge-transfer crystals: pyromellitic dianhydride-phenanthrene crystal 134 (1987) 323
- Kraemer, W.P., see R. Lindh 139 (1987) 407
- Krasnoperov, L.N., see A.I. Chichinin 138 (1987) 371
- Krasser, W., see U. Kettler 131 (1986) 213
- Krausz, E., see J. Ferguson 131 (1986) 463
- Krausz, E., Zeeman effects in absorption and luminescence of the zero-phonon lines in $\text{Ru}(\text{bpy})_3(\text{PF}_6)_2$ 135 (1987) 249
- Krausz, E., see A. Hauser 138 (1987) 355
- Krebs, P., see A.N. Asaad 137 (1987) 553
- Kreitzman, S.R., see P.W. Percival 133 (1987) 465; 137 (1987) 398; 138 (1987) 613
- Kremer, R., see W. Umland 132 (1986) 113
- Kresin, V.Z. and W.A. Lester Jr., On the mechanism of singlet-triplet transitions 138 (1987) 59
- Krikor, H., see A. Stesmans 137 (1987) 261
- Krishna, T.S.R., see G.R. Desiraju 131 (1986) 124
- Kroto, H.W., see S.C. O'Brien 132 (1986) 98
- Krümpelmann, T. and Ch. Ottinger, Vibrationally selective electronic energy transfer from metastable Xe atoms to N_2 and CO molecules 140 (1987) 142
- Krupa, J.C., see G. Zwanenburg 140 (1987) 11
- Krygowski, T.M. and I. Turowska-Tyrk, Deformation directions obtained from atom-atom potentials: deformations in crystals 138 (1987) 90
- Ku, J.K., see J. Xu 132 (1986) 427
- Kuan, C.-Y., H.R. Mayne and R.J. Wolf, The effect of potential parameters on alignment in molecule-crystal collisions 133 (1987) 415
- Kuan, C.-Y., see H.R. Mayne 140 (1987) 520
- Kubozono, Y., see M. Aoyagi 131 (1986) 201
- Kubozono, Y., M. Ata, M. Aoyagi and Y. Gondo, The ESR spectra of *p*-benzosemiquinone radical anion included in cyclodextrins 137 (1987) 467
- Kucar, J., H.-D. Meyer and L.S. Cederbaum, Time-dependent *rotated* Hartree approach 140 (1987) 525
- Kuchitsu, K., see H. Ito 139 (1987) 581
- Kucsman, Á., see J.G. Ángyán 136 (1987) 1
- Kuczkowski, R.L., see K.W. Hillig 133 (1987) 359

- Kudo, A., K. Domen, K. Maruya and T. Onishi, Photocatalytic activities of TiO_2 loaded with NiO 133 (1987) 517
- Kühle, H., N. Schwentner, H. Gabriel and I. Gersonde, Time-resolved energy transfer and relaxation of N_2 aggregates in solid Xe matrices 132 (1986) 570
- Kuhlenbeck, H., see F.P. Netzer 133 (1987) 49
- Kühn, A., H.-P. Fenzlaff and E. Illenberger, CN^- formation following electron attachment to cyanogen $((\text{CN})_2)$ 135 (1987) 335
- Kühnle, W., see K.A. Zachariasse 133 (1987) 390
- Kukulich, S.G., see D.J. Pauley 132 (1986) 67; 135 (1987) 486
- Kulshreshtha, S.K. and R.M. Iyer, A calorimetric study of low-spin \leftrightarrow high-spin transitions in bis(1,10-phenanthroline-2-carbaldehyde phenyl hydrazone)iron(II) diperchlorate and ditetrafluoroborate 134 (1987) 239
- Kumar, A., see A. Henglein 132 (1986) 133
- Kumar, A., see K. Rukmani 133 (1987) 485
- Kumar, A., see N. Murali 137 (1987) 324
- Kumar, M., M.D. Sastry, A.G.I. Dalvi and R.M. Kadam, Chemically induced dynamic nuclear polarisation in thermally stimulated free radical reactions in gamma-irradiated $\text{UO}_2^{2+}:\text{SrSO}_4$ phosphor 134 (1987) 102
- Kundu, T., D. Nath, A. Samanta and M. Chowdhury, Polarisation-dependent two-photon spectra of triptycene 133 (1987) 507
- Kunst, A.G.M., see B. Wegewijs 140 (1987) 587
- Kuo, C.S., see Y.C. Chou 137 (1987) 386
- Kuper, C.G., see D.S. Tannhauser 137 (1987) 491
- Kuppermann, A., see P.G. Hipes 133 (1987) 1
- Kurshev, V.V., see A.V. Astashkin 136 (1987) 335
- Kurylo, M.J. and T.J. Wallington, The temperature dependence of the rate constant for the gas phase disproportionation reaction of CH_3O_2 radicals 138 (1987) 543
- Kurylo, M.J., P. Dagaut, T.J. Wallington and D.M. Neuman, Kinetic measurements of the gas phase $\text{HO}_2 + \text{CH}_3\text{O}_2$ cross-disproportionation reaction at 298 K 139 (1987) 513
- Kushida, T., see S. Kinoshita 134 (1987) 605
- Kusumoto, Y., A spectrofluorimetric method for determining the association constants of pyrene with cyclodextrins based on polarity variation 136 (1987) 535
- Kusunoki, I., see K. Yamashita 137 (1987) 193
- Kutzelnigg, W., see W. Klopfer 134 (1987) 17
- Kuwahara, Y., see M. Jo 131 (1986) 106
- Kuwata, K., see H. Ohoyama 131 (1986) 20; 136 (1987) 236
- Kuz'menko, N., see V. Eryomin 136 (1987) 510
- Kvaran, A., A. Ludviksson, W.S. Hartree and J.P. Simons, Chemiluminescent reactions of rare gas atoms, $\text{Rg}(ns, {}^3\text{P}_2, {}^3\text{P}_1, {}^1\text{P}_1)$ with N_2O , SCO and SeCO : spectroscopy and energy disposal in rare gas oxide, sulphide and selenide excimers 137 (1987) 209

| | |
|---|--------------------------------|
| Laaksonen, L., see P. Pyykkö | 134 (1987) 575 |
| Laarhoven, W., see H. Stegemeyer | 137 (1987) 516 |
| Labastie, P., see C. Bréchnignac | 133 (1987) 45 |
| Lablanquie, P., see M. Ukai | 135 (1987) 51; 139 (1987) 612 |
| Lacey, A.R., see J.L. Green | 134 (1987) 385; 137 (1987) 537 |
| Laczko, G., see J.R. Lakowicz | 131 (1986) 343 |
| Laczko, G., see I. Gryczynski | 135 (1987) 193 |
| Ladik, J., see S.C. Liu | 134 (1987) 133 |
| Lafage, C., see N. Bourmada | 136 (1987) 209 |
| Laganà, A., see P. Tosi | 136 (1987) 398 |
| Laganà, A. and E. Garcia, An approximate estimate of the Li+HF reactivity | 139 (1987) 140 |
| Lago, S., P. Sevilla and J.L.F. Abascal, An improved integral equation for linear polyatomic fluids | 135 (1987) 133 |
| Lahti, P.M., A semi-empirical study of some diazoethenes: are they non-linear? | 133 (1987) 139 |
| Lai, A., see M. Casu | 137 (1987) 533 |
| Lai, N.T., see J. Courtieu | 140 (1987) 565 |
| LaiHing, K., see R.G. Wheeler | 131 (1986) 6 |
| Łajtar, L., A. Patrykiewicz, J. Penar and S. Sokołowski, On the surface tension of a fluid of hard non-spherical molecules in contact with a hard wall | 139 (1987) 277 |
| Lakowicz, J.R., M.L. Johnson, N. Joshi, I. Gryczynski and G. Laczko, Transient effects in quenching detected by harmonic-content frequency-domain fluorometry | 131 (1986) 343 |
| Lakowicz, J.R., see I. Gryczynski | 135 (1987) 193 |
| Lakowicz, J.R., see N. Joshi | 135 (1987) 200 |
| Lakowicz, J.R., M.L. Johnson, W. Wiczk, A. Bhat and R.F. Steiner, Resolution of a distribution of distances by fluorescence energy transfer and frequency-domain fluorometry | 138 (1987) 587 |
| Lam, B., see D.M. Bishop | 134 (1987) 283 |
| Lamb, R.N., see M. Grunze | 133 (1987) 283 |
| Lambert, M., B. Callen, H. Dugan, S.V. Filseth, F.J. Morgan and C.M. Sadowski, ICN photodissociation at 193 nm; CN(B ² Σ) rotational distributions and fluorescence polarization | 139 (1987) 45 |
| Lambert, R.M., see K. Broomfield | 139 (1987) 267 |
| Land, D.P., see M.G. Sherman | 137 (1987) 298 |
| Landman, U., see D. Scharf | 134 (1987) 502 |
| Langhoff, P.W., see J.A. Sheehy | 135 (1987) 109 |
| Langhoff, S.R., see C.W. Bauschlicher Jr. | 135 (1987) 67 |
| Langhoff, S.R., C.W. Bauschlicher Jr. and P.R. Taylor, Accurate ab initio calculations for the ground states of N ₂ , O ₂ and F ₂ | 135 (1987) 543 |
| Langkilde, F.W., see R. Wilbrandt | 133 (1987) 385 |
| Laporte, P., see P. Moutard | 132 (1986) 521 |
| Laporte, P., see E. Morikawa | 139 (1987) 171 |
| Largo-Cabrero, A., see J.R. Flores | 140 (1987) 26 |
| Largo-Cabrero, J., see J.R. Flores | 137 (1987) 482; 140 (1987) 26 |
| Larrieu, C., see H. Cardy | 131 (1986) 507 |
| Larsson, M., see O. Gustafsson | 138 (1987) 185 |
| Larsson, S., A. Volosov and A. Rosén, Optical spectrum of the icosahedral C ₆₀ - "follene-60" | 137 (1987) 501 |
| Larsson, S., see B. Källebring | 138 (1987) 76 |

- Larzillière, M., K. Gragued, J. Lerme and J.B. Koffend, *l*-type resonance and *l*-uncoupling in N_2O^+ : observation of a $\Sigma^+ - ^2\Phi$ transition 134 (1987) 467
- Laschi, F., see C. Rossi 136 (1987) 506
- Last, I., Y.S. Kim and T.F. George, Cooperative optical transitions in impurity centers coupled via host atoms 138 (1987) 225
- László, B., see G. Lendvay 137 (1987) 175
- László, I. and L. Udvardi, On the geometrical structure and UV spectrum of the truncated icosahedral C_{60} molecule 136 (1987) 418
- Latajka, Z., S. Scheiner and H. Ratajczak, The proton position in hydrogen halide-amine complexes. $BrH-NH_3$ and $BrH-NH_2CH_3$ 135 (1987) 367
- Latajka, Z., see J. Moc 136 (1987) 122
- Latajka, Z., S. Scheiner and H. Ratajczak, The proton position in hydrogen halide-amine complexes. $BrH-NH_3$ and $BrH-NH_2CH_3$, Chem. Phys. Letters 135 (1987) 367. Erratum 138 (1987) 384
- Latajka, Z. and S. Scheiner, Three-dimensional spatial characteristics of primary and secondary basis set superposition error 140 (1987) 338
- Lathouwers, L., The classical limit of the quantal inertia tensor 138 (1987) 447
- Laubereau, A., see H. Graener 133 (1987) 378; 140 (1987) 306
- Laubereau, A., see N. Kohles 138 (1987) 365
- Launay, J.M., see B. Lepetit 135 (1987) 377
- Laverdet, G., see C. Camy-Peyret 139 (1987) 345
- Lavrik, N.L. and V.E. Khmelinsky, A study of the time parameters of radical geminate pairs by stroboscopic magnetic field techniques 140 (1987) 582
- Lawley, K.P., see R.J. Donovan 138 (1987) 571
- Lazzeretti, P., see W.T. Raynes 132 (1986) 173
- Lazzeretti, P., see J.A. Tossell 132 (1986) 464; 140 (1987) 37
- Lazzeretti, P. and R. Zanasi, Analytic geometrical derivatives of second-order molecular properties from perturbation theory 135 (1987) 571
- Lazzeretti, P. and P. Bertocchi, Momentum theorems for electrons in the presence of monochromatic radiation and intramolecular perturbations 138 (1987) 465
- Leach, G.W., see D.R. Demmer 136 (1987) 329
- Le Bras, G., see C. Camy-Peyret 139 (1987) 345
- Le Calvé, J. and M. Chergui, An alternative interpretation of the spectroscopy and internal dynamics of excited Cl_2 molecules trapped in an argon matrix 132 (1986) 256
- Lechuga-Fossat, L., see C. Camy-Peyret 139 (1987) 345
- Ledda, F., C. Muntoni, S. Serici and L. Pellerito, Ordering of metal atoms in the $SnTe-Bi_2Te_3$ system 134 (1987) 545
- Le Dourneuf, M., see B. Lepetit 135 (1987) 377
- Lee, J., see G.W. Robinson 137 (1987) 376
- Lee, S.-L., R.R. Lucchese and S.Y. Chu, Topological analysis of eigenvectors of the adjacency matrices in graph theory: the concept of internal connectivity 137 (1987) 279
- Lee, T.J., G.E. Scuseria, J.E. Rice, A.C. Scheiner and H.F. Schaefer III, Comparison of single and double excitation coupled cluster and configuration interaction theories: determination of structure and equilibrium properties for diatomic molecules 139 (1987) 134
- Lefebvre, Y., J.M. Delaval, P. Bernage and P. Niay, Lifetime measurements of $CuBr$ and CuI excited states: identification of the electronic states 139 (1987) 212
- Legon, A.C., see E.J. Goodwin 131 (1986) 319
- Legon, A.C., D.J. Millen and H.M. North, Experimental determination of the dissociation energies D_0 and D_e of $H_2O...HF$ 135 (1987) 303

- Legon, A.C., ^{79}Br -nuclear quadrupole coupling in the rotational spectrum of $\text{HC}^{15}\text{N}\cdots\text{D}^{79}\text{Br}$:
determination of the $\text{H}(\text{D})\text{Br}$ oscillation amplitudes and force constant 140 (1987) 315
- LeGrange, J.D., see S.B. Dierker 137 (1987) 453
- Leland, J.K. and A.J. Bard, Preparation and electronic properties of monolayer tungsten
oxide on silica particles 139 (1987) 453
- Lelj, F., see V. Barone 133 (1987) 548
- Lelj, F., see P. Cristinziano 140 (1987) 401
- Lemaire, H., see J.A. Koningstein 140 (1987) 154
- Lemmetyinen, H., see P.K.J. Kinnunen 136 (1987) 539
- Le Motaïs, B., see A. Goursot 138 (1987) 339
- Lemus, R., see A. Frank 131 (1986) 380
- Lendvay, G., B. László and T. Bérces, Theoretical study of $\text{X} + \text{H}_2 \rightarrow \text{XH} + \text{H}$ and reverse
reactions ($\text{X} = \text{F}, \text{Cl}, \text{Br}, \text{I}$) using a new empirical potential energy surface 137 (1987) 175
- Lendzian, F., see M. Huber 132 (1986) 467
- Lendzian, F., see P. Jaegermann 140 (1987) 615
- Leng, C.A., see M. Carvell 137 (1987) 188
- Leng, F.J., see M. Carvell 137 (1987) 188
- Lenglet, M., see C.K. Jørgensen 136 (1987) 475
- Lenglet, M., A. d'Huysser, J.P. Bonnelle, J. Dürr and C.K. Jørgensen, Analysis of X-ray Ni
 $\text{K}\beta$ emission, XANES, XPS Ni 2p, and optical spectra of nickel(II) spinels and struc-
ture inference 136 (1987) 478
- Lengsfeld III, B.H., S. Havriliak, M.E. Colvin and H.F. Schaefer III, Analytic MC SCF
infrared intensities: application to formaldehyde 135 (1987) 340
- Lengsfeld III, B.H., see D.D. Konowalow 139 (1987) 417
- Leone, S.R., see D.J. Donaldson 132 (1986) 240
- Leone, S.R., see R.W. Schwenz 133 (1987) 433
- Leone, S.R., see W. Bussert 138 (1987) 269, 276
- Leonhardt, R., W. Holzapfel, W. Zinth and W. Kaiser, Terahertz quantum beats in mo-
lecular liquids 133 (1987) 373
- Lepetit, B., M. le Dourneuf, J.M. Launay and F.X. Gadéa, Quantum dynamics of the col-
linear CsHH system 135 (1987) 377
- Lerme, J., see M. Larzillière 134 (1987) 467
- Lersch, W. and M.E. Michel-Beyerle, A theoretical lineshape study of the RYDMR signal
from a localized radical pair 136 (1987) 346
- Lersch, W., see M. Bixon 140 (1987) 626
- Lesclaux, R., see K. McAdam 133 (1987) 39
- Leshina, T.V., see N.E. Polyakov 136 (1987) 31
- Lester, M.I., see J.M. Gardner 137 (1987) 301
- Lester Jr., W.A., see V.Z. Kresin 138 (1987) 59
- Le Thanh, H., see S. Badilescu 133 (1987) 63
- Leung, P.T. and T.F. George, Surface distortions of asymmetric line profiles 134 (1987) 375
- Leupold, D., H. Stiel and J. Sepiol, The S_1 and T_1 spectra of chlorophyll-a in the visible
region and an S_1 -bypassing relaxation from two-photon stepwise excited states 132 (1986) 137
- Levanon, H., see A. Regev 131 (1986) 140
- Levine, R.D. and R.B. Bernstein, Rotational state dependence of the reactivity of oriented
symmetric top molecules 132 (1986) 11
- Levine, R.D., see H. Kornweitz 133 (1987) 187

| | |
|--|--------------------------------|
| Levine, R.D., see R.N. Zare | 136 (1987) 593 |
| Levine, R.D., see J. Brickmann | 137 (1987) 441 |
| Levine, R.D., see I. Benjamin | 139 (1987) 285 |
| Levine, Y.K., see H. van Langen | 138 (1987) 99; 140 (1987) 394 |
| Levy, R.M., see F. Hirata | 136 (1987) 267 |
| Lewis, J., see S.R. Drake | 139 (1987) 336 |
| Leyte, J.C., see C.J.M. van Rijn | 135 (1987) 57 |
| Leyte, J.C., see J.R.C. van der Maarel | 135 (1987) 62 |
| Li, D., T.J. Marks and M.A. Ratner, π electron calculations for predicting non-linear optical properties of molecules | 131 (1986) 370 |
| Li, F.e., see R. Lü | 131 (1986) 339 |
| Li, L., see X. Chen | 136 (1987) 546 |
| Li, Y.-G., see J.-D. Shao | 132 (1986) 58 |
| Li, Z., see J.S. Francisco | 140 (1987) 531 |
| Liang, J., see R. Chen (Y.T. Chen) | 137 (1987) 471 |
| Liang, N.T., see Y.C. Chou | 137 (1987) 386 |
| Liao, M.Z., see K. Balasubramanian | 138 (1987) 49; 139 (1987) 551 |
| Lie, G.C., see K.S. Kim | 131 (1986) 451 |
| Lie, G.C., see M.W. Evans | 138 (1987) 149 |
| Liedenbaum, C., see N. Dam | 136 (1987) 73 |
| Liegner, C.-M., see H.-J. Freund | 134 (1987) 70 |
| Lifshitz, C., see J.P. Ziesel | 136 (1987) 81 |
| Lightfoot, P.D., see J.E. Baggott | 132 (1986) 225; 135 (1987) 39 |
| Lilenfeld, H.V. and G.R. Bradburn, Observation of atomic iodine formed during the room-temperature reaction between F_2 and I_2 | 131 (1986) 276 |
| Lim, E.C., see A. Amirav | 133 (1987) 179 |
| Lim, E.C., see R.J. Locke | 134 (1987) 107; 138 (1987) 489 |
| Lim, E.C., see V. Swayambunathan | 134 (1987) 255 |
| Limtrakul, J.P., see M.M. Probst | 132 (1986) 370 |
| Lin, C.T. and W.R. Mason, Magnetic circular dichroism study of DABCO in solution | 132 (1986) 575 |
| Lin, K.K., L.C. Balling and J.J. Wright, Chemiluminescence from excited C_2^- -alkali cation complexes formed in alkali atom-halocarbon flames | 133 (1987) 246 |
| Lin, K.K., L.C. Balling and J.J. Wright, $PS(B^2\Pi \rightarrow X^2\Pi)$ chemiluminescence from alkali- $PSCl_3$ reactions | 138 (1987) 168 |
| Lin, M.C., see D.W. Squire | 131 (1986) 112 |
| Lin, M.C., see J.A. Dagata | 134 (1987) 151 |
| Lin, S.H., see K. Balasubramanian | 138 (1987) 49 |
| Lindenmayer, J., see H. Jones | 135 (1987) 189 |
| Lindh, R., see J. Olsen | 133 (1987) 91 |
| Lindh, R., B.O. Roos and W.P. Kraemer, A CAS SCF CI study of the hydrogen migration potential in protonated acetylene, $C_2H_3^+$ | 139 (1987) 407 |
| Lindle, D.W., see T.A. Ferrett | 134 (1987) 146; 138 (1987) 607 |
| Linnebach, E., see U. Gerlach-Meyer | 133 (1987) 113 |
| Liou, H.T., see D. Frye | 133 (1987) 249 |
| Lippmaa, E., see A. Samoson | 134 (1987) 589 |
| Lipscomb, W.N., see J.F. Stanton | 138 (1987) 525 |
| Lissi, E.A., see M.V. Encinas | 132 (1986) 545 |

- Littau, K.A., see C.A. Walsh 134 (1987) 268
- Littau, K.A., see M. Berg 139 (1987) 66
- Little, C.E. and P.G. Browne, Origin of the high-pressure bands of C₂ 134 (1987) 560
- Liu, S. and C.E. Dykstra, Electrically caused vibrational frequency shifts and dipole moments in rare gas hydrogen bonded complexes 136 (1987) 22
- Liu, S., see Y. Qiu 136 (1987) 187
- Liu, S., see C.E. Dykstra 137 (1987) 266
- Liu, S.C., P. Otto, J. Ladik and M. Gies, A model study on the adsorption of hydrogen, oxygen and carbon monoxide on organic molecules and polymers 134 (1987) 133
- Liu, S.H., see T.A. Ferrett 134 (1987) 146
- Liu, Y., see O. Cheshnovsky 138 (1987) 119
- Liuti, G., E. Luzzatti, F. Pirani and G.G. Volpi, Scattering experiments on the methane-rare-gas interaction 135 (1987) 387
- Locher, P., see A. Amrein 139 (1987) 82
- Locher, R., A. Renn and U.P. Wild, Hole-burning spectroscopy on organic molecules in amorphous silica 138 (1987) 405
- Locht, R. and J. Momigny, The double ionization of ammonia. Its dissociation into the doubly ionized fragment N²⁺ 138 (1987) 391
- Locke, R.J. and E.C. Lim, Intermolecular interactions between pairs of electronically excited molecules: evidence for "bicimer" formation in 1,1-di- α -naphthylmethane 134 (1987) 107
- Locke, R.J. and E.C. Lim, Phosphorescence of naphthalene and related compounds in fluid media: excimer phosphorescence or phosphorescence from a biacetyl-like impurity? 138 (1987) 489
- Lockwood, D.J. and R.W.G. Syme, Halogen impurity modes and secondary features in the Raman spectra of CdBr₂ and CdCl₂ 131 (1986) 540
- Löffler, S., see Ph. Gerhardt 137 (1987) 306
- Löhmansröben, H.-G., see P.M. Borell 136 (1987) 371
- Lohse, U., see A. Samoson 134 (1987) 589
- Lohse, U., see D. Freude 139 (1987) 325
- Lombardi, J.R., see D.L. Akins 135 (1987) 495
- Longeri, M., see D. Imbardelli 135 (1987) 319
- Lopez-Bonilla, J., see J. Morales 135 (1987) 149
- López-Quintela, M.A., J.C. Pérez-Moure, M.C. Buján-Núñez and J. Samios, Influence of fractal dimension on diffusion-controlled reactions 138 (1987) 476
- Lorenčák, P., see C. Wentrup 137 (1987) 241; 139 (1987) 613
- Loring, R.F., Y.J. Yan and S. Mukamel, Time- and frequency-resolved fluorescence line shapes as a probe of solvation dynamics 135 (1987) 23
- Los, J., see W.J. van der Zande 140 (1987) 175
- Lotshaw, W.T., D. McMorro, C. Kalpouzos and G.A. Kenney-Wallace, Femtosecond dynamics of the optical Kerr effect in liquid nitrobenzene and chlorobenzene 136 (1987) 323
- Lotshaw, W.T., D. McMorro, C. Kalponzos and G.A. Kenney-Wallace, Femtosecond dynamics of the optical Kerr effect in liquid nitrobenzene and chlorobenzene, Chem. Phys. Letters 136 (1987) 323. Erratum 138 (1987) 615
- Lou, N., see R. Lü 131 (1986) 339
- Lougnot, D.J., see J.P. Fouassier 135 (1987) 30
- Lous, E.J. and A.J. Hoff, Absorbance-detected electron spin echo spectroscopy of non-radiative triplet states in zero field. An application to the primary donor of the photosynthetic bacterium *Rhodobacter sphaeroides* R-26 140 (1987) 620

| | |
|---|--|
| Lovas, F.J., see J. Zozom | 140 (1987) 64 |
| Lovy, D., see Y. Ravi Sekhar | 136 (1987) 57 |
| Lowery, M.D., see W.S. Hammack | 132 (1986) 231 |
| Lu, H.M. and J.B. Page, General theory of simultaneous mode mixing and non-Condon effects in resonance Raman scattering | 131 (1986) 87 |
| Lü, R., F.e. Li, G.-Z. He and N. Lou, New evidence on the mechanism of formation of $BaCl_2^*$ in the reaction of Ba with Cl_2 | 131 (1986) 339 |
| Lubitz, W., see M. Huber | 132 (1986) 467 |
| Lubitz, W., see M. Baumgarten | 133 (1987) 102 |
| Lucas, A.A., see E.G. Derouane | 137 (1987) 336 |
| Lucchese, R.R., see S.-L. Lee | 137 (1987) 279 |
| Lucia, J.P., see C.E. Dykstra | 137 (1987) 266 |
| Ludviksson, A., see A. Kvaran | 137 (1987) 209 |
| Luh, W.T., J.T. Bahns, K.M. Sando, W.C. Stwalley, S.P. Heneghan, K.P. Chakravorty, G. Pichler and D.D. Konowalow, Interference continuum fluorescences of K_2 | 131 (1986) 335 |
| Luke, B.T., see W. Koch | 139 (1987) 149 |
| Luke, G.M., see P.W. Percival | 133 (1987) 465; 137 (1987) 398; 138 (1987) 613 |
| Lupkowski, M. and P.A. Monson, Solution of the site-site Ornstein-Zernike equation in the hypernetted chain approximation near the vapor-liquid critical point | 136 (1987) 258 |
| Lussier, L.S., see S. Badilescu | 133 (1987) 63 |
| Luther, K., see P.M. Borell | 136 (1987) 371 |
| Lüthi, H.P. and A.D. McLean, Can the lowest two electronic states of Si_2 be ordered? | 135 (1987) 352 |
| Lüthi, H.P. and J. Almlöf, Ab initio studies on the thermodynamic stability of the icosahedral C_{60} molecule "Buckminsterfullerene" | 135 (1987) 357 |
| Luty, T., see K.-H. Brose | 137 (1987) 17 |
| Luzzatti, E., see G. Liuti | 135 (1987) 387 |
| Lyke, R.L., see S.B. Phillips | 136 (1987) 247 |

| | |
|---|--------------------------------|
| Ma, P., K. Sugita and S. Arai, Highly selective ^{13}C separation by CO_2 -laser-induced IRMPD of $\text{CF}_2\text{Cl}_2/\text{HI}$ and $\text{CF}_2\text{ClBr}/\text{HI}$ mixtures | 137 (1987) 590 |
| Maat, A.J., see C.J.M. van Rijn | 135 (1987) 57 |
| MacDermott, A.J., G.E. Tranter and S.B. Indoe, Exceptionally large enantio-selective energy differences from parity-violation in sugar precursors | 135 (1987) 159 |
| MacDonald, M.A., see S.J. David | 136 (1987) 352 |
| MacDonald, M.A., see R.J. Donovan | 138 (1987) 571 |
| Macdonald, R.G. and F.C. Sopchyshyn, Laser-induced photoionization of $\text{Ar}_2(^3\Sigma_u^+)$ at 308 nm | 140 (1987) 476 |
| Machara, N.P. and B.S. Ault, 193 nm excimer laser photochemistry in cryogenic matrices: synthesis of N-methylmethyleimine | 140 (1987) 411 |
| Macías, A. and A. Riera, Stabilization versus Feshbach techniques in the determination of resonances | 139 (1987) 300 |
| Maciejewski, A., see M. Szymanski | 135 (1987) 243 |
| Maciejewski, A., see A. Jaworska-Augustyniak | 137 (1987) 134 |
| MacLeod, J.K., see R.H. Nobes | 135 (1987) 78 |
| Maczek, A.O.S. and M.K. Davies, Anomalous thermal conductivity near the upper critical solution temperature of a binary liquid mixture | 136 (1987) 471 |
| Madden, S.C., see M.B. Bell | 136 (1987) 588 |
| Madej, A.A., see P.R. Herman | 134 (1987) 209 |
| Maekawa, Y., see H. Hiratsuka | 139 (1987) 187 |
| Magallanes, C., see H. Mechetti | 140 (1987) 189 |
| Mägi, M., see A.-R. Grimmer | 132 (1986) 549 |
| Magnasco, V., M. Rui and G.F. Musso, Bond-orbital study of the angular geometry of small polyatomic molecules | 136 (1987) 303 |
| Magnusson, E., Atomic orbital deformation in bond formation: energy effects | 131 (1986) 224 |
| Maier, J.P., see F.G. Celii | 131 (1986) 325 |
| Maier, J.P., see M. Tsuji | 137 (1987) 421 |
| Maier, M., see J. Plötz | 138 (1987) 419 |
| Maiti, A.K., Singlet-singlet electronic absorption and polarization in disubstituted naphthalenes | 134 (1987) 450 |
| Maitrot, M., G. Guillaud, B. Boudjema, J.-J. André, H. Strzelecka, J. Simon and R. Even, Lutetium bisphthalocyanine: the first molecular semiconductor. Conduction properties of thin films of p- and n-doped materials | 133 (1987) 59 |
| Majumdar, A. and R.V. Hosur, ω_1 -scaling pulse sequences for two-dimensional homonuclear multiple-quantum spectroscopy | 138 (1987) 431 |
| Mak, C.H. and S.M. George, Surface diffusion of hydrogen on $\text{Ru}(001)$: transition state theory calculations | 135 (1987) 381 |
| Makri, N. and W.H. Miller, Monte Carlo integration with oscillatory integrands: implications for Feynman path integration in real time | 139 (1987) 10 |
| Malatesta, V., see A. Bernardi | 133 (1987) 496; 138 (1987) 283 |
| Malinovich, Y., see J.P. Ziesel | 136 (1987) 81 |
| Malkin, V.G., see O.V. Gritsenko | 134 (1987) 423 |
| Malmqvist, P.-Å., see J. Olsen | 133 (1987) 91 |
| Malta, O.L. and G.T. de Sagey, Far-infrared absorption by small metallic particles in a spherical oscillator well | 134 (1987) 495 |
| Malthête, J., see D. Markovitsi | 135 (1987) 236 |

- Mandich, M.L., see W.D. Reents Jr. 131 (1986) 1
- Mangle, E.A., P.R. Salvi, R.J. Babbitt, A.L. Motyka and M.R. Topp, Jet spectroscopy of organic scintillation compounds: low-frequency modes of 2,5-diphenylfuran and related species 133 (1987) 214
- Mansour, K.A., see S. Murad 131 (1986) 98
- Maquestiau, A., see C. Wentrup 137 (1987) 241; 139 (1987) 613
- Marcantonatos, M.D., C. Altheer, R. Reisfeld and C.K. Jørgensen, Emission from higher excited states of uranyl salts and a uranyl borosilicate glass 132 (1986) 247
- March, R.E., see P.G. Fournier 137 (1987) 596
- Marchettini, N., see C. Rossi 136 (1987) 506
- Marconi, G., see N. Ohta 133 (1987) 222; 138 (1987) 384
- Marcus, R.A., Superexchange versus an intermediate BChl⁻ mechanism in reaction centers of photosynthetic bacteria 133 (1987) 471
- Maricq, M.M., see J.J. Tanner 138 (1987) 495
- Marinero, E.E., see H. Masuhara 135 (1987) 103; 138 (1987) 283
- Märk, T.D., P. Scheier and A. Stamatovic, Formation of SO₂⁻, SO₂·O⁻ and SO₂·SO⁻ by electron attachment to van der Waals SO₂ clusters 136 (1987) 177
- Märk, T.D., see P. Scheier 136 (1987) 423
- Märk, T.D. and P. Scheier, Production and stability of neon cluster ions up to Ne₉₀⁺ 137 (1987) 245
- Marković, S., see I. Gutman 134 (1987) 139
- Marković, Z., see I. Gutman 134 (1987) 139
- Markovitsi, D., F. Rigaut, M. Mouallem and J. Malthête, One-dimensional energy migration in crystalline and columnar liquid-crystalline phases of 2,3,6,7,10,11-hexa-*n*-hexyloxytriphenylene 135 (1987) 236
- Markovitsi, D., T.-H. Tran-Thi, R. Even and J. Simon, Near infrared absorption spectra of lanthanide bis-phthalocyanines 137 (1987) 107
- Markovitsi, D., see T.-H. Tran-Thi 139 (1987) 207
- Marks, A., J.N. Murrell and J.B. Pedley, The torsional barrier for the HCCH group 134 (1987) 12
- Marks, J.P., see B.E. Williamson 140 (1987) 483
- Marks, T.J., see D. Li 131 (1986) 370
- Marquette, J.B., see P. Gaucherel 132 (1986) 63
- Marquette, J.B., see C. Rebrion 136 (1987) 495
- Marschoff, C.M., see S.H. Almaleck 133 (1987) 303
- Marseglia, E.A., see S.R. Drake 139 (1987) 336
- Martin, D., I. Barnes and K.H. Becker, Rate constant and products of the reaction Cl + CS₂ in air 140 (1987) 195
- Martin, H., see L.-E. Berg 132 (1986) 261
- Martin, J.L., see J.W. Petrich 137 (1987) 369
- Martin, P.A., see P.B. Davies 136 (1987) 527
- Martinho, J.M.G., see J.C. Conte 134 (1987) 350
- Maruya, K., see A. Kudo 133 (1987) 517
- Marx, R., see M. Heninger 131 (1986) 439
- Marynick, D.S. and S. Estreicher, Localized molecular orbitals and electronic structure of Buckminsterfullerene 132 (1986) 383
- Masaki, T., Y. Adachi and C. Hirose, Observation of inter-Rydberg K¹Σ⁺-B¹Σ⁺ and L¹Π-B¹Σ⁺ transitions of CO by optogalvanic spectroscopy 139 (1987) 62
- Mason, W.R., see C.T. Lin 132 (1986) 575

- Massobrio, C., see P. Sindzingre 136 (1987) 35
- Mastikhin, V.M., I.L. Mudrakovsky, V.P. Shmachkova and N.S. Kotsarenko, ^1H NMR and catalytic studies of surface hydroxyl groups in aluminium phosphate catalysts 139 (1987) 93
- Masuhara, H., see Y. Taniguchi 132 (1986) 516
- Masuhara, H., see A. Itaya 133 (1987) 235; 138 (1987) 231
- Masuhara, H., H. Hiraoka and E.E. Marinero, Non-linear photochemistry of polymer films: laser ablation of poly(N-vinylcarbazole) 135 (1987) 103
- Masuhara, H., H. Hiraoka and E.E. Marinero, Non-linear photochemistry of polymer films: laser ablation of poly(N-vinylcarbazole), Chem. Phys. Letters 135 (1987) 103. Erratum 138 (1987) 283
- Masuhara, H., see N. Ikeda 140 (1987) 281
- Mata, F., see E. Vilaseca 132 (1986) 305
- Mataga, N., see Y. Hirata 134 (1987) 166
- Mataga, N., see H. Miyasaka 134 (1987) 480
- Matos, J., see K.W. Hillig 133 (1987) 359
- Matsumura, C., see K. Sugawara 134 (1987) 347
- Matsuoka, O., Nuclear attraction integrals in the homogeneously charged sphere model of the atomic nucleus 140 (1987) 362
- Matsuoka, O. and S. Huzinaga, Relativistic well-tempered Gaussian basis sets 140 (1987) 567
- Matthews, H.E., see M.B. Bell 136 (1987) 588
- Mauclaire, G., see M. Heninger 131 (1986) 439
- Maxwell, B.D., see R. Duguid 139 (1987) 475
- May, P.S., see R.C. Carter 131 (1986) 37
- Mayer, E., Non-freezing water in simple salt solutions 139 (1987) 370
- Mayer, I. and Á. Vibók, SCF theory of intermolecular interactions without basis set superposition error 136 (1987) 115
- Mayer, I. and Á. Vibók, Intermolecular SCF method without BSSE: the closed-shell case 140 (1987) 558
- Mayne, H.R. and J.A. Harrison, Comment on "The effect of reagent rotation on steric requirements of elementary exchange reactions" by H. Kornweitz, A. Persky and R.D. Levine 133 (1987) 185
- Mayne, H.R., see C.-Y. Kuan 133 (1987) 415
- Mayne, H.R., C.-Y. Kuan and R.J. Wolf, m_j rainbows in molecule-surface scattering 140 (1987) 520
- Mazzacurati, V., see A. de Santis 133 (1987) 381
- McAdam, K., B. Veyret and R. Lesclaux, UV absorption spectra of HO_2 and CH_3O_2 radicals and the kinetics of their mutual reactions at 298 K 133 (1987) 39
- McCaffery, A.J., M.J. Proctor, E.A. Seddon and Á. Ticktin, Polarisation ratio velocity dependence: a novel polarisation-sensitive technique for atom-diatom rotational energy transfer cross sections 132 (1986) 181
- McCaffery, A.J., M.J. Proctor, E.A. Seddon and Á. Ticktin, Velocity dependence of polarised rotational transfer rates: close-coupled calculations on model systems 132 (1986) 185
- McCaffery, A.J., see Á. Ticktin 139 (1987) 571
- McCammon, J.A., see O.A. Karim 132 (1986) 219
- McCann, M.P., C.H. Chen and M.G. Payne, Vacuum ultraviolet generation and use in two-photon resonance spectroscopy 138 (1987) 250
- McCorkle, D.L., see A.A. Christodoulides 139 (1987) 350
- McCoustra, M.R.S., see J.A. Dyet 135 (1987) 534; 137 (1987) 398
- McCoustra, M.R.S., J.A. Dyet and J. Pfab, Laser photofragment spectroscopy of jet-cooled CClF_2NO 136 (1987) 231

- McCoustra, M.R.S. and J. Pfab, Photodissociation of methyl and *t*-butyl thionitrite near 450 nm 137 (1987) 355
- McCoy, M. and W.S. Warren, Pulse shaping to improve performance of NMR multiple pulse sequences: 2-D solvent suppressed COSY of vitamin B₁ in water 133 (1987) 165
- McCurdy, C.W., see T.N. Rescigno 140 (1987) 232
- McDonald, D.B., see A.M. Brearley 140 (1987) 270
- McDonald, J.A., see A.N. North 132 (1986) 541
- McDonald, J.D., see H.L. Kim 139 (1987) 525
- McDouall, J.J.W. and M.A. Robb, An intrinsic localization procedure for active CAS SCF orbitals 132 (1986) 319
- McElvany, S.W., H.H. Nelson, A.P. Baronavski, C.H. Watson and J.R. Eyler, FTMS studies of mass-selected, large cluster ions produced by direct laser vaporization 134 (1987) 214
- McGimpsey, W.G. and J.C. Scaiano, Photoexcitation of benzophenone triplets: a two-photon pathway for ground state repopulation 138 (1987) 13
- McIver Jr., R.T., see M.G. Sherman 137 (1987) 298
- McKellar, A.R.W. and M.J. Clouter, The intensity of the R₀(0) transition of solid HD 140 (1987) 117
- McKie, C.D., see P.J. Hore 137 (1987) 495
- McKinnon, M.S., see M.L.H. Gruwel 139 (1987) 321
- McKoy, V., see H. Rudolph 137 (1987) 521
- McLauchlan, K.A., see C.D. Buckley 135 (1987) 307; 137 (1987) 86
- McLaughlin, E., see C.P. Williams 140 (1987) 250
- McLean, A.D., see D.J. DeFrees 131 (1986) 403
- McLean, A.D., see H.P. Lüthi 135 (1987) 352
- McMorrow, D., see W.T. Lotshaw 136 (1987) 323; 138 (1987) 615
- McPherson, G.L., see W.J. Rodriguez 132 (1986) 558
- Meads, J., see I.S. Dring 132 (1986) 283
- Meads, J., see D.A. Greenhalgh 133 (1987) 458
- Mechetti, H., A. Catenaccio and C. Magallanes, Critical number density in polar liquids: orientational polarizability of polar molecules in *n*-decanol/*n*-heptanol and *n*-heptanol/heptane systems 140 (1987) 189
- Medhurst, L.J., see T.A. Ferrett 134 (1987) 146
- Meerts, W.L., see P. Verhoeve 132 (1986) 213
- Mehring, M., see P. Höfer 132 (1986) 279
- Mehring, M., see M. Winter 133 (1987) 482
- Meier, R.J., An ab initio study of carbon core-level XPS spectra of fluorinated polyethylene 138 (1987) 471
- Meier, U., H.-H. Grotheer, G. Riekert and Th. Just, Reactions in a non-uniform flow tube temperature profile: effect on the rate coefficient for the reaction C₂H₅OH + OH 133 (1987) 162
- Meijer, G., B. Jansen, J.J. ter Meulen and A. Dymanus, High-resolution spectroscopy on the B²Σ⁺, v' = 0 ← X²Π, v'' = 1 transition in SiCl 136 (1987) 519
- Meijer, G., W. Ubachs, J.J. ter Meulen and A. Dymanus, High-resolution Lamb dip spectroscopy on OD and SiCl in a molecular beam 139 (1987) 603
- Meiler, J. and J. Friedrich, Dispersive relaxation and spectral diffusion in a doped alcohol glass: the influence of sample aging 134 (1987) 263
- Melekhov, V.I., see A.V. Veselov 133 (1987) 478; 136 (1987) 263
- Melinger, J.S. and A.C. Albrecht, Light-induced spectral redistribution in the Kra-mers-Heisenberg equation for Raman scattering 131 (1986) 271
- Melinon, P., see J.M. Philippoz 138 (1987) 579

- Meloni, C., see M. Casu 137 (1987) 533
- Merati, F., see G. Casalone 137 (1987) 234
- Meroni, A., A. Pimpinelli and L. Reatto, A statistical model for mixed non-ionic-ionic amphiphile solutions with a vanishing miscibility loop and anomalous small-angle scattering 135 (1987) 137
- Merson, H., see J.L. Duncan 138 (1987) 55
- Messmer, R.P., Polyhedral hybrid approach to bonding in molecules containing transition metals 132 (1986) 161
- Metcalf, D.H., see R.C. Carter 131 (1986) 37
- Metiu, H., see B. Carmeli 133 (1987) 543
- Metiu, H., see G. Wahnström 134 (1987) 531
- Meyer, H.-D., see J. Kucar 140 (1987) 525
- Meyer, R., see A.C. Fantoni 133 (1987) 27
- Micha, D.A., see Z. Parra 132 (1986) 488
- Michel-Beyerle, M.E., see H. Heitele 134 (1987) 273; 138 (1987) 237
- Michel-Beyerle, M.E., see O. Ogrodnik 135 (1987) 576
- Michel-Beyerle, M.E., see W. Lersch 136 (1987) 346
- Michel-Beyerle, M.E., see M. Bixon 140 (1987) 626
- Michels, H.H., R.H. Hobbs and J.R. Peterson, Spectral intensity of the Hopfield helium continuum: an analysis of the ground state potential for He_2 134 (1987) 571
- Michels, H.H. and J.A. Montgomery Jr., The electronic structure and stability of the H_3^- anion 139 (1987) 535
- Miehé, J.A., see F. Heisel 134 (1987) 379; 138 (1987) 321
- Mikami, Y. and M. Suzuki, A study of radiationless transitions for a Morse oscillator using a numerical integration method 131 (1986) 70
- Milgrom, L.R., see J. Davila 136 (1987) 427
- Millard, R.R., see B.I. Greene 139 (1987) 381
- Millen, D.J., see A.C. Legon 135 (1987) 303
- Miller, C.E., see R.C. Carter 131 (1986) 37
- Miller, D.L. and R.E. Wyatt, Differential reaction cross sections in the bending corrected rotating non-linear model: $\text{Li} + \text{HF} \rightarrow \text{LiF} + \text{H}$ 133 (1987) 126
- Miller, H.C., see M. Al-Za'al 131 (1986) 56
- Miller, R.E., see K.W. Jucks 139 (1987) 201
- Miller, T.A., see L.F. DiMauro 138 (1987) 175
- Miller, W.H., see N. Makri 139 (1987) 10
- Miller, W.H., see J.Z.H. Zhang 140 (1987) 329
- Millié, Ph., see A. Bernier 134 (1987) 245
- Mims, C.A., see P.L. Radloff 132 (1986) 88
- Misewich, J., see J.H. Glowina 139 (1987) 491
- Mishra, S.P., see H. Chandra 134 (1987) 307
- Mitchell, D.J., see P. Attard 133 (1987) 347; 139 (1987) 219
- Mitchell, G.E., see P.L. Radloff 132 (1986) 88
- Mitchell, G.E. and J.M. White, Identification of the intermediate in the water formation reaction on Pt(111) 135 (1987) 84
- Mitsuya, M., see Y. Taniguchi 132 (1986) 516
- Mitsuya, M., see A. Itaya 133 (1987) 235
- Mittal, J.P., see S.K. Sarkar 131 (1986) 303
- Miyasaka, H. and N. Mataga, On the properties of geminate electron-hole pairs in liquid cyclohexane produced by picosecond 266 nm simultaneous two-photon excitation 134 (1987) 480

- Mizoguchi, N., Magnetic susceptibilities of Möbius annulenes 134 (1987) 371
- Mo, K., see C.C. Sung 136 (1987) 9
- Möbius, K., see M. Huber 132 (1986) 467
- Möbius, K., see P. Jaegermann 140 (1987) 615
- Moc, J., Z. Latajka and H. Ratajczak, A theoretical study of the SiCl_3 and GeCl_3 radicals 136 (1987) 122
- Modak, S. and B.C. Khanra, Thermodynamics of chemisorption: induced surface segregation in binary alloys 134 (1987) 39
- Modelli, A., see P.D. Burrow 132 (1986) 441
- Modelli, A., G. Distefano, M. Guerra, D. Jones and S. Rossini, Symmetry dependence of the stabilising effect of thio groups: electron transmission of *p*-dimethylthiobenzene 132 (1986) 448
- Möhwald, H., see H.D. Göbel 138 (1987) 441
- Moini, M. and J.R. Eyler, Formation of gold cluster cations by direct laser vaporization 137 (1987) 311
- Moiseyev, N. and R.E. Wyatt, Natural expansion of multimode vibrational wavefunctions 132 (1986) 396
- Molin, Yu.N., see A.V. Veselov 133 (1987) 478; 136 (1987) 263
- Möller, K., see C.E. Blom 140 (1987) 489
- Möller, T., M. Beland and G. Zimmerer, Bound-free fluorescence of rare gas hydrides 136 (1987) 551
- Momigny, J., see R. Loch 138 (1987) 391
- Moncrieff, D., I.H. Hillier, V.R. Saunders and W. von Niessen, The photoelectron spectrum of bis(π -allyl)nickel. A comparison between semi-empirical and ab initio Green's function methods - A reply 131 (1986) 545
- Monot, R., see J.M. Philippoz 138 (1987) 579
- Mons, M. and I. Dimicoli, State selective kinetic distribution of photofragments 131 (1986) 298
- Monson, P.A., see M. Lupkowski 136 (1987) 258
- Montgomery Jr., J.A., see H.H. Michels 139 (1987) 535
- Moore, E.A., see M. Mortimer 138 (1987) 209
- Moore, J.N., P.A. Hansen and R.M. Hochstrasser, A new method for picosecond time-resolved infrared spectroscopy: applications to CO photodissociation from iron porphyrins 138 (1987) 110
- Morales, J., L. Sandoval, A. Palma and J. Lopez-Bonilla, Two-center integrals for arbitrary potentials: Franck-Condon factors 135 (1987) 149
- Morales, P., Laser snow measurements of UF_6 ultraviolet photodissociation 139 (1987) 306
- Moreno, M., see J.A. Aramburu 140 (1987) 462
- Morgan, F.J., see M. Lambert 139 (1987) 45
- Mori, Y., see H. Hiratsuka 139 (1987) 187
- Morikawa, E., K. Shikichi, R. Katoh and M. Kotani, Transient photoabsorption by singlet excitons in *p*-terphenyl single crystals 131 (1986) 209
- Morikawa, E., R. Reininger, V. Saile and P. Laporte, Diffusion-controlled quenching of the NO emission in rare gas matrices 139 (1987) 171
- Morise, K., see S. Yamabe 131 (1986) 261
- Morokuma, K., see K. Yamashita 131 (1986) 237; 137 (1987) 193; 140 (1987) 345
- Morokuma, K. and H. Sugeta, Ab initio derivative calculation of vibrational circular dichroism 134 (1987) 23
- Morokuma, K., see I. Röeggen 140 (1987) 349
- Morrison, H., see R. Duguid 139 (1987) 475
- Morrow, M. and C.J. Eckhardt, Investigation of the phase transition in PTS polydiacetylene using piezomodulated reflection spectroscopy 131 (1986) 118
- Morrow, M.E., K.M. White, C.J. Eckhardt and D.J. Sandman, Single-crystal reflection and Raman spectra of the polydiacetylene THD 140 (1987) 263

| | |
|--|----------------|
| Morse, M.D., Copper trimer: a revised assignment of the upper state of the 5397 Å system | 133 (1987) 8 |
| Mortimer, M., E.A. Moore, D.C. Apperley and G. Oates, The effect of the NMR spin-echo sequence $P_y(90^\circ) - \tau - P_y(180^\circ)$ in solids containing different dipolar-coupled spin species: applications to KHF_2 and CsHF_2 | 138 (1987) 209 |
| Moser, J., see N. Serpone | 136 (1987) 47 |
| Moss, R.E. and I.A. Sadler, Non-adiabatic effects in HD^+ | 132 (1986) 190 |
| Mota, F., see S. Alvarez | 132 (1986) 531 |
| Motyka, A.L., see E.A. Mangle | 133 (1987) 214 |
| Mouallem, M., see D. Markovitsi | 135 (1987) 236 |
| Mougenot, P., J. Demuynck and M. Bénard, $\text{Rh}_2(\text{O}_2\text{CR})_4(\text{H}_2\text{O})_5^+$: theoretical confirmation of the $\sigma^2\pi^4\delta^2\delta^{*2}\pi^{*2}$ ground state | 136 (1987) 279 |
| Mouritsen, O.G. and M.J. Zuckermann, Acyl chain ordering and crystallization in lipid monolayers | 135 (1987) 294 |
| Moutard, P., P. Laporte, N. Damany, J.L. Subtil and H. Damany, Pressure effect on 6p-6s IR decay in xenon after two-photon excitation | 132 (1986) 521 |
| Mudrakovsky, I.L., see V.M. Mastikhin | 139 (1987) 93 |
| Muenter, J.S., see D. Prichard | 135 (1987) 9 |
| Mühle, W., J.U. von Schütz and H.C. Wolf, Temperature-dependent zero-field DF ODMR of triplet excitons in β -9,10-dichloroanthracene | 131 (1986) 175 |
| Mukai, Y., see Y. Hirata | 134 (1987) 166 |
| Mukamel, S., see J. Sue | 134 (1987) 87 |
| Mukamel, S., see J. Grad | 134 (1987) 291 |
| Mukamel, S., see R.F. Loring | 135 (1987) 23 |
| Mukherjee, D., see S. Pal | 137 (1987) 273 |
| Mukherjee, S., see R. Roy | 140 (1987) 210 |
| Müller, H., see W. Hüttner | 140 (1987) 421 |
| Müller, N., Observation of multi-exponential longitudinal and transverse relaxation in two-dimensional NMR | 131 (1986) 218 |
| Müller, U. and G. Schulz, Formation of NH^* fragments by electron impact dissociation of ammonia | 138 (1987) 385 |
| Müller-Dethlefs, K., see L.A. Chewter | 135 (1987) 219 |
| Muller III, C.H., see D.K. Neumann | 131 (1986) 14 |
| Müller-Plathe, F., see P. Pyykkö | 134 (1987) 575 |
| Munakata, T., see K. Tsukiyama | 137 (1987) 315 |
| Munk, J., P. Pagsberg, E. Ratajczak and A. Sillesen, Spectrokinetic studies of $i\text{-C}_3\text{H}_7$ and $i\text{-C}_3\text{H}_7\text{O}_2$ radicals | 132 (1986) 417 |
| Munn, R.W. and R.J. Phillips, Polarizability changes and partially ionic states in charge-transfer crystals | 134 (1987) 279 |
| Muñoz, J.M., see A.U. Acuña | 132 (1986) 567 |
| Muñoz, R.C. and R.A. Holroyd, Measurement of the Hall mobility of injected electrons in liquid tetramethylsilane between 22 and 164°C | 137 (1987) 250 |
| Munoz-Sola, Y., see R. Duguid | 139 (1987) 475 |
| Muntoni, C., see F. Ledda | 134 (1987) 545 |
| Murad, S., K.A. Mansour and J.G. Powles, A model intermolecular potential for hydrogen fluoride including polarizability | 131 (1986) 98 |
| Murakami, J., see A. Yagishita | 132 (1986) 437 |
| Murali, N. and A. Kumar, Coherence transfer via longitudinal spin order and generalized pulse pair filtering for pure phase two-dimensional NMR spectroscopy | 137 (1987) 324 |

Master index to volumes 131-140

| | |
|--|----------------|
| Murphy, D.W., see M. Eibschutz | 135 (1987) 592 |
| Murray, C.A., see S.B. Dierker | 137 (1987) 453 |
| Murray, J.S. and P. Politzer, The effects of water on hydrogen bonding in a formamide-ammonia complex | 136 (1987) 283 |
| Murrell, J.N., see A. Marks | 134 (1987) 12 |
| Murtagh, J. and J.K. Thomas, Long distance electron transfer from a triplet excited state | 139 (1987) 437 |
| Murthy, K. and S.V. Bhat, ^7Li spin-flip satellites in the EPR spectra of NH_3^+ -doped LiKSO_4 | 133 (1987) 455 |
| Murty, B.N., see G.R. Desiraju | 139 (1987) 360 |
| Musso, G.F., see V. Magnasco | 136 (1987) 303 |
| Mutai, K., see R. Nakagaki | 134 (1987) 171 |
| Muthuramu, K., see R. Duguid | 139 (1987) 475 |
| Myers, A.B., P.L. Holt, M.A. Pereira and R.M. Hochstrasser, Observation of a free rotation transient in hot stilbene vapor | 132 (1986) 585 |
| Myslinski, P. and J.A. Koningstein, Time-resolved excited-state electronic Raman spectrum of ruby | 135 (1987) 35 |

- Nafie, L.A. and T.B. Freedman, Vibrational circular dichroism theory: formulation defining magnetic dipole atomic polar tensors and vibrational nuclear magnetic shielding tensors 134 (1987) 225
- Nafie, L.A., see C.G. Zimba 134 (1987) 233
- Nagakura, S., see R. Nakagaki 134 (1987) 171
- Nagakura, S., see T. Imamura 135 (1987) 208
- Nagakura, S., see H. Sakuragi 135 (1987) 325
- Nagakura, S., see Y. Tanimoto 136 (1987) 42
- Nagayama, K., see N. Chandrakumar 133 (1987) 288
- Nagels, P., see A. Stesmans 137 (1987) 261
- Nagy, A., see Ľ. Treindl 138 (1987) 327
- Nagy, J.B., see E.G. Derouane 137 (1987) 341
- Nakagaki, R., M. Hiramatsu, K. Mutai, Y. Tanimoto and S. Nagakura, Photochemistry of bichromophoric chain molecules containing electron donor and acceptor moieties. External magnetic field effects upon the photochemistry of N-[ω -(*p*-nitrophenoxy)alkyl]anilines 134 (1987) 171
- Nakagaki, R., see H. Sakuragi 135 (1987) 325
- Nakagaki, R., see Y. Tanimoto 136 (1987) 42
- Nakagawa, K., K. Itoh and M. Nishikawa, Conduction band energy V_0 in dense fluids of *n*- and iso-butanes 137 (1987) 458
- Nakahara, H., see Y. Iino 140 (1987) 76
- Nakai, T., T. Terao, F. Imashiro and A. Saika, A ^{13}C NMR study of the dynamic structure of the thiourea-ferrocene inclusion compound 132 (1986) 554
- Nakamura, H., see M. Baer 131 (1986) 468
- Nakanaga, T. and T. Amano, The observation of the high-resolution infrared spectrum of SH^+_3 134 (1987) 195
- Nakanaga, T., see K. Sugawara 134 (1987) 347
- Nakashima, K., H. Tomura and T. Ogawa, Symmetry of the dissociation of hydrogen: angular dependence of the Doppler profile of the excited hydrogen atom ($n=4$) produced in e- H_2 collisions 138 (1987) 575
- Nakashima, N., see N. Ikeda 140 (1987) 281
- Narasimhan, L.R., see C.A. Walsh 134 (1987) 268; 139 (1987) 485
- Narasimhan, L.R., see M. Berg 139 (1987) 66
- Narita, S., see T. Sano 138 (1987) 291
- Nascimento, M.A.C., see E.C. da Silva 138 (1987) 509
- Natanson, G.A., Isomorphic Hamiltonian of a polyatomic system oscillating near a collinear reaction surface 134 (1987) 296
- Natanson, G.A., Relationship between least-squares-surface and Celles-Darling's hyperspherical coordinates 134 (1987) 301
- Natarajan, L.V., see R.S. Becker 132 (1986) 141
- Nath, D., see T. Kundu 133 (1987) 507
- Nath, D.N., see M. Vala 134 (1987) 610
- Nauts, A., see X. Chapuisat 136 (1987) 153
- Nauts, A. and X. Chapuisat, Hamiltonians for constrained *N*-particle systems 136 (1987) 164
- Nebenführ, H., see P. Höfer 132 (1986) 279
- Needels, J. and S.-I. Chu, Time-dependent self-consistent field approach to infrared laser multiphoton excitation 139 (1987) 35

| | |
|--|--|
| Neiss, T.G., see D.P. Raleigh | 138 (1987) 285 |
| Nelson, H.H., see S.W. McElvany | 134 (1987) 214 |
| Nelson, K.A., see L.R. Williams | 139 (1987) 244 |
| Netzer, F.P., H.H. Graen, H. Kühlenbeck and M. Neumann, Photoemission of benzene on Os(0001): a synchrotron radiation study | 133 (1987) 49 |
| Netzer, F.P., see G. Rosina | 140 (1987) 200 |
| Neuman, D.M., see M.J. Kurylo | 139 (1987) 513 |
| Neumann, D.K., S.R. Czyzak, C.H. Muller III and D.J. Stech, IF(B ³ Π) chemiluminescence resulting from laser photolysis of mixtures of O ₃ and C ₃ F ₇ I | 131 (1986) 14 |
| Neumann, M., see F.P. Netzer | 133 (1987) 49 |
| Neusser, H.J., see A.E. Bruno | 131 (1986) 31 |
| Ng, C.Y., see J.-D. Shao | 132 (1986) 58 |
| Nguyen, M.T., The protonation of diphosphene (HP=PH) and phosphinophosphinidene (H ₂ P=P): an ab initio study | 135 (1987) 73 |
| Nguyen, M.T. and T.-K. Ha, Ab initio calculation of the ionization potentials and hyperfine splitting constants of the radical anions FCl ⁻ and Cl ₂ ⁻ | 136 (1987) 413 |
| Nguyen, M.T. and P. Ruelle, Comment on "Ab initio quantum-chemical study of the unimolecular pyrolysis mechanisms of acetic acid" | 138 (1987) 486 |
| Niay, P., see Y. Lefebvre | 139 (1987) 212 |
| Niccolai, N., see C. Rossi | 136 (1987) 506 |
| Nickel, B.G., see R.L. Brooks | 139 (1987) 503 |
| Nieto-Frausto, J., see W.A. Wassam Jr. | 136 (1987) 26 |
| Nieuwpoort, W.C., see O. Visser | 134 (1987) 34 |
| Niki, H., see I. Barnes | 140 (1987) 451 |
| Nishi, N., see S. Kinoshita | 134 (1987) 605 |
| Nishijima, M., see M. Jo | 131 (1986) 106 |
| Nishikawa, K., Simple relationship between the Kirkwood-Buff parameters and the fluctuations in the particle number and concentration obtained by small-angle X-ray scattering. Application to tert-butyl alcohol and water mixtures | 132 (1986) 50 |
| Nishikawa, M., see K. Nakagawa | 137 (1987) 458 |
| Nishimura, Y., see M. Tsuji | 137 (1987) 421 |
| Nishimura, Y., see S. Yamaguchi | 138 (1987) 29 |
| Nishimura, Y., see H. Sekiya | 138 (1987) 597 |
| Nishiyama, K., see P.W. Percival | 133 (1987) 465; 137 (1987) 398; 138 (1987) 613 |
| Nobes, R.H., W.J. Bouma, J.K. MacLeod and L. Radom, The ionization of ethylene oxide | 135 (1987) 78 |
| Nobes, R.H., M.W. Wong and L. Radom, The structure of the C ₂ H ₄ ²⁺ dication | 136 (1987) 299 |
| Nobes, R.H., J.A. Pople, L. Radom, N.C. Handy and P.J. Knowles, Slow convergence of the Møller-Plesset perturbation series: the dissociation energy of hydrogen cyanide and the electron affinity of the cyano radical | 138 (1987) 481 |
| Noga, J., R.J. Bartlett and M. Urban, Towards a full CCSDT model for electron correlation. CCSDT- <i>n</i> models | 134 (1987) 126 |
| Noga, J., see M. Urban | 135 (1987) 346 |
| Nogar, N.S., see G.L. Keaton | 137 (1987) 26 |
| Nonella, M. and J.R. Huber, Photodissociation of methylnitrite: an MC SCF calculation of the S ₁ potential surface | 131 (1986) 376 |
| Nordholm, S., see G. Kemister | 133 (1987) 121 |
| Norris, J.R., see J. Tang | 131 (1986) 252 |

Master index to volumes 131-140

| | |
|---|----------------|
| North, A.N., J.C. Dore, A. Katsikides, J.A. McDonald and B.H. Robinson, Fractal analysis of small-angle X-ray scattering data from an Aerosol-OT stabilised microemulsion close to a phase transition | 132 (1986) 541 |
| North, H.M., see A.C. Legon | 135 (1987) 303 |
| Novak, I., J.M. Benson, A. Svensson and A.W. Potts, Photoelectron study of tetramethyl stannane using synchrotron radiation | 135 (1987) 471 |
| Novak, I., see J.M. Benson | 140 (1987) 311 |
| Novoa, J., see S. Alvarez | 132 (1986) 531 |
| Nunome, K., see K. Toriyama | 132 (1986) 456 |

| | |
|---|-------------------------------|
| Oates, G., see M. Mortimer | 138 (1987) 209 |
| Obase, H., see M. Tsuji | 137 (1987) 421 |
| Obertelli, S.D., see S.R. Drake | 139 (1987) 336 |
| Obi, K., see T. Imajo | 137 (1987) 139 |
| O'Brien, S.C., J.R. Heath, H.W. Kroto, R.F. Curl and R.E. Smalley, A reply to "Magic numbers in C_n^+ and C_n^- abundance distributions" based on experimental observations | 132 (1986) 98 |
| Ochi, N. and S. Tsuchiya, Quantum beat spectroscopy of Zeeman splitting and level anticrossing of rotationally selected acetylene ($\tilde{A}^1A_u 3\nu_3$) under weak magnetic fields | 140 (1987) 20 |
| O'Connor, B.M., see M.J.S. Dewar | 138 (1987) 141 |
| Oehlmann, G., see D. Freude | 139 (1987) 325 |
| Ogawa, T., see K. Nakashima | 138 (1987) 575 |
| Ogawa, T., see H. Kawazumi | 140 (1987) 458 |
| Ogilvie, J.F., see L. Farnell | 137 (1987) 191 |
| Ogilvie, J.F., An analytic representation of the radial dependence of adiabatic and non-adiabatic corrections from molecular spectra of diatomic molecules | 140 (1987) 506 |
| Ogoshi, H., see K. Fukui | 140 (1987) 15 |
| Ogrodnik, A., see M. Bixon | 140 (1987) 626 |
| Ogrodnik, O., N. Remy-Richter, M.E. Michel-Beyerle and R. Feick, Observation of activationless recombination in reaction centers of R. Sphaeroides. A new key to the primary electron-transfer mechanism | 135 (1987) 576 |
| Oguchi, T., see H. Sakuragi | 135 (1987) 325 |
| Ohanessian, G. and Ph.C. Hiberty, Orthogonalized atomic orbitals and the interpretation of valence bond wavefunctions | 137 (1987) 437 |
| Ohashi, K., see H. Ohoyama | 131 (1986) 20; 136 (1987) 236 |
| Ohmichi, N., see J.P. Ziesel | 136 (1987) 81 |
| Ohoyama, H., T. Kasai, K. Ohashi, Y. Hirata and K. Kuwata, Chemiluminescence of CF_3 in the visible region from the crossed beam reaction of $Ar(^3P_{2,0})$ with CF_3H | 131 (1986) 20 |
| Ohoyama, H., T. Kasai, K. Ohashi and K. Kuwata, Observation of orientation-dependent CF_3 chemiluminescence in the reaction of $Ar(^3P_{0,2})$ with oriented CF_3H | 136 (1987) 236 |
| Ohsaki, A., see M. Baer | 131 (1986) 468 |
| Ohta, K., M. Shiotani, J. Sohma, A. Hasegawa and M.C.R. Symons, Formation of methylpropargyl radicals from tetramethylcyclobutadiene radical cations: an ESR study | 136 (1987) 465 |
| Ohta, K., M. Shiotani and J. Sohma, ESR spectra and structures of radical cations of chlorotrifluoroethylene and bromotrifluoroethylene | 140 (1987) 148 |
| Ohta, N., H. Baba and G. Marconi, Vibronic coupling and intramolecular dynamics of pyrene as revealed by the $S_0 \rightarrow S_2$ excitation spectrum in a supersonic jet | 133 (1987) 222 |
| Ohta, N., M. Fujita and H. Baba, Magnetic field effects on the fluorescence polarization of pyrimidine in a supersonic jet | 135 (1987) 330 |
| Ohta, N., H. Baba and G. Marconi, Vibronic coupling and intramolecular dynamics of pyrene as revealed by the $S_0 \rightarrow S_2$ excitation spectrum in a supersonic jet, Chem. Phys. Letters 133 (1987) 222. Erratum | 138 (1987) 384 |
| Ohya-Nishiguchi, H., see K. Fukui | 140 (1987) 15 |
| Ohzeki, T., see H. Takahashi | 140 (1987) 90 |
| Okada, N., see Y. Tanimoto | 136 (1987) 42 |
| Okamoto, H., see J. Sue | 134 (1987) 87 |
| Oldenborg, R.C., see P.J. Wantuck | 138 (1987) 548 |
| Olejniak, J., see B. Brzezinski | 135 (1987) 93 |

| | |
|--|----------------|
| Oleś, A.M., see M.C. Böhm | 137 (1987) 166 |
| Olsen, I., see O. Faurskov Nielsen | 132 (1986) 502 |
| Olsen, J., P.-Å. Malmqvist, B.O. Roos, R. Lindh and P.-O. Widmark, A non-linear approach to configuration interaction. The low-rank CI method (LR CI) | 133 (1987) 91 |
| Olsson, B.J., see O. Gustafsson | 138 (1987) 185 |
| Olzowski, S., Electron correlation and kinetic energy of an inhomogeneous electron gas | 135 (1987) 475 |
| Onchi, M., see M. Jo | 131 (1986) 106 |
| Ongstad, A.P., see S.J. David | 136 (1987) 352 |
| Ongstad, A.P., S.J. David and R.D. Coombe, Interaction of trifluorohalomethanes with active nitrogen | 136 (1987) 358 |
| Onishi, T., see A. Kudo | 133 (1987) 517 |
| Onuki, H., see T. Ibuki | 136 (1987) 447 |
| Oomen, E.W.J.L., W.M.A. Smit and G. Blasse, The luminescence of $\text{Cs}_2\text{NaSbCl}_6$ and $\text{Cs}_2\text{NaSbBr}_6$: a transition from a localized to a delocalized excited state | 138 (1987) 23 |
| Oomen, E.W.J.L., W.M.A. Smit and G. Blasse, The luminescence of arsenic(III) in the cubic elpasolite $\text{Cs}_2\text{NaScCl}_6$ | 138 (1987) 584 |
| Oram, J.W., see J.C. Kettley | 140 (1987) 286 |
| Orenstein, J., see B.I. Greene | 139 (1987) 381 |
| Orlandi, G. and F. Zerbetto, Pseudoparity propensity rules for vibronic perturbations in neutral alternant hydrocarbons | 131 (1986) 409 |
| Orlandi, G., see F. Zerbetto | 139 (1987) 401 |
| Ortiz, J.V., Calculations on the vertical and adiabatic ionization energies of $(\text{H}_2\text{S})_2$ | 134 (1987) 366 |
| Ortiz, J.V., Direct versus indirect many-body methods for calculating vertical electron affinities: applications to F^- , OH^- , NH_2^- , CN^- , Cl^- , SH^- and PH_2^- | 136 (1987) 387 |
| Orzechowski, K., see K. Jerie | 137 (1987) 42 |
| Oshio, H., see S. Tero-Kubota | 131 (1986) 430 |
| Ottinger, Ch., see T. Krümpelmann | 140 (1987) 142 |
| Otto, P., see S.C. Liu | 134 (1987) 133 |
| Ould Kaddour, F., M.J. Grimson and M. Silbert, Neutron scattering from polyelectrolyte solutions | 140 (1987) 51 |
| Owens, K.G., see E. Sekreta | 132 (1986) 450 |
| Ozaki, M., see H. Fukutome | 133 (1987) 34 |
| Ozaki, Y., see H. Ito | 139 (1987) 581 |
| Özder, S., Ş. Erkoç and E. İltan, Scattering of He from a Cu(110) surface | 135 (1987) 582 |

| | |
|--|----------------|
| Paakkola, J., see P.K.J. Kinnunen | 136 (1987) 539 |
| Pacchioni, G. and P. Fantucci, Spin states and quenching of magnetism in naked and carbonylated nickel clusters | 134 (1987) 407 |
| Pack, R.T., see G.A. Parker | 137 (1987) 564 |
| Page, J.B., see H.M. Lu | 131 (1986) 87 |
| Pagsberg, P., see J. Munk | 132 (1986) 417 |
| Paik, S.M. and S. Das Sarma, Numerical simulation of surface diffusion on a rigid substrate | 135 (1987) 128 |
| Pal, S., M. Rittby, R.J. Bartlett, D. Sinha and D. Mukherjee, Multireference coupled-cluster methods using an incomplete model space: application to ionization potentials and excitation energies of formaldehyde | 137 (1987) 273 |
| Palffy-Muhoray, P., see G.S. Bates | 134 (1987) 161 |
| Paliani, G., see A. Santucci | 138 (1987) 244 |
| Palit, D.K., see S.K. Sarkar | 131 (1986) 303 |
| Palma, A., see J. Morales | 135 (1987) 149 |
| Palmer, R.A., see R.C. Carter | 131 (1986) 37 |
| Palmer, R.E., see L.A. Rahn | 133 (1987) 513 |
| Palmer, T.F., see J.C. Kettley | 140 (1987) 286 |
| Pan, R.L., see Y.C. Chou | 137 (1987) 386 |
| Pančoška, P., M. Urbanova, B.N. Korvatovsky, V.Z. Paschenko and K. Vacek, Fluorescence properties of tetraphenylporphyrin-polypeptide complexes as model photosynthetic systems | 139 (1987) 49 |
| Papadopoulos, M.G. and J. Waite, On the interaction hyperpolarisability of He ₂ , He ₃ and Ne ₂ . An ab initio study | 135 (1987) 361 |
| Papailhou, M., see C. Pouchan | 133 (1987) 298 |
| Paraskevopoulos, G., see A.R. Bossard | 134 (1987) 583 |
| Pardo, A., J.J. Camacho and J.M.L. Poyato, The Padé-approximant method and its applications in the construction of potential-energy curves for the lithium hydride molecule | 131 (1986) 490 |
| Parikh, D., see I.M. Brown | 132 (1986) 273 |
| Parker, D.H., see T.A. Spiglanin | 137 (1987) 414 |
| Parker, D.H., see H. Jalink | 140 (1987) 215 |
| Parker, G.A., R.T. Pack, B.J. Archer and R.B. Walker, Quantum reactive scattering in three dimensions using hyperspherical (APH) coordinates. Tests on H+H ₂ and D+H ₂ [‡] | 137 (1987) 564 |
| Parkinson, W.A. and M.C. Zerner, Calculation of molecular polarizabilities for large systems within the random phase approximation | 139 (1987) 563 |
| Parlant, G., see M. Sizun | 139 (1987) 1 |
| Parra, Z. and D.A. Micha, Vibrational frequencies and normal modes of CO adsorbed on Ni(001) | 132 (1986) 488 |
| Parrinello, M., see D. Hohl | 139 (1987) 540 |
| Parsonage, N.G., see N.M. Clift | 140 (1987) 572 |
| Paschenko, V.Z., see P. Pančoška | 139 (1987) 49 |
| Pasterny, K. and A. Kocot, The convergence of memory functions for dielectric absorption | 139 (1987) 295 |
| Patel, J.S. and J.W. Goodby, The dependence of the magnitude of the spontaneous polarization on the cell thickness in ferroelectric liquid crystals | 137 (1987) 91 |
| Patel, R.C., see A.M. Brearley | 140 (1987) 270 |
| Paton, A., see C.B. Duke | 131 (1986) 82 |
| Patrykiewicz, A., see L. Łajtar | 139 (1987) 277 |
| Pauley, D.J., R.E. Bumgarner and S.G. Kukolich, Microwave spectrum of the SO ₂ -H ₂ S complex | 132 (1986) 67 |

- Pauley, D.J., R.E. Bumgarner and S.G. Kukolich, Microwave spectrum of the $\text{SO}_2\text{-H}_2\text{S}$ complex, *Chem. Phys. Letters* 132 (1986) 67. Erratum 135 (1987) 486
- Paulsen, M.D., B. Richey, C.F. Anderson and M.T. Record Jr., The salt dependence of the preferential interaction coefficient in DNA solutions as determined by grand canonical Monte Carlo simulations 139 (1987) 448
- Paverne, A., see J.P. Fouassier 135 (1987) 30
- Pawley, G.S., see D. Kirin 134 (1987) 327
- Payne, M.G., see M.P. McCann 138 (1987) 250
- Peacock, R.D., see I.F. Fraser 137 (1987) 583
- Pedley, J.B., see A. Marks 134 (1987) 12
- Peet, A.C., Hindered rotation bands in the ethylene dimer spectrum 132 (1986) 32
- Pei, C., see K. Chen 134 (1987) 259; 137 (1987) 361
- Pélissier, M., see M. Hliwa 132 (1986) 205
- Pellerito, L., see F. Ledda 134 (1987) 545
- Penar, J., see L. Łajtar 139 (1987) 277
- Penfold, J., see P.G. Cummins 138 (1987) 436
- Penigault, E., see A. Goursot 138 (1987) 339
- Percival, P.W., R.F. Kiefl, S.R. Kreitzman, D.M. Garner, S.F.J. Cox, G.M. Luke, J.H. Brewer, K. Nishiyama and K. Venkateswaran, Muon level-crossing spectroscopy of organic free radicals 133 (1987) 465
- Percival, P.W., R.F. Kiefl, S.R. Kreitzman, D.M. Garner, S.F.J. Cox, G.M. Luke, J.H. Brewer, K. Nishiyama and K. Venkateswaran, Muon level-crossing spectroscopy of organic radicals, *Chem. Phys. Letters* 133 (1987) 465. Erratum 137 (1987) 398
- Percival, P.W., R.F. Kiefl, S.R. Kreitzman, D.M. Garner, S.F.J. Cox, G.M. Luke, J.H. Brewer, K. Nishiyama and K. Venkateswaran, Reply to "On the interpretation of level-crossing resonance results for the muonated ethyl radical" 138 (1987) 613
- Pereira, M.A., see A.B. Myers 132 (1986) 585
- Perez, E., see E. Vilaseca 132 (1986) 305
- Pérez-Moure, J.C., see M.A. López-Quintela 138 (1987) 476
- Perico, A., see L.X.-Q. Chen 139 (1987) 55
- Perrot, M., see G. Rothschild 131 (1986) 164
- Persky, A., see H. Kornweitz 133 (1987) 187
- Persson, B.N.J., Vibrational energy relaxation at surfaces: O_2 chemisorbed on Pt(111) 139 (1987) 457
- Petelenz, B., P. Petelenz, H.F. Shurvell and V.H. Smith Jr., Reconsideration of the electroabsorption spectrum of the anthracene crystal 133 (1987) 157
- Petelenz, P., see B. Petelenz 133 (1987) 157
- Peter, R., see P. Börnert 136 (1987) 319
- Peterman, M.D. and G.A. Gallup, A basis set superposition error from inadequate representation of the 1s core orbital in second-row elements 131 (1986) 367
- Peterson, J.R., see H.H. Michels 134 (1987) 571
- Peterson, J.R., see W.J. van der Zande 140 (1987) 175
- Petrich, J.W., J. Breton, J.L. Martin and A. Antonetti, Femtosecond absorption spectroscopy of light-adapted and dark-adapted bacteriorhodopsin 137 (1987) 369
- Petrich, J.W., see L.X.-Q. Chen 139 (1987) 55
- Petrillo, C., see S. Cannistraro 139 (1987) 116
- Petrouleas, V. and J.-P. Tuchagues, $\text{Fe}[\text{5NO}_2\text{-sal-N}(1,4,7,10)]$: a new iron(II) complex exhibiting an unusual two-step spin conversion afforded by a hexadentate ligand with a N_4O_2 donor set 137 (1987) 21

| | |
|--|--------------------------------|
| Petsalakis, I.D., see G. Theodorakopoulos | 138 (1987) 71 |
| Pettiette, C.L., see O. Cheshnovsky | 138 (1987) 119 |
| Pettiette, C.L., see S.H. Yang | 139 (1987) 233 |
| Pettitt, B.M. and M. Karplus, The structure of water surrounding a peptide: a theoretical approach | 136 (1987) 383 |
| Pettitt, B.M., see O.A. Karim | 137 (1987) 72 |
| Pettitt, B.M., see D.F. Calef | 139 (1987) 129 |
| Pfab, J., see J.A. Dyet | 135 (1987) 534; 137 (1987) 398 |
| Pfab, J., see M.R.S. McCoustra | 136 (1987) 231; 137 (1987) 355 |
| Pfändler, P., G. Bodenhausen, J. Rapin, R. Houriet and T. Gäumann, Two-dimensional Fourier transform ion cyclotron resonance mass spectrometry | 138 (1987) 195 |
| Pfeifer, H., see D. Freude | 139 (1987) 325 |
| Pfeiffer, G.V., see D.W. Ewing | 134 (1987) 413 |
| Pflaum, R., K. Sattler and E. Recknagel, Multiphoton stimulated desorption: the magic numbers of neutral sodium chloride clusters | 138 (1987) 8 |
| Philippoz, J.M., P. Melinon, R. Monot and H. van den Bergh, Solvent caging by diatomic molecules in the photodissociation of I_2M clusters | 138 (1987) 579 |
| Phillips, D., see A.G. Taylor | 131 (1986) 534 |
| Phillips, D., see E.M. Gibson | 136 (1987) 454 |
| Phillips, L.F., A priori rate constant for the reaction $NH_2 + NO \rightarrow N_2 + H_2O$ | 135 (1987) 269 |
| Phillips, P.J., see I.M. Brown | 132 (1986) 273 |
| Phillips, R.A. and R.J. Buenker, Factors involved in the accurate calculation of oscillator strengths: the $A^1B_1-X^1A_1$ transition of H_2O | 137 (1987) 157 |
| Phillips, R.J., see R.W. Munn | 134 (1987) 279 |
| Phillips, S.B. and R.L. Lyke, Fluorescence kinetics of systems with a quasi-continuum of excited states | 136 (1987) 247 |
| Piancastelli, M.N., see T.A. Ferrett | 134 (1987) 146 |
| Picard-Bersellini, A., see M. Broquier | 136 (1987) 531 |
| Pichler, G., see W.T. Luh | 131 (1986) 335 |
| Pilling, M.J., see P. Clifford | 135 (1987) 477 |
| Pilloud, D., P. Suppan and L. van Haelst, The role of water in the dual luminescence of 4-N,N-dimethylaminobenzonitrile | 137 (1987) 130 |
| Pilloud, D., see T. Hagan | 139 (1987) 499 |
| Pimpinelli, A., see A. Meroni | 135 (1987) 137 |
| Pines, A., see M. Gochin | 137 (1987) 51 |
| Pines-Rojanski, D., D. Huppert and D. Avnir, Pore-size effects on the fractal distribution of adsorbed acceptor molecules as revealed by electronic energy transfer on silica surfaces | 139 (1987) 109 |
| Pinto, G.R., see K. Kemnitz | 131 (1986) 285 |
| Pirani, F., see G. Liuti | 135 (1987) 387 |
| Pisipati, V.G.K.M., see S.B. Rananavare | 140 (1987) 255 |
| Pitzer, K.S., J.L. Bischoff and R.J. Rosenbauer, Critical behavior of dilute NaCl in H_2O | 134 (1987) 60 |
| Pitzer, R.M., see R.B. Ross | 134 (1987) 115 |
| Plaas, D. and F.P. Schäfer, Laser photochemistry of aromatic substituted cyclobutanes and cyclobutenes | 131 (1986) 528 |
| Plain, A. and J. Jolly, Rotational and vibrational relaxation rate constants for $N_2^+(B^2\Sigma, v'=0, N')$ colliding with He | 135 (1987) 46 |
| Plötz, J. and M. Maier, Temperature dependence of the relaxation rate constants of the $a^1\Delta_g$ and $b^1\Sigma_g^+$ states of oxygen isotopes | 138 (1987) 419 |

| | |
|--|----------------|
| Podder, A., see S.C. Biswas | 134 (1987) 541 |
| Pogliani, L., see C. Rossi | 136 (1987) 506 |
| Poirier, R.A., see J.G. Ángyán | 131 (1986) 247 |
| Poirier, R.A., see J. Cioslowski | 138 (1987) 516 |
| Poissant, G., see P. Gaucherel | 132 (1986) 63 |
| Polansky, O.E., see N. Tyutyulkov | 139 (1987) 281 |
| Polavarapu, P.L., A frequency-weighted sum rule for vibrational Raman optical activity | 139 (1987) 558 |
| Politzer, P., see J.S. Murray | 136 (1987) 283 |
| Pollak, E., Periodic orbit analysis of bend level structure of resonances in 3D H+H ₂ reactive scattering | 137 (1987) 171 |
| Pollak, E., see J.M. Gómez Llorente | 138 (1987) 125 |
| Polowin, J., see J.S. Wright | 131 (1986) 256 |
| Polyakov, N.E., M.B. Taraban, T.V. Leshina, K.M. Salikhov and R.Z. Sagdeev, Application of the semiclassical approximation for the description of CIDNP effects in low magnetic fields in real multinuclear radical pairs with non-equivalent nuclei | 136 (1987) 31 |
| Polzonetti, G., see V. Di Castro | 139 (1987) 215 |
| Poncon, V., J. Kalisky, G. Boulon and R. Reisfeld, Transparent glass-ceramics doped with Cr(III): low-temperature time-resolved spectra and characterization of gahnite and virgilite crystalline phases | 133 (1987) 363 |
| Poncon, V., see Y. Kalisky | 136 (1987) 368 |
| Pope, J.M., P.W. Westerman and J.W. Doane, The orientational ordering of benzyl alcohol in phospholipid bilayers | 139 (1987) 589 |
| Pople, J.A., A theoretical search for the methylenefluoronium ylide | 132 (1986) 144 |
| Pople, J.A., The structure of the vinyl cation | 137 (1987) 10 |
| Pople, J.A., see R.H. Nobes | 138 (1987) 481 |
| Port, H., see H. Wachtel | 135 (1987) 506 |
| Porter, M.D., see N.E. Schlotter | 132 (1986) 92 |
| Posey, L.A., M.J. DeLuca and M.A. Johnson, Demonstration of a pulsed photoelectron spectrometer on mass-selected negative ions: O ⁻ , O ₂ ⁻ , and O ₄ ⁻ | 131 (1986) 170 |
| Pottel, H., see H. van Langen | 140 (1987) 394 |
| Potts, A.W., see I. Novak | 135 (1987) 471 |
| Potts, A.W., see J.M. Benson | 140 (1987) 311 |
| Pouchan, C. and M. Papailhou, Calculation of the inversion barriers of CF ₃ and NF ₃ ⁺ | 133 (1987) 298 |
| Pouchan, C., see D.M. Bishop | 139 (1987) 531 |
| Powles, J.G., see S. Murad | 131 (1986) 98 |
| Poyato, J.M.L., see A. Pardo | 131 (1986) 490 |
| Prabhakar, S., K.J. Rao and C.N.R. Rao, A magic-angle spinning ³¹ P NMR investigation of crystalline and glassy inorganic phosphates | 139 (1987) 96 |
| Prabhakaran, K., see C.N.R. Rao | 134 (1987) 47 |
| Prager, D., see D. Freude | 139 (1987) 325 |
| Predtechenskiy, M.R., see A.A. Vostrikov | 139 (1987) 124 |
| Presser, N., see D.C. Robie | 134 (1987) 579 |
| Preston, S. and A. Dalgarno, Multiply charged diatomic molecular ions OH ²⁺ and OH ³⁺ | 138 (1987) 157 |
| Prichard, D., J.S. Muenter and B.J. Howard, Infrared vibration-rotation spectrum of acetylene trimer | 135 (1987) 9 |
| Prince, J.D., see M.N.R. Ashfold | 131 (1986) 291 |
| Priyadarshy, S., see S.N. Datta | 135 (1987) 147 |

Master index to volumes 131-140

- Probst, M.M., J.P. Limtrakul and B.M. Rode, A study of the Be^{2+} - H_2O system by means of ab initio calculations 132 (1986) 370
- Probst, M.M., A study of the additivity of interactions in cation-water systems 137 (1987) 229
- Proctor, M.J., see A.J. McCaffery 132 (1986) 181, 185
- Proctor, M.J., J.A.D. Stockdale, T. Efthimiopoulos and C. Fotakis, Third-harmonic generation and ionisation processes in Kr 137 (1987) 223
- Pugh, D., see R.T. Bailey 134 (1987) 311
- Pujadas, M., see I.J. Ferrer 139 (1987) 271
- Pulay, P., see S. Sæbø 131 (1986) 384
- Pulay, P., see H. Sellers 132 (1986) 29
- Pulay, P., see K. Wolinski 140 (1987) 225
- Pyper, N.C., see S.R. Drake 139 (1987) 336
- Pyykkö, P., G.H.F. Dierksen, F. Müller-Plathe and L. Laaksonen, Fully numerical Hartree-Fock calculations on the third-row diatomics AlF, SiO, PN, CS, BCl, SH^- and P_2 134 (1987) 575

Master index to volumes 131-140

- Qian, C.X.W., H. Reisler and C. Wittig, Radiative and non-radiative processes in jet-cooled NCNO 139 (1987) 175
- Qiu, Y., S. Zhou and J. Shi, Laser-induced fluorescence of HCF and HCCI 136 (1987) 93
- Qiu, Y., S. Zhou and S. Liu, Reactions of fluorine atoms with iodides studied by crossed beam laser-induced fluorescence 136 (1987) 187
- Quack, M., On the measurement of the parity violating energy difference between enantiomers 132 (1986) 147
- Quack, M. and H.J. Thöne, Absolute and relative rate coefficients in the IR-laser chemistry of bichromophoric fluorobutanes: tests for inter- and intra-molecular selectivity 135 (1987) 487
- Quack, M., see A. Amrein 139 (1987) 82
- Quack, M., see T. Carrington Jr. 140 (1987) 512
- Quitevis, E.L., K.G. Casey and T.W. Sinor, Picosecond rotational reorientation of cresyl violet in polymer solution 132 (1986) 77

- Rabalais, J.W., see S.F. Ho 133 (1987) 171
- Rachidi, J., see F. Heisel 134 (1987) 379
- Radloff, P.L., C.M. Greenlief, M.A. Henderson, G.E. Mitchell, J.M. White and C.A. Mims,
The influence of substrate temperature on the surface chemistry of ketene on Pt(111) 132 (1986) 88
- Radom, L., see P.M.W. Gill 132 (1986) 16; 136 (1987) 294
- Radom, L., see R.H. Nobes 135 (1987) 78; 136 (1987) 299; 138 (1987) 481
- Raghavachari, K., see R.C. Haddon 131 (1986) 165
- Rahman, N.K., see A. Ferretti 133 (1987) 150; 140 (1987) 71
- Rahmat, G., F. Spiegelmann, J. Vergès and R. Vetter, The $\text{Cs}(7P) + \text{H}_2 \rightarrow \text{CsH} + \text{H}$ reaction
at threshold energy 135 (1987) 459
- Rahn, L.A., R.E. Palmer, M.L. Koszykowski and D.A. Greenhalgh, Comparison of rotationally inelastic collision models for Q-branch Raman spectra of N_2 133 (1987) 513
- Rai, A.K., S.B. Rai, S.N. Thakur and D.K. Rai, Effect of dc voltage on the laser optogalvanic spectrum of iodine molecule 138 (1987) 215
- Rai, D.K., see A.K. Rai 138 (1987) 215
- Rai, S.B., see A.K. Rai 138 (1987) 215
- Raiche, G.A. and J.J. BelBruno, On the kinetics of the reaction of $\text{Zn}(^1\text{S})$ with N_2O 134 (1987) 341
- Raimondi, M., see D.L. Cooper 138 (1987) 296
- Rajadurai, S., see H. Hiratsuka 137 (1987) 255
- Raleigh, D.P., G.S. Harbison, T.G. Neiss, J.E. Roberts and R.G. Griffin, Homonuclear J -couplings and rotationally induced sideband enhancements in NMR spectra of rotating solids 138 (1987) 285
- Ramaker, D.E., see H. Sambe 139 (1987) 386
- Ramanathan, K.V., see B.S. Arun Kumar 136 (1987) 227
- Rama Rao, K.V.S., see S.K. Sarkar 131 (1986) 303
- Ramasesha, S. and K. Das, Static spin correlations in singlet states via triplet overlap integrals 138 (1987) 462
- Ramaswamy, R., see S. Sinha 135 (1987) 153
- Ramsden, J.J. and M. Grätzel, Formation and decay of methylviologen radical cation dimers on the surface of colloidal CdS: separation of two- and three-dimensional relaxation 132 (1986) 269
- Rananavare, S.B., V.G.K.M. Pisipati and J.H. Freed, Nematic order near a tricritical nematic-smectic A phase transition 140 (1987) 255
- Ranganathan, S. and B. Shizgal, Transient microwave conductivity of electrons in helium 134 (1987) 220
- Ranga Rao, G., see C.N.R. Rao 134 (1987) 47
- Rangelov, G., see G. Rosina 140 (1987) 200
- Rao, C.N.R., see J. Chandrasekhar 131 (1986) 267
- Rao, C.N.R., G. Ranga Rao and K. Prabhakaran, A combined XPS-UPS-EELS study of nitrogen adsorbed on clean and barium-promoted iron surfaces: the nature of the precursor to dissociation 134 (1987) 47
- Rao, C.N.R., see S. Prabhakar 139 (1987) 96
- Rao, C.N.R., see N.R. Jagannathan 140 (1987) 46
- Rao, K.J., see S. Prabhakar 139 (1987) 96
- Rapin, J., see P. Pfändler 138 (1987) 195
- Rasbury, V., see R. Duguid 139 (1987) 475
- Ratajczak, E., see J. Munk 132 (1986) 417
- Ratajczak, H., see Z. Latajka 135 (1987) 367; 138 (1987) 384
- Ratajczak, H., see J. Moc 136 (1987) 122

- Ratner, M.A., see D. Li 131 (1986) 370
- Ravi Sekhar, Y., H. Bill and D. Lovy, The identification and structure of FSO_2 radical trapped in potassium sulphate crystals 136 (1987) 57
- Ravishankara, A.R., see G.D. Greenblatt 136 (1987) 501
- Ray, S., see S.C. Biswas 134 (1987) 541
- Raybone, D., see F.G. Godwin 135 (1987) 163
- Raybone, D., T.M. Watkinson and J.C. Whitehead, On the role of iodine atoms in the production of $\text{IF}(\text{B}^3\Pi)$ in fluorine atom/iodide flames 135 (1987) 170
- Raybone, D., T.M. Watkinson and J.C. Whitehead, The production of long-lived $\text{IF}(\text{B}^3\Pi)$ emission in the 248 nm photolysis of a mixture of CF_3I and F_2 139 (1987) 442
- Raynes, W.T., P. Lazzeretti and R. Zanasi, Theory of the proton-proton spin-spin coupling surface of the methane molecule 132 (1986) 173
- Razi Naqvi, K., A new look at fluorescence depolarization and the dynamics of anisotropic rotational diffusion 136 (1987) 407
- Read, D., see R.E. Ballard 132 (1986) 365; 134 (1987) 177; 135 (1987) 119, 468; 137 (1987) 125; 138 (1987) 284
- Reatto, L., see A. Meroni 135 (1987) 137
- Rebrion, C., see P. Gaucherel 132 (1986) 63
- Rebrion, C., J.B. Marquette, B.R. Rowe, N.G. Adams and D. Smith, Low-temperature reactions of some atomic ions with molecules of large quadrupole moment: C_6F_6 and $c\text{-C}_6\text{H}_{12}$ 136 (1987) 495
- Recamier A., J., Vibration-translation energy transfer in atom-diatom collisions including cubic terms in the expansion of the interaction 133 (1987) 259
- Recknagel, E., see R. Pflaum 138 (1987) 8
- Record Jr., M.T., see M.D. Paulsen 139 (1987) 448
- Reed, A.E. and P. von R. Schleyer, The nature and decomposition pathways of SiH_5^- , PH_5 , and SH_3^+ , the simplest viable pentavalent molecules 133 (1987) 553
- Reents Jr., W.D., M.L. Mandich and V.E. Bondybey, Reaction of anionic and cationic silicon clusters with tungsten hexafluoride studied by Fourier transform ion cyclotron resonance mass spectrometry 131 (1986) 1
- Regev, A., T. Galili, H. Levanon and A. Harriman, The effect of mutual orientation on the triplet state magnetization of covalently linked hybrid porphyrin dimers 131 (1986) 140
- Rego, C.A. and A.P. Cox, Microwave spectrum of methylmercury chloride: gas-phase determination of the electric dipole moment and ^{201}Hg quadrupole coupling 139 (1987) 595
- Řehák, V. and G. Israel, Fluorescence lifetime and electron transfer in cyclobutenediyl dyes 132 (1986) 236
- Rehms, A.A. and P.R. Callis, Resolution of L_a and L_b bands in methyl indoles by two-photon spectroscopy 140 (1987) 83
- Reid, S., see H.L. Kim 139 (1987) 525
- Reilly, J.P., see E. Sekreta 132 (1986) 450
- Reinhardt, W.P., see I. Benjamin 135 (1987) 16
- Reininger, R., see E. Morikawa 139 (1987) 171
- Reisfeld, R., see M.D. Marcantonatos 132 (1986) 247
- Reisfeld, R., M. Eyal and C.K. Jørgensen, Spectroscopy of uranyl ions in a fluoride glass 132 (1986) 252
- Reisfeld, R., see V. Poncon 133 (1987) 363
- Reisfeld, R., see Y. Kalisky 136 (1987) 368
- Reisfeld, R., M. Eyal and R. Gvishi, Spectroscopic behaviour of fluorescein and its di(mercury acetate) adduct in glasses 138 (1987) 377

- Reisfeld, R., see M. Eyal 139 (1987) 395; 140 (1987) 595
- Reisler, H., see C.X.W. Qian 139 (1987) 175
- Remy-Richter, N., see O. Ogrodnik 135 (1987) 576
- Renn, A., see R. Locher 138 (1987) 405
- Rescigno, T.N. and C.W. McCurdy, Multichannel electron-atom scattering calculations using local complex distortions of the energy spectrum 140 (1987) 232
- Rettschnick, R.P.H., see B. Wegewijs 140 (1987) 587
- Reuss, J., see N. Dam 136 (1987) 73
- Reuss, J., see M. Snels 140 (1987) 543
- Reynders, P., see K.A. Zachariasse 133 (1987) 390
- Rhäsa, D. and R. Zellner, A laser-photolysis/LIF study of the rate constant for the reaction $\text{CH}_3\text{O} + \text{O} \rightarrow \text{products}$ at 298 K 132 (1986) 474
- Rhodes, C.J., M.C.R. Symons, E. Roduner and C.A. Scott, Muonium atom addition to 1,1-dimethylallene 139 (1987) 496
- Rhodes, C.J. and M.C.R. Symons, The structure of the radical cation of ethylene oxide (oxirane) in low-temperature matrices 140 (1987) 611
- Ricci, M.A., see R. Bansil 132 (1986) 165
- Ricci, M.A., see A. de Santis 133 (1987) 381
- Rice, J.E., see T.J. Lee 139 (1987) 134
- Rice, S.A., see R.L. Rosman 132 (1986) 351
- Richards, D.S. and D.W. Setser, Excitation-transfer studies of $\text{N}_2(\text{A}^3\Sigma_u^+)$ with S atoms and CS molecules 136 (1987) 215
- Richardson, F.S., see R.C. Carter 131 (1986) 37
- Richey, B., see M.D. Paulsen 139 (1987) 448
- Riebe, M.T. and J.C. Wright, Non-linear line-narrowing spectroscopy in mixed organic crystals 138 (1987) 565
- Riekert, G., see U. Meier 133 (1987) 162
- Riera, A., see A. Macías 139 (1987) 300
- Riesen, H. and H.U. Güdel, Luminescence line narrowing in $[(\text{bispicam})\text{Cr}(\text{III})(\text{OH})_2(\text{SO}_4)\text{Cr}(\text{III})(\text{bispicam})]\text{S}_2\text{O}_6 \cdot 3\text{H}_2\text{O}$ (bispicam = N,N'-bis(2-pyridilmethyl)amine). Evaluation of exchange parameters 133 (1987) 429
- Rigaut, F., see D. Markovitsi 135 (1987) 236
- Rigny, R., see K.A. Sahetchian 134 (1987) 156
- Rips, I. and J. Jortner, The effect of solvent relaxation dynamics on outer-sphere electron transfer 133 (1987) 411
- Rist, G., see P. Jaegermann 140 (1987) 615
- Ritchie, R.H., see C.C. Sung 136 (1987) 9
- Rittby, M., see S. Pal 137 (1987) 273
- Robb, M.A., see J.J.W. McDouall 132 (1986) 319
- Robert, J.B., see A.L. Barra 136 (1987) 224
- Roberts, J.E., see D.P. Raleigh 138 (1987) 285
- Robie, D.C., S. Arepalli, N. Presser, T. Kitsopoulos and R.J. Gordon, Evidence for tunneling in the reaction $\text{O}(^3\text{P}) + \text{HD}$ 134 (1987) 579
- Robinson, B.H., see A.N. North 132 (1986) 541
- Robinson, G.W., J. Lee and M.-P. Bassez, Cooperativity in liquid water 137 (1987) 376
- Robles, J. and G. Kemister, Is correlation energy proportional to exchange energy? 134 (1987) 27
- Rockwood, A.L., see S.L. Howard 140 (1987) 385

| | |
|---|----------------|
| Rode, B.M., see M.M. Probst | 132 (1986) 370 |
| Rodriguez, W.J., R.A. Auerbach and G.L. McPherson, Exciton annihilation in photoexcited crystals containing divalent manganese | 132 (1986) 558 |
| Roduner, E., see C.J. Rhodes | 139 (1987) 496 |
| Roebber, J.L., see L.D. Ziegler | 136 (1987) 377 |
| Röeggen, I., K. Morokuma and K. Yamashita, On the binding energy of the ground state of Be ₂ | 140 (1987) 349 |
| Røeggen, I. and E. Wisløff-Nilssen, On the Beebe-Linderberg two-electron integral approximation | 132 (1986) 154 |
| Roetti, C., see M. Causà | 140 (1987) 120 |
| Roginski, R.T., J.R. Shapley, H.G. Drickamer and M.J. d'Aniello Jr., Pressure tuning spectroscopy of [Pt ₃ (CO) ₆] _n ²⁻ (n=3-5) | 135 (1987) 525 |
| Rogowski, D.F. and A. Fontijn, An HT FFR kinetics study of the reaction between AlCl and CO ₂ from 1175 to 1775 K | 132 (1986) 413 |
| Rogowski, D.F. and A. Fontijn, The radiative lifetime of AlCl A ¹ Π | 137 (1987) 219 |
| Rohlfing, C.M. and J.S. Binkley, The effects of basis set and electron correlation on the structure and stability of Be ₄ and Be ₁₃ | 134 (1987) 110 |
| Ronchetti, M., see P. Tosi | 136 (1987) 398 |
| Roos, B.O., see J. Olsen | 133 (1987) 91 |
| Roos, B.O., see R. Lindh | 139 (1987) 407 |
| Root, T.W. and T.M. Duncan, Characterization of hydrogen on silica-supported rhodium with ¹ H NMR spectroscopy | 137 (1987) 57 |
| Ros, A.M.P., see A.P.J.M. Jongenelis | 136 (1987) 181 |
| Rosén, A., see S. Larsson | 137 (1987) 501 |
| Rosenbauer, R.J., see K.S. Pitzer | 134 (1987) 60 |
| Rosina, G., G. Rangelov, E. Bertel, H. Saalfeld and F.P. Netzer, Symmetry reduction of benzene on Rh(111) by coadsorbed Na | 140 (1987) 200 |
| Rosman, R.L. and S.A. Rice, Fluorescence lifetimes of mode 6 ¹ in deuterobenzenes: fine structure in the decay lifetime spectrum | 132 (1986) 351 |
| Rosmus, P., see B. Follmeg | 136 (1987) 562 |
| Rosmus, P., see J. Senekowitsch | 140 (1987) 375 |
| Ross, A.J. and G.-H. Jeung, Analysis of the long range potentials of the X ¹ Σ ⁺ and a ³ Σ ⁺ states of NaK | 132 (1986) 44 |
| Ross, C.K., see N.V. Klassen | 132 (1986) 478 |
| Ross, R.B., W.C. Ermler, R.M. Pitzer and C.W. Kern, Ab initio calculations on electronic states of Be ₅₁ and Be ₅₇ clusters | 134 (1987) 115 |
| Ross, W., see D. Avnir | 135 (1987) 177 |
| Rossetti, C., see D. Bailly | 140 (1987) 381 |
| Rossi, C., N. Marchettini, L. Pogliani, F. Laschi and N. Niccolai, Structural and dynamical studies of the relaxation effects induced by proton perturbation during ¹³ C spin-lattice relaxation rate measurements | 136 (1987) 506 |
| Rossini, S., see A. Modelli | 132 (1986) 448 |
| Rösslein, M., see F.G. Celi | 131 (1986) 325 |
| Rothberg, L., G.S. Higashi, D.L. Allara and S. Garoff, Thermal disordering of Langmuir-Blodgett films of cadmium stearate on sapphire | 133 (1987) 67 |
| Rothschild, G., M. Perrot and F. Guillaume, Vibrational dephasing under fractional ("stretched") exponential modulation, Chem. Phys. Letters 128 (1986) 591. Erratum | 131 (1986) 164 |

| | |
|---|----------------|
| Rotti, M., see A. Stesmans | 137 (1987) 261 |
| Rowe, B.R., see P. Gaucherel | 132 (1986) 63 |
| Rowe, B.R., see C. Rebrion | 136 (1987) 495 |
| Rowlands, T.W. and K. Somasundram, Theoretical structure of $B_2H_6...HF$ | 135 (1987) 549 |
| Roy, R. and S. Mukherjee, Fluorescence quenching of carbazole and indole by ethylenetrithiocarbonate | 140 (1987) 210 |
| Royen, P., see L.-E. Berg | 132 (1986) 261 |
| Royer, C.A. and B. Alpert, Porphyrin dynamics in the heme-pockets of myoglobin and hemoglobin | 134 (1987) 454 |
| Rozenfeld, B., see K. Jerie | 137 (1987) 42 |
| Ruatta, S.A., L. Hanley and S.L. Anderson, Size-dependent barriers for reaction of aluminum cluster ions with oxygen | 137 (1987) 5 |
| Rückert, M., see D. Heidrich | 136 (1987) 13 |
| Rudolph, H., S.N. Dixit, V. McKoy and W.M. Huo, (2+1) REMPI of NO via the $D^2\Sigma^+$ state: rotational branching ratios | 137 (1987) 521 |
| Ruelle, P., see M.T. Nguyen | 138 (1987) 486 |
| Rui, M., see V. Magnasco | 136 (1987) 303 |
| Rukmani, K. and A. Kumar, Symmetry filtering of the NMR spectra of oriented molecules into irreducible representations using two-dimensional correlation spectroscopy | 133 (1987) 485 |
| Rullière, C., see A. Declémy | 133 (1987) 448 |
| Rullière, C. and A. Declémy, A picosecond transient absorption study of the intramolecular excited state proton transfer in 3-hydroxyflavone: assignment of the observed bands | 134 (1987) 64 |
| Rullière, C. and A. Declémy, Picosecond photophysics of diphenyl-polyenes: evidence for the influence of excited state conformational changes on the energy gap $\Delta E(B_u^*-A_g^*)$ | 135 (1987) 213 |
| Rullière, C., Z.R. Grabowski and J. Dobkowski, Picosecond absorption spectra of carbonyl derivatives of dimethylaniline: the nature of the TICT excited states | 137 (1987) 408 |
| Ruoff, R.S., T. Emilsson, C. Chuang, T.D. Klots and H.S. Gutowsky, Experimental separation of torsional and charge redistribution effects in rotational spectra of HCN dimers | 138 (1987) 553 |
| Russo, N., see V. Barone | 133 (1987) 548 |
| Ruzsicska, B., A. Jodhan, I. Safarik, O.P. Strausz and T.N. Bell, Flash photolysis of $SiBr_4$: The UV spectrum of $SiBr_2$ | 139 (1987) 72 |

| | |
|--|----------------|
| Saakyan, A.S., see B.S. Butayev | 138 (1987) 303 |
| Saalfeld, H., see G. Rosina | 140 (1987) 200 |
| Saba, G., see M. Casu | 137 (1987) 533 |
| Sacchetti, F., see S. Cannistraro | 139 (1987) 116 |
| Sadler, I.A., see R.E. Moss | 132 (1986) 190 |
| Sadowski, C.M., see M. Lambert | 139 (1987) 45 |
| Sæbø, S. and P. Pulay, A test of the approximate coupled cluster doubles approximation | 131 (1986) 384 |
| Sæbø, S., see H. Sellers | 132 (1986) 29 |
| Safarik, I., see V. Sandhu | 135 (1987) 260 |
| Safarik, I., see B. Ruzsicska | 139 (1987) 72 |
| Sagarik, K.P. and R. Ahlrichs, Molecular dynamics simulations of liquid CHClF_2 with a test-particle model potential | 131 (1986) 74 |
| Sagarik, K.P. and R. Ahlrichs, Molecular dynamics simulations of liquid CHClF_2 with a test-particle model potential, Chem. Phys. Letters 131 (1986) 74. Erratum | 137 (1987) 96 |
| Sagdeev, R.Z., see N.E. Polyakov | 136 (1987) 31 |
| Sahetchian, K.A., C. Chachaty, R. Rigny, A. Heiss and N. Blin, An ESR study of trapped radicals from the gas-phase thermolysis of dialkyl peroxides | 134 (1987) 156 |
| Sahetchian, K.A., see F. Zabel | 134 (1987) 433 |
| Saika, A., see T. Nakai | 132 (1986) 554 |
| Saile, V., see E. Morikawa | 139 (1987) 171 |
| Saito, S., see T. Tsutsui | 132 (1986) 563 |
| Saito, S., see H. Kanata | 140 (1987) 221 |
| Sakaguchi, Y., see H. Hayashi | 136 (1987) 436 |
| Sakai, H., see A. Itaya | 138 (1987) 231 |
| Sakai, Y., see H. Kojima | 140 (1987) 631 |
| Sakaino, Y., see H. Takahashi | 140 (1987) 90 |
| Sakaki, S., see A. Dedieu | 133 (1987) 317 |
| Sakata, T., see M. Hiramoto | 133 (1987) 440 |
| Sakuda, M., see Y. Iino | 140 (1987) 76 |
| Sakuragi, H., R. Nakagaki, T. Oguchi, T. Arai, K. Tokumaru and S. Nagakura, Mechanism for photoisomerization of an olefin in the presence of electron acceptors as studied by magnetic field effects | 135 (1987) 325 |
| Salikhov, K.M., see N.E. Polyakov | 136 (1987) 31 |
| Salomon, D., see M. Eibschutz | 135 (1987) 592 |
| Salvador, P., see I.J. Ferrer | 139 (1987) 271 |
| Salveti, G., see D. Bertolini | 136 (1987) 67 |
| Salvi, P.R., see E.A. Mangle | 133 (1987) 214 |
| Salzman, W.R., Semiclassical theory of "optical activity" in the asymmetric top: off resonance | 134 (1987) 622 |
| Samanta, A., see T. Kundu | 133 (1987) 507 |
| Sambe, H. and D.E. Ramaker, The σ^- selection rule in electron attachment and autoionization of diatomic molecules | 139 (1987) 386 |
| Samios, J., see M.A. López-Quintela | 138 (1987) 476 |
| Samoson, A., E. Lippmaa, G. Engelhardt, U. Lohse and H.-G. Jerschewitz, Quantitative high-resolution ^{27}Al NMR: tetrahedral non-framework aluminium in hydrothermally treated zeolites | 134 (1987) 589 |
| Sampoli, M., see A. de Santis | 133 (1987) 381 |

| | |
|---|--------------------------------|
| Sandhu, V., A. Jodhan, I. Safarik, O.P. Strausz and T.N. Bell, Dichlorosilylene: rate constant for reaction with oxygen | 135 (1987) 260 |
| Sandman, D.J., see M.E. Morrow | 140 (1987) 263 |
| Sando, K.M., see W.T. Luh | 131 (1986) 335 |
| Sandorfy, C., see S. Badilescu | 133 (1987) 63 |
| Sandoval, L., see J. Morales | 135 (1987) 149 |
| Sano, T., S. Narita and Y.J. I'Haya, Optimization with a direct search for orbital localization | 138 (1987) 291 |
| Santucci, A., G. Paliani and R.S. Cataliotti, Force field calculation of the out-of-plane fundamental modes of tellurophene and selenophene | 138 (1987) 244 |
| Sapozhnikov, M.N., Hole burning in the spectra of molecules in amorphous solids: the hole shape and its dependence on laser frequency, power, irradiation time and temperature | 135 (1987) 398 |
| Sapozhnikov, M.N., Dephasing, vibronic relaxation and homogeneous spectra of porphyrins in amorphous matrices by selective excitation of luminescence and hole burning | 136 (1987) 192 |
| Sarkar, S.K., D.K. Palit, K.V.S. Rama Rao and J.P. Mittal, Real-time observation of :CF ₂ formation in the infrared multiple-photon dissociation of fluoroform- <i>d</i> | 131 (1986) 303 |
| Sarma, J.A.R.P., see G.R. Desiraju | 131 (1986) 124 |
| Sastry, M.D., see M. Kumar | 134 (1987) 102 |
| Sato, H., see M. Kawasaki | 139 (1987) 585 |
| Sato, S., see H. Umemoto | 139 (1987) 311 |
| Sato, S. and Y. Fujimura, Effects of vibronic dephasings on the polarization anisotropy decay in the time-resolved two-photon ionization of an isolated molecule | 140 (1987) 169 |
| Sato, T., see M. Yamashita | 137 (1987) 578 |
| Sato, Y., see A. Yagishita | 132 (1986) 437 |
| Sattler, K., see R. Pflaum | 138 (1987) 8 |
| Sauer, J., see P. Hobza | 134 (1987) 418 |
| Sauer, J., P. Hobza, P. Čársky and R. Zahradník, Applicability of the supermolecule MP2 approach to intermolecular interactions: He ₂ and Ne ₂ | 134 (1987) 553 |
| Saunders, V.R., see D. Moncrieff | 131 (1986) 545 |
| Saunders, V.R., see M. Causà | 140 (1987) 120 |
| Saunders, W.A., see W.D. Knight | 134 (1987) 1 |
| Savić, P. and V. Urošević, Photoconductivity of CdS under high pressure | 135 (1987) 393 |
| Sax, A.F., see J. Kalcher | 133 (1987) 135 |
| Scaffardi, L., G.M. Bilmes, D. Schinca and J.O. Tocho, Back isomerization from the excited state photoisomer in laser dye 3,3'-diethyloxadicarbocyanine iodide (DODCI) | 140 (1987) 163 |
| Scaiano, J.C., see W.G. McGimpsey | 138 (1987) 13 |
| Sceats, M.G., see J.L. Green | 134 (1987) 385; 137 (1987) 537 |
| Schaefer III, H.F., see C.L. Janssen | 131 (1986) 352 |
| Schaefer III, H.F., see B.H. Lengsfeld III | 135 (1987) 340 |
| Schaefer III, H.F., see T.J. Lee | 139 (1987) 134 |
| Schaefer III, H.F., see B.S. Thies | 140 (1987) 355 |
| Schäfer, F.P., see D. Plaas | 131 (1986) 528 |
| Schäfer, F.P., see S. Szatmari | 137 (1987) 1 |
| Scharf, D., J. Jortner and U. Landman, Atomic and molecular quantum mechanics by the path integral molecular dynamics method, Chem. Phys. Letters 130 (1986) 504. Erratum | 134 (1987) 502 |
| Schatz, G.C., B. Amaee and J.N.L. Connor, A centrifugal sudden distorted wave study of the reaction Cl+HCl→ClH+Cl: product rotational distributions | 132 (1986) 1 |
| Schatz, P.N., see D. Smith | 131 (1986) 457 |

| | |
|--|--|
| Schatz, P.N., see B.E. Williamson | 140 (1987) 483 |
| Scheer, M.D., see T.J. Wallington | 138 (1987) 538 |
| Scheier, P., see T.D. Märk | 136 (1987) 177; 137 (1987) 245 |
| Scheier, P. and T.D. Märk, Triply charged argon clusters: production and stability (appearance energy and appearance size) | 136 (1987) 423 |
| Scheiner, A.C., see T.J. Lee | 139 (1987) 134 |
| Scheiner, S., see M.M. Szczesniak | 131 (1986) 230 |
| Scheiner, S., see Z. Latajka | 135 (1987) 367; 138 (1987) 384; 140 (1987) 338 |
| Scherer, P.O.J. and S.F. Fischer, On the Stark effect for bacterial photosynthetic reaction centers | 131 (1986) 153 |
| Scherer, P.O.J. and S.F. Fischer, On the localization and charge transfer character of the "special pair" triplet states for bacterial reaction centers | 136 (1987) 431 |
| Scherer, P.O.J. and S.F. Fischer, Application of exciton theory to optical spectra of sodium borohydride treated reaction centres from <i>Rhodobacter sphaeroides</i> R26 | 137 (1987) 32 |
| Schiller, A., see M. Eyal | 140 (1987) 595 |
| Schinca, D., see L. Scaffardi | 140 (1987) 163 |
| Schindler, M., see D. Cremer | 133 (1987) 293 |
| Schlag, E.W., see A.E. Bruno | 131 (1986) 31 |
| Schlag, E.W., see L.A. Chewter | 135 (1987) 219 |
| Schläpfer, C.W., see P. Favre | 139 (1987) 250 |
| Schleyer, P.v.R., see A.E. Reed | 133 (1987) 553 |
| Schlotter, N.E., M.D. Porter, T.B. Bright and D.L. Allara, Formation and structure of a spontaneously adsorbed monolayer of arachidic acid on silver | 132 (1986) 92 |
| Schlotter, N.E., see S.B. Dierker | 137 (1987) 453 |
| Schmetzer, B., see T. Elsaesser | 140 (1987) 293 |
| Schmid, D., see V.M. Kenkre | 140 (1987) 238 |
| Schmidt, J., see A.P.J.M. Jongenelis | 136 (1987) 181 |
| Schmidt, J.A., E.F. Hilinski, D.A. Bouchard and C.L. Hill, Electron donor-acceptor complexes of polyoxometalates with organic molecules. Picosecond spectroscopy of [(N-methylpyrrolidinone) ₂ H ⁺] ₃ PW ₁₂ O ₄₀ ³⁻ | 138 (1987) 346 |
| Schmidt, M.W., see M.S. Gordon | 132 (1986) 294 |
| Schmidt, P.P. and L. Blum, A strategy to determine the transition state of an electron transfer reaction | 140 (1987) 370 |
| Schmidt, R., H.-D. Brauer and K.H. Drexhage, Determination of the phosphorescence quantum yield of singlet molecular oxygen (¹ Δ _g) in benzene | 138 (1987) 18 |
| Schmidt, V., see H.-J. Freund | 137 (1987) 425 |
| Schmitt, U., see A. Amrein | 139 (1987) 82 |
| Schneider, B., see P. Hobza | 134 (1987) 418 |
| Schneider, W., see P. Börnert | 136 (1987) 319 |
| Schröer, W., Induced birefringence and dielectric polarization in fluids of non-polar ellipsoids | 131 (1986) 500 |
| Schröter, L., see W. Heuer | 135 (1987) 299 |
| Schubert, U., see A.E. Bruno | 131 (1986) 31 |
| Schulz, G., see U. Müller | 138 (1987) 385 |
| Schürmann, B.L., see P.R. Bunker | 139 (1987) 159 |
| Schuster, M., see Y. Yang | 139 (1987) 239 |
| Schwarz, H., see P.C. Burgers | 132 (1986) 69 |

- Schweizer, K.S., see Z.G. Soos 139 (1987) 196
- Schwentner, N., see H. Kühle 132 (1986) 570
- Schwenz, R.W. and S.R. Leone, Near-resonant collisional energy transfer in
Sr($5s6p^1P_1$)-rare-gas systems 133 (1987) 433
- Scioly, A., see K.W. Hillig 133 (1987) 359
- Scott, A.C. and J.C. Eilbeck, On the CH stretch overtones of benzene 132 (1986) 23
- Scott, C.A., see C.J. Rhodes 139 (1987) 496
- Scuseria, G.E., see T.J. Lee 139 (1987) 134
- Seddon, E.A., see A.J. McCaffery 132 (1986) 181, 185
- Segal, E., see M.O. Vlad 136 (1987) 171
- Seki, H., see M. Hoshino 132 (1986) 209
- Sekiya, H., see M. Tsuji 137 (1987) 421
- Sekiya, H., T. Hirayama and Y. Nishimura, Laser-induced fluorescence detection of
CH($X^2\Pi$) produced from the reaction of Ar($^3P_{2,0}$) with CH₄ at thermal energy 138 (1987) 597
- Sekreta, E., K.G. Owens and J.P. Reilly, Intensity-dependent laser ionization experiments
involving the $^1B_{1u}$ state of benzene 132 (1986) 450
- Sellers, H., S. Sæbø and P. Pulay, The ring puckering potential of oxetane: local correlation
results 132 (1986) 29
- Sellers, H.L., see K. Wolinski 140 (1987) 225
- Sen, A.C., see M. Vala 134 (1987) 610
- Senekowitsch, J., S. Carter, H.-J. Werner and P. Rosmus, Vibrational radiative lifetimes
in H₂Se and HCS⁻ 140 (1987) 375
- Sepiol, J., see D. Leupold 132 (1986) 137
- Sepiol, J., H. Bulska and A. Grabowska, The dihydroxy derivative of 2,2'-bipyridyl as a
new proton-transfer lasing dye 140 (1987) 607
- Serci, S., see F. Ledda 134 (1987) 545
- Serebrennikov, Yu.A., Zero-field NMR and NQR line shapes 137 (1987) 183
- Seret, A., E. Gandin and A. van de Vorst, Flash photolysis of eosin in aqueous micellar
dispersions 135 (1987) 427
- Seret, A., E. Gandin and A. van de Vorst, Photolysis of eosin in aqueous micellar disper-
sions, Chem. Phys. Letters 135 (1987) 427. Erratum 138 (1987) 615
- Serpone, N., D.K. Sharma, J. Moser and M. Grätzel, Reduction of acceptor relay species
by conduction band electrons of colloidal titanium dioxide: light-induced charge sep-
aration in the picosecond time domain 136 (1987) 47
- Setser, D.W., see J. Xu 132 (1986) 427; 137 (1987) 63
- Setser, D.W., see D.S. Richards 136 (1987) 215
- Sevilla, P., see S. Lago 135 (1987) 133
- Shank, C.V., see C.H. Brito Cruz 132 (1986) 341
- Shao, J.-D., Y.-G. Li, G.D. Flesch and C.Y. Ng, Absolute spin-orbit-state excitation cross
sections for the reactions Ar⁺($^2P_{3/2}$) + Ar(1S_0) and Ar⁺($^2P_{3/2}$) + N₂(X, $\nu=0$) $\nu=0$) 132 (1986) 58
- Shapley, J.R., see R.T. Roginski 135 (1987) 525
- Sharma, C.S., see A. Grubb 133 (1987) 154
- Sharma, D.K., see N. Serpone 136 (1987) 47
- Sheehy, J.A. and P.W. Langhoff, Photoionization of carbonyl sulfide: threshold resonance
features in outer-valence-shell partial cross sections 135 (1987) 109
- Shelton, D.P., see R.E. Cameron 133 (1987) 520
- Shen, Y.R., see J.H. Hunt 133 (1987) 189

| | |
|--|--------------------------------|
| Sherman, M.G., D.P. Land, J.C. Hemminger and R.T. McIver Jr., Laser-driven thermal reactions of ethynidyne on platinum | 137 (1987) 298 |
| Shi, J., see Y. Qiu | 136 (1987) 93 |
| Shibuya, K., see T. Imajo | 137 (1987) 139 |
| Shibuya, T. and M. Yoshitani, Two icosahedral structures for the C ₆₀ cluster | 137 (1987) 13 |
| Shida, T., see A.V. Veselov | 133 (1987) 478 |
| Shikichi, K., see E. Morikawa | 131 (1986) 209 |
| Shimizu, E., see T. Fujii | 137 (1987) 448 |
| Shin, H.K., Dependence of gas/solid energy transfer on lattice chain length | 133 (1987) 129 |
| Shin, H.K., see Y.O. Koh | 140 (1987) 243 |
| Shiotani, M., see K. Ohta | 136 (1987) 465; 140 (1987) 148 |
| Shirley, D.A., see T.A. Ferrett | 134 (1987) 146; 138 (1987) 607 |
| Shiundu, P.M., see A.B. Callear | 136 (1987) 342 |
| Shizgal, B., see S. Ranganathan | 134 (1987) 220 |
| Shizgal, B., Electron distribution functions for electron attachment to SF ₆ and model systems | 138 (1987) 65 |
| Shizuka, H., see M. Hoshino | 132 (1986) 209 |
| Shmachkova, V.P., see V.M. Mastikhin | 139 (1987) 93 |
| Shobatake, K., see S. Hirayama | 140 (1987) 447 |
| Showell, M.S., see A. Agostiano | 137 (1987) 37 |
| Shurvell, H.F., see B. Petelenz | 133 (1987) 157 |
| Shushin, A.I., Magnetic field effects in chemical reactions in viscous liquids: the CIDEP amplitude | 133 (1987) 562 |
| Shushin, A.I., Magnetic field effects on the geminate recombination of anisotropic radicals | 140 (1987) 111 |
| Siegbahn, P.E.M., see A. Dedieu | 133 (1987) 317 |
| Siemiarzuk, A. and W.R. Ware, Fluorescence decay kinetics of 1,3-di(1-pyrenyl)propane reinvestigated | 140 (1987) 277 |
| Sigra, P., see O. Gustafsson | 138 (1987) 185 |
| Silberbach, H., Valence energies and polarisabilities for heavy atoms and ions by means of semi-empirical pseudopotentials | 133 (1987) 267 |
| Silbert, M., see F. Ould Kaddour | 140 (1987) 51 |
| Silbey, R., see C.P. de Melo | 140 (1987) 537 |
| Sillescu, A., see J. Munk | 132 (1986) 417 |
| Silverberg, M. and A. Ben-Shaul, Effects of adsorbate islanding on reaction kinetics and thermal desorption spectra: a Monte Carlo-quasichemical model | 134 (1987) 491 |
| Silverman, J.N. and D.M. Bishop, High-order non-Born-Oppenheimer electric polarizabilities for excited states of H ₂ ⁺ via the perturbational-variational Rayleigh-Ritz formalism | 132 (1986) 37 |
| Simandiras, E.D., N.C. Handy and R.D. Amos, On the high accuracy of MP2-optimised geometries and harmonic frequencies with large basis sets | 133 (1987) 324 |
| Simon, J., see M. Maitrot | 133 (1987) 59 |
| Simon, J., see Ph. Turek | 134 (1987) 471 |
| Simon, J., see D. Markovitsi | 137 (1987) 107 |
| Simon, J., see T.-H. Tran-Thi | 139 (1987) 207 |
| Simon, J., see C. Sirlin | 139 (1987) 362 |
| Simon, J.D., see S.-G. Su | 132 (1986) 345 |
| Simonetta, M., see G. Filippini | 137 (1987) 295 |
| Simons, J.P., see A. Kvaran | 137 (1987) 209 |
| Simons, J.P. and C. Washington, Inelastic and reactive scattering of Xe(³ P ₂) by CH ₃ I, CH ₃ Br and CH ₃ Cl: opacity functions and excitation functions | 138 (1987) 220 |

- Simons, J.P., see J.C. Kettley 140 (1987) 286
- Simpson, C.J.S.M., see H.T. Williams 138 (1987) 95
- Sindzingre, P., G. Ciccotti, C. Massobrio and D. Frenkel, Partial enthalpies and related quantities in mixtures from computer simulation 136 (1987) 35
- Singel, D.J., see H.L. Flanagan 137 (1987) 391
- Singer, K. and W. Smith, The classical and quantum-mechanical free energy of solid (Lennard-Jones) argon 140 (1987) 406
- Singer, R.J., see R.G. Graham 133 (1987) 196
- Singh, J. and A. Thilagam, Transport of excitation energy at impurities distributed randomly in a three-dimensional crystal lattice 134 (1987) 600
- Singh, S., see R. Brakaspathy 131 (1986) 394
- Singh, T.-V., see R. Duguid 139 (1987) 475
- Singleton, D.L., see A.R. Bossard 134 (1987) 583
- Sinha, D., see S. Pal 137 (1987) 273
- Sinha, S. and R. Ramaswamy, Scaling of moments in rotational inelasticity 135 (1987) 153
- Sinor, T.W., see E.L. Quitevis 132 (1986) 77
- Sirlin, C., L. Bosio, J. Simon, V. Ahsen, E. Yilmazer and Ö. Bekâroğlu, Ion channel containing mesophases. Structural characteristics of condensed phases of crown-ether-substituted phthalocyanines 139 (1987) 362
- Sitzmann, E.V., see J.M. Hicks 135 (1987) 413
- Sivakumar, N., D.D. Evard, J.I. Cline and K.C. Janda, Direct measurement of the vibrational predissociation lifetime of NeBr_2 in the ground electronic state 137 (1987) 403
- Sixl, H., see M. Winter 133 (1987) 482
- Sizun, M., G. Parlant and E.A. Gislason, A new mechanism for providing stable molecular products in high energy reactions 139 (1987) 1
- Slagle, A.R., see J. Xu 137 (1987) 63
- Slanina, Z., On thermodynamics of $\text{Si}_3(\text{g})$ isomers 131 (1986) 420
- Small, G.J., see J.K. Gillie 134 (1987) 316
- Smalley, R.E., see S.C. O'Brien 132 (1986) 98
- Smalley, R.E., see O. Cheshnovsky 138 (1987) 119
- Smalley, R.E., see S.H. Yang 139 (1987) 233
- Smit, W.M.A., see E.W.J.L. Oomen 138 (1987) 23, 584
- Smith, D., B.E. Williamson and P.N. Schatz, Identification of the alkalide, Na^- , in Na/NH_3 matrices using MCD 131 (1986) 457
- Smith, D., see C. Rebrion 136 (1987) 495
- Smith, I.W.M., see J. de Juan 132 (1986) 108
- Smith, I.W.M., see R.J. Frost 140 (1987) 499
- Smith, R.S., see M. Anselment 134 (1987) 444
- Smith, W., see K. Singer 140 (1987) 406
- Smith Jr., V.H., see B. Petelenz 133 (1987) 157
- Snels, M. and J. Reuss, Induction effects on IR-predissociation spectra of $(\text{SF}_6)_2$, $(\text{SiF}_4)_2$ and $(\text{SiH}_4)_2$ 140 (1987) 543
- Snyder, P.A., see B.E. Williamson 140 (1987) 483
- Sobolewski, A.L., On the possibility of quantum beats in the total fluorescence of large molecules 139 (1987) 528
- Sohma, J., see K. Ohta 136 (1987) 465; 140 (1987) 148

| | |
|---|----------------|
| Sokolić, F., Y. Guissani and G. Baranović, Intermolecular pair potentials and the second virial coefficient of sulphur dioxide vapour | 131 (1986) 513 |
| Sokołowski, S., see L. Łajtar | 139 (1987) 277 |
| Solgadi, D., see D. Winkoun | 139 (1987) 546 |
| Somasundram, K., see T.W. Rowlands | 135 (1987) 549 |
| Soos, Z.G. and K.S. Schweizer, Absorption spectrum of flexible conjugated polymers: the weak-disorder limit | 139 (1987) 196 |
| Sopchyshyn, F.C., see R.G. Macdonald | 140 (1987) 476 |
| Sørensen, O.W., C. Griesinger and R.R. Ernst, Antisymmetric two-dimensional NMR spectra | 135 (1987) 313 |
| Sorokin, N.I., N.M. Bahzhin and E.N. Dul'tsev, Magnetic field effect on the emission intensity of alkali atoms in hydrogen-oxygen flames | 138 (1987) 170 |
| Sorokin, P.P., see J.H. Glowina | 139 (1987) 491 |
| Sorriso, S., see R. Szostak | 131 (1986) 483 |
| Soumillion, J.Ph., see P. Vandereecken | 136 (1987) 441 |
| Spano, F., M. Haner and W.S. Warren, Spectroscopic demonstration of picosecond, phase-shifted laser multiple pulse sequences | 135 (1987) 97 |
| Spencer, K.M., see C.G. Zimba | 134 (1987) 233 |
| Spiegelmann, F., see M. Hliwa | 132 (1986) 205 |
| Spiegelmann, F., see G. Rahmat | 135 (1987) 459 |
| Spier, B., see H. Stegemeyer | 133 (1987) 176 |
| Spiess, H.W., see Y. Yang | 139 (1987) 239 |
| Spiglanin, T.A., D.W. Chandler and D.H. Parker, Mass-resolved laser ionization spectroscopy of HCl | 137 (1987) 414 |
| Spiridonov, V.P., see K.V. Ermakov | 138 (1987) 153 |
| Spiridonov, V.P., see B.S. Butayev | 138 (1987) 303 |
| Squire, D.W., C.S. Dulcey and M.C. Lin, Multiphoton-ionization/mass spectrometric detection of gallium atom during the trimethylgallium CVD reaction | 131 (1986) 112 |
| Squire, D.W., see J.A. Dagata | 134 (1987) 151 |
| Stach, J., see R. Kirmse | 133 (1987) 81 |
| Stafström, S., Defect states in polyemeraldine | 131 (1986) 414 |
| Stahl, D., see J.-C. Bollinger | 140 (1987) 579 |
| Stamatovic, A., see T.D. Märk | 136 (1987) 177 |
| Stanton, J.F., Application of Miller's classical path approximation to the calculation of the shape of one-dimensional anharmonic probability distributions | 132 (1986) 311 |
| Stanton, J.F., R.J. Bartlett and W.N. Lipscomb, A coupled-cluster and MBPT study of B ₂ H ₆ and BH ₃ | 138 (1987) 525 |
| Staples, E., see P.G. Cummins | 138 (1987) 436 |
| Stech, D.J., see D.K. Neumann | 131 (1986) 14 |
| Steer, R.P., see M. Szymanski | 135 (1987) 243 |
| Steer, R.P., see S.R. Abrams | 139 (1987) 182 |
| Stegemeyer, H. and B. Spier, Kinetic hindrance of the electric field-induced blue phase I→cholesteric transition | 133 (1987) 176 |
| Stegemeyer, H., J. Hasse and W. Laarhoven, Polarization of the monomer and excimer fluorescence of pyrene derivatives in liquid-crystalline hosts | 137 (1987) 516 |
| Steiner, R.F., see J.R. Lakowicz | 138 (1987) 587 |
| Steiner, U.E., see D. Baumann | 137 (1987) 113 |

| | |
|--|----------------|
| Stephens, P.J., see R.D. Amos | 133 (1987) 21 |
| Stephenson, J.C., see E.J. Heilweil | 134 (1987) 181 |
| Stesmans, A., M. Rotti, H. Krikor and P. Nagels, Electron spin resonance of phenylethynylcopper coordination polymer powders | 137 (1987) 261 |
| Stevens, B., Application of a finite initial separation limit to the concentration gradient model of fluorescence quenching in liquids | 134 (1987) 519 |
| Stevens, W.J. and W.H. Fink, Frozen fragment reduced variational space analysis of hydrogen bonding interactions. Application to the water dimer | 139 (1987) 15 |
| Stickland, R.J., see M.N.R. Ashfold | 138 (1987) 201 |
| Stiel, H., see D. Leupold | 132 (1986) 137 |
| Stockdale, J.A.D., see M.J. Proctor | 137 (1987) 223 |
| Stockdale, J.A.D., Dissociation of internally excited UF_6^- ions in collision with argon atoms | 137 (1987) 399 |
| Stoicheff, B.P., see P.R. Herman | 134 (1987) 209 |
| Stolte, S., see N. Dam | 136 (1987) 73 |
| Stolte, S., see H. Jalink | 140 (1987) 215 |
| Stoylov, S.P., see G. Todorov | 133 (1987) 78 |
| Stręk, W., see J. Sztucki | 138 (1987) 410 |
| Strausz, O.P., see R.K. Gosavi | 131 (1986) 243 |
| Strausz, O.P., see V. Sandhu | 135 (1987) 260 |
| Strausz, O.P., see B. Ruzsicska | 139 (1987) 72 |
| Strich, A., see A. Dedieu | 133 (1987) 317 |
| Stricklett, K.L., S.C. Chu and P.D. Burrow, Dissociative attachment in vinyl and allyl chloride, chlorobenzene and benzyl chloride | 131 (1986) 279 |
| Striker, G., see K.A. Zachariasse | 133 (1987) 390 |
| Strössner, K., see A. Brillante | 134 (1987) 331 |
| Strzelecka, H., see M. Maitrot | 133 (1987) 59 |
| Stuchebrukhov, A.A. and I.E. Khromov, IR absorption spectroscopy of highly vibrationally excited polyatomic molecules | 134 (1987) 251 |
| Stuchebrukhov, A.A., see V.N. Bagratashvili | 137 (1987) 45 |
| Stuhl, F., see R. Geers-Müller | 135 (1987) 263 |
| Stwalley, W.C., see W.T. Luh | 131 (1986) 335 |
| Su, S.-G. and J.D. Simon, The importance of hydrogen-bonded clusters in the stabilization of the intramolecular charge-transfer state of 4,4'-diaminophenyl sulphone in alcohols and alcohol:acetonitrile mixtures | 132 (1986) 345 |
| Subtil, J.L., see P. Moutard | 132 (1986) 521 |
| Sue, J., S. Mukamel, H. Okamoto, H. Hamaguchi and M. Tasumi, Solvation dynamics and vibrational relaxation in resonance Raman and fluorescence lineshapes of tetra-des-methyl- β -carotene | 134 (1987) 87 |
| Suenram, R.D., see J. Zozom | 140 (1987) 64 |
| Sugawara, K., T. Nakanaga, H. Takeo and C. Matsumura, Reactions of CF_2 carbene with Br_2 , Cl_2 and H_2 studied by means of CO_2 laser photolysis and infrared diode laser spectroscopy | 134 (1987) 347 |
| Sugeta, H., see K. Morokuma | 134 (1987) 23 |
| Sugioka, K., see Y. Tanimoto | 136 (1987) 42 |
| Sugita, K., see P. Ma | 137 (1987) 590 |
| Sugiyarto, K.H., see H.A. Goodwin | 139 (1987) 470 |

| | |
|--|--------------------------------|
| Stockdale, J.A.D., Dissociation of internally excited UF_6^+ ions in collision with argon atoms | 137 (1987) 399 |
| Suisalu, A.P., A.L. Kamyshnyi, V.N. Zakharov, L.A. Aslanov and R.A. Avarmaa, Low-temperature phosphorescence and ODMR study of 2,2'-bipyridine and $Rh(bpy)_3^{3+}$ | 134 (1987) 617 |
| Sumitani, M., Y. Takagi and K. Yoshihara, Direct observation of radiationless transitions from the excited to ground electronic state under collision-free conditions | 140 (1987) 468 |
| Sung, C.C., K. Mo and R.H. Ritchie, Dynamical corrections to the binding energy of a solvated electron | 136 (1987) 9 |
| Sunil, K.K., see V. Balaji | 136 (1987) 309 |
| Suppan, P., see D. Pilloud | 137 (1987) 130 |
| Suppan, P., see T. Hagan | 139 (1987) 499 |
| Surjan, P.R., see J. Cioslowski | 138 (1987) 516 |
| Suryaprakash, N., see B.S. Arun Kumar | 136 (1987) 227 |
| Susla, B., see K.W. Hipps | 132 (1986) 507 |
| Suzer, S. and L. Andrews, IR spectra of complexes of Na, K and Cs with H_2O in solid argon | 140 (1987) 300 |
| Suzuki, K., see H. Ito | 139 (1987) 581 |
| Suzuki, M., N. Washida and G. Inoue, Laser-induced fluorescence of the $SiCl_2$ radical | 131 (1986) 24 |
| Suzuki, M., see Y. Mikami | 131 (1986) 70 |
| Svensson, A., see I. Novak | 135 (1987) 471 |
| Sviridov, A.P., see V.N. Bagratashvili | 137 (1987) 45 |
| Svirshevsky, S. and M. Apostol, On the rate constant of enzyme catalysis | 133 (1987) 271 |
| Swanson, B.I., see S.D. Conradson | 135 (1987) 463 |
| Swayambunathan, V. and E.C. Lim, Electronic spectra of 2-acetylanthracene | 134 (1987) 255 |
| Syassen, K., see A. Brillante | 134 (1987) 331 |
| Sylvain, M.G. and I.G. Csizmadia, Average dipole polarizabilities from the Unsöld approximation and ab initio data | 136 (1987) 575 |
| Syme, R.W.G., see D.J. Lockwood | 131 (1986) 540 |
| Symons, M.C.R., see H. Chandra | 134 (1987) 307 |
| Symons, M.C.R., see K. Ohta | 136 (1987) 465 |
| Symons, M.C.R., see T.A. Claxton | 138 (1987) 610 |
| Symons, M.C.R., see C.J. Rhodes | 139 (1987) 496; 140 (1987) 611 |
| Szatmari, S. and F.P. Schäfer, Quantum beats observed in stimulated emission in $XeCl$ | 137 (1987) 1 |
| Szczesniak, M.M. and S. Scheiner, Effect of secondary basis-set superposition error upon calculated vibrational intensities | 131 (1986) 230 |
| Szemik, A.W., see F. Heisel | 138 (1987) 321 |
| Szymtkowski, C., Absolute total cross sections for electron-water vapour scattering | 136 (1987) 363 |
| Szostak, R., J.P. Hawranek and S. Sorriso, Vibrational relaxation in liquid trimethylchlorogermane: an attempt to determine reliable vibrational correlation functions | 131 (1986) 483 |
| Sztucki, J. and W. Stręk, Ligand polarizability contributions to the electronic Raman scattering in lanthanide(III) systems | 138 (1987) 410 |
| Szymanski, M., R.P. Steer and A. Maciejewski, The phosphorescence of 4H-pyran-4-thione: large quantum yields from room-temperature fluid solutions | 135 (1987) 243 |
| Szymanski, M., see S.R. Abrams | 139 (1987) 182 |

| | |
|--|----------------|
| Tagashira, H., see H. Kojima | 140 (1987) 631 |
| Takagi, Y., see M. Sumitani | 140 (1987) 468 |
| Takahashi, A., see H. Fukutome | 133 (1987) 34 |
| Takahashi, H., K. Yoda, H. Isaka, T. Ohzeki and Y. Sakaino, Resonance Raman studies of transient species in the photochromism of 1',3',3'-trimethylspiro-[2H-1-benzopyran-2,2'-indoline] | 140 (1987) 90 |
| Takahashi, M., see H. Furukawa | 132 (1986) 498 |
| Takahashi, M., see F. Kitamura | 136 (1987) 62 |
| Takahashi, M., see C.E. Dykstra | 137 (1987) 266 |
| Takashima, M., see Y. Tanimoto | 137 (1987) 330 |
| Takemura, F., see Y. Tanimoto | 136 (1987) 42 |
| Takeo, H., see K. Sugawara | 134 (1987) 347 |
| Talanina, I.B., see V.M. Agranovich | 134 (1987) 525 |
| Tam, W., see J.C. Calabrese | 133 (1987) 244 |
| Tam, W., see A.G. Anderson | 134 (1987) 392 |
| Tamai, N., see Y. Taniguchi | 132 (1986) 516 |
| Tamai, N., see T. Imamura | 135 (1987) 208 |
| Tan, K.H., see C.E. Brion | 134 (1987) 76 |
| Tan, K.H., see J.D. Bozek | 138 (1987) 33 |
| Tanaka, F., see S. Hirayama | 140 (1987) 447 |
| Tanaka, M., see H. Hayashi | 136 (1987) 436 |
| Tanaka, Y. and T. Azumi, Analysis of the delayed fluorescence of the diplatinate(II) pyrophosphite complex in terms of annihilation of individual triplet sublevels | 132 (1986) 357 |
| Tang, J. and J.R. Norris, Spectral analysis using linear prediction <i>z</i> -transform and autoregression | 131 (1986) 252 |
| Tang, K.T., see M.S. Bowers | 136 (1987) 145 |
| Tani, T., see Y. Iino | 140 (1987) 76 |
| Taniguchi, Y., M. Mitsuya, N. Tamai, I. Yamazaki and H. Masuhara, Fluorescence spectra of vacuum-deposited films of ω -(1-pyrenyl)alkanoic acids | 132 (1986) 516 |
| Taniguchi, Y., see A. Itaya | 133 (1987) 235 |
| Tanimoto, Y., see R. Nakagaki | 134 (1987) 171 |
| Tanimoto, Y., N. Okada, M. Itoh, K. Iwai, K. Sugioka, F. Takemura, R. Nakagaki and S. Nagakura, Magnetic field effects on the fluorescence of intramolecular electron-donor-acceptor systems | 136 (1987) 42 |
| Tanimoto, Y., M. Takashima, K. Hasegawa and M. Itoh, Magnetic field effects on the intramolecular hydrogen abstraction reaction of polymethylene-linked systems | 137 (1987) 330 |
| Tanner, J.J. and M.M. Maricq, A modified Landau-Teller model for vibrational relaxation of small molecular ions | 138 (1987) 495 |
| Tanner, P.A., Energy levels of HoBr_6^{3-} | 132 (1986) 116 |
| Tannhauser, D.S. and C.G. Kuper, Chirality and the second law of thermodynamics | 137 (1987) 491 |
| Tantardini, G.F., see G. Casalone | 137 (1987) 234 |
| Taraban, M.B., see N.E. Polyakov | 136 (1987) 31 |
| Tasumi, M., see J. Sue | 134 (1987) 87 |
| Tasumi, M., see T. Urano | 137 (1987) 559 |
| Taylor, A.G., A.C. Jones, A.R. Auty and D. Phillips, Laser-induced fluorescence of jet-cooled complexes of carbazole and N-ethyl carbazole with alkyl cyanides | 131 (1986) 534 |
| Taylor, P.R., see S.R. Langhoff | 135 (1987) 543 |

- Tazuke, S., see R. Hayashi 135 (1987) 123
- Tegelaar, P.M.H.L., M. Glasbeek and A.H. Zewail, Time-resolved spin diffusion of quasi-linear excitons in disordered solid DBN 140 (1987) 1
- Tellinghuisen, J. and D.K. Chakraborty, Identification and analysis of the $D' \rightarrow A'$ transition in the emission spectrum of Cl_2 134 (1987) 565
- Terao, T., see T. Nakai 132 (1986) 554
- Terao, T., see T. Akagi 139 (1987) 331
- Terauchi, M. and T. Kobayashi, Lasing and gain properties of a giant dipole molecule: 1-(*p*-(*N,N*-dimethylamino) phenyl)-4-(*p*-nitrophenyl)-1,3-butadiene 137 (1987) 319
- Terazima, M., see A. Amirav 133 (1987) 179
- Terazima, M., Extremely fast radiationless transition from the triplet state of 9,10-diazaphenanthrene 140 (1987) 6
- Terlouw, J.K., see P.C. Burgers 132 (1986) 69
- Ter Meulen, J.J., see P. Verhoeve 132 (1986) 213
- Ter Meulen, J.J., see G. Meijer 136 (1987) 519; 139 (1987) 603
- Tero-Kubota, S., H. Oshio, T. Ito, V.L. Goedken and J. Higuchi, Time-resolved and conventional ESR studies of the excited triplet states of dibenzotetraazamacrocyclic complexes of Al(III) and Ge(IV) 131 (1986) 430
- Thakur, S.N., see A.K. Rai 138 (1987) 215
- Theiste, D., R.D. Jones and P.R. Callis, A CNDO/S study of the importance of electron repulsion parameters and charge density changes on the weakness of the $\nu_8(e_{2g})$ vibronic activity in the benzene 260 nm band 133 (1987) 14
- Theodorakopoulos, G., I.D. Petsalakis and R.J. Buenker, Theoretical investigation of the character of the electronic states of H_2O along a linear dissociation path leading to $OH+H$ 138 (1987) 71
- Thies, B.S., R.S. Grev and H.F. Schaefer III, Dimethyldisilyne: a fleetingly observed species incorporating a triple bond? 140 (1987) 355
- Thilagam, A., see J. Singh 134 (1987) 600
- Thomas, J.K., see J. Murtagh 139 (1987) 437
- Thompson, D.L., see K.L. Bintz 131 (1986) 398
- Thomson, M.A., see P.K. Dutta 131 (1986) 435
- Thöne, H.J., see M. Quack 135 (1987) 487
- Thulstrup, E.W., see J. Waluk 135 (1987) 515
- Thurnauer, M.C., see B.-E. Brauer 133 (1987) 207
- Ticktin, A., see A.J. McCaffery 132 (1986) 181, 185
- Ticktin, A., B.J. Whitaker and A.J. McCaffery, Computational test of fitting laws for rotational energy transfer 139 (1987) 571
- Tiddy, G.J.T., see M. Carvell 137 (1987) 188
- Tiemann, E., see U. Wolf 133 (1987) 116; 139 (1987) 191
- Tiller, H.-J., see F.-W. Breitbarth 135 (1987) 435
- Tocho, J.O., see G.M. Bilmes 134 (1987) 335
- Tocho, J.O., see L. Scaffardi 140 (1987) 163
- Todorov, G. and S.P. Stoylov, On the electric polarizability of purple membrane 133 (1987) 78
- Toennies, J.P., see R. Götting 137 (1987) 524
- Tokumaru, K., see H. Sakuragi 135 (1987) 325
- Tomura, H., see K. Nakashima 138 (1987) 575
- Topp, M.R., see E.A. Mangle 133 (1987) 214

- Topp, M.R., see R.J. Babbitt 135 (1987) 182
- Toriyama, K., K. Nunome and M. Iwasaki, Electron spin resonance and structure of the radical cation of 3-methylpentane 132 (1986) 456
- Torizuka, K., see M. Yamashita 137 (1987) 578
- Torres-Vega, Go., see W.A. Wassam Jr. 134 (1987) 355; 136 (1987) 26
- Toscano, M., see V. Barone 133 (1987) 548
- Tosi, C., see A. Bernardi 133 (1987) 496; 138 (1987) 283
- Tosi, P., M. Ronchetti and A. Laganà, Computational evidence for the existence of two mechanisms for the vibrational relaxation of O_2^+ by collision with Kr 136 (1987) 398
- Tossell, J.A. and P. Lazzeretti, On the "sagging pattern" of ^{29}Si NMR shieldings in the series SiH_aF_b , $a+b=4$ 132 (1986) 464
- Tossell, J.A. and P. Lazzeretti, Ab initio calculation of the ^{31}P NMR shielding tensor for the series $PO_aF_b^{-(2a+b-5)}$, $a+b=4$ and for HPO_4^{2-} 140 (1987) 37
- Toukan, K., see R. Bansil 132 (1986) 165
- Toyoshima, Y., see T. Ibuki 136 (1987) 447
- Trafton, W., see S.L. Howard 140 (1987) 385
- Tränkle, E., see M. Huber 132 (1986) 467
- Tranter, G.E., see A.J. MacDermott 135 (1987) 159
- Tranter, G.E., The enantio-preferential stabilization of D-ribose from parity violation 135 (1987) 279
- Tran-Thi, T.-H., see D. Markovitsi 137 (1987) 107
- Tran-Thi, T.-H., D. Markovitsi, R. Even and J. Simon, Laser-induced intramolecular charge transfer in a lutetium bis-phthalocyanine thin film 139 (1987) 207
- Träuble, H., see W. Hüttner 140 (1987) 421
- Treindl, L. and A. Nagy, A new halogen-free chemical oscillator: the reaction between permanganate ion and ninhydrin in a continuously stirred tank reactor 138 (1987) 327
- Trevor, D.J., see M.R. Zakin 135 (1987) 223
- Trifunac, A.D., see D.W. Werst 133 (1987) 201; 137 (1987) 475
- Trinajstić, N., see T.P. Živković 136 (1987) 141
- Trommsdorff, H.P., see G.R. Holtom 131 (1986) 44
- Tse, J.S., see J.D. Bozek 138 (1987) 33
- Tsuchiya, S., see K. Yamanouchi 132 (1986) 361
- Tsuchiya, S., see T. Urano 137 (1987) 559
- Tsuchiya, S., see N. Ochi 140 (1987) 20
- Tsuji, M., J.P. Maier, H. Obase, H. Sekiya and Y. Nishimura, The rotational distribution of $OCS^+(\tilde{A}^2\Pi_{g^0})$: $\Omega=1/2, 3/2$ produced from the charge-transfer reaction of $Ar^+(\tilde{P}_{3/2})$ with OCS at thermal energy 137 (1987) 421
- Tsuji, M., see S. Yamaguchi 138 (1987) 29
- Tsukakoshi, M., see K. Tsukiyama 137 (1987) 315
- Tsukiyama, K., T. Munakata, M. Tsukakoshi and T. Kasuya, Fluorescence lifetimes of single rotational levels of NO $B^2\Pi$ and $C^2\Pi$ 137 (1987) 315
- Tsunooka, M., see H. Hayashi 136 (1987) 436
- Tsutsui, T., A. Hatakeyama, S. Saito and M. Irie, Analysis of thermal reactions of photochromic species in glassy matrices based on the concept of dispersive processes 132 (1986) 563
- Tsvetkov, Yu.D., see A.V. Astashkin 134 (1987) 438; 136 (1987) 204, 335
- Tuchagues, J.-P., see V. Petrouleas 137 (1987) 21
- Tuckett, R.P., see R.N. Dixon 140 (1987) 553
- Tulkki, A.-P., see P.K.J. Kinnunen 136 (1987) 539

Master index to volumes 131-140

| | |
|--|----------------|
| Turek, Ph., J.-J. André, A. Giraudeau and J. Simon, Preparation and study of a lithium phthalocyanine radical: optical and magnetic properties | 134 (1987) 471 |
| Turovets, I.M., see V.N. Bagratashvili | 137 (1987) 45 |
| Turowska-Tyrk, I., see T.M. Krygowski | 138 (1987) 90 |
| Turro, N.J., see J.K.S. Wan | 131 (1986) 129 |
| Turro, N.J., see M.B. Zimmt | 134 (1987) 549 |
| Tutcher, B., see M.N.R. Ashfold | 131 (1986) 291 |
| Twarowski, A., see P. Dao | 139 (1987) 507 |
| Tyutyulkov, N. and O.E. Polansky, An extension of the Coulson-Rushbrooke theorem | 139 (1987) 281 |

- Ubachs, W., see G. Meijer 139 (1987) 603
- Udvardi, L., see I. László 136 (1987) 418
- Ukai, M., see A. Yagishita 132 (1986) 437
- Ukai, M., A. Kimura, S. Arai, P. Lablanquie, K. Ito and A. Yagishita, Photoionization cross section of the O^+_2 ($B^2\Sigma^-_g$) state in the energy region of 20.3-23.8 eV 135 (1987) 51
- Ukai, M., A. Kimura, S. Arai, P. Lablanquie, K. Ito and A. Yagishita, Photoionization cross section of the O^+_2 ($B^2\Sigma^-_g$) state in the energy region of 20.3-23.8 eV, Chem. Phys. Letters 135 (1987) 51. Erratum 139 (1987) 612
- Ulivi, L., see U. Bafle 138 (1987) 559
- Ullrich, J., A. Angerhofer, J.U. von Schütz and H.C. Wolf, Zero-field absorption ODMR of reaction centers of *Rhodobacter sphaeroides* at temperatures between 4.2 and 75 K 140 (1987) 416
- Ulrich, T., see D. Baumann 137 (1987) 113
- Umemoto, H., A. Kasakura, J. Kikuma and S. Sato, Mercury dimer emission around 235 nm 139 (1987) 311
- Urano, T., H. Hamaguchi, M. Tasumi, K. Yamanouchi and S. Tsuchiya, Isotope effect on fluorescence excitation spectra of jet-cooled S_1 trans-stilbene and its 1,2- ^{13}C -substituted analogue: vibrational mode assignments 137 (1987) 559
- Urban, M., see J. Noga 134 (1987) 126
- Urban, M., V. Kellö, I. Černušák, J. Noga and G.H.F. Dierksen, Can the coupled cluster method improve many-body perturbation theory reaction energies significantly? The $H_2CO \rightarrow H_2 + CO$ reaction 135 (1987) 346
- Urbanova, M., see P. Pančoška 139 (1987) 49
- Urland, W., R. Kremer and A. Furrer, Crystal field levels in tetraphenylarsonium pentakis(nitrato)ytterbate(III) determined by neutron spectroscopy 132 (1986) 113
- Urošević, V., see P. Savić 135 (1987) 393
- Ushida, K., see A.V. Veselov 133 (1987) 478

- Vacek, K., see P. Pančoška 139 (1987) 49
- Vach, H., J. Häger and H. Walther, Energy transfer processes during the scattering of vibrationally excited NO molecules from a graphite surface 133 (1987) 279
- Vala, M., D.N. Nath, M. Chowdhury, A. Wierzbicki and A.C. Sen, Dye laser circular dichroism and absorption of the optically active $\text{Na}_3[\text{Nd}(\text{C}_4\text{H}_4\text{O}_5)_3] \cdot 2\text{NaClO}_4 \cdot 6\text{H}_2\text{O}$ single crystal 134 (1987) 610
- Van den Bergh, H., see J.M. Philippoz 138 (1987) 579
- Van den Berg, R. and S. Völker, Optical homogeneous linewidths of resorufin in ethanol glass: an apparent contradiction between hole-burning and photon-echo results? 137 (1987) 201
- Vander Auwera, J. and M. Herman, Infrared optical double resonance signal in glyoxal ($\text{C}_2\text{H}_2\text{O}_2$) 135 (1987) 432
- Van der Auweraer, M., see P. Vandereecken 136 (1987) 441
- Vandereecken, P., J.Ph. Soumillion, M. van der Auweraer and F.C. de Schryver, The photophysics of alkali naphtholates: lifetimes of contact and solvent-separated ion pairs present simultaneously in weakly polar solvents 136 (1987) 441
- Van der Maarel, J.R.C., D. van Duijn, J. de Bleijser and J.C. Leyte, Cryptate ^{13}C and ^{23}Na nuclear magnetic relaxation as a probe of counterion dynamics in aqueous polyacrylate solutions 135 (1987) 62
- Vandersall, M.T., see J.M. Hicks 135 (1987) 413
- Van der Zande, W.J., W. Koot, J.R. Peterson and J. Los, Charge exchange of O_2^+ with Cs: spectroscopy and predissociation pathways for the Π_g Rydberg states of O_2 140 (1987) 175
- Van de Vorst, A., see A. Seret 135 (1987) 427; 138 (1987) 615
- Van Duijn, D., see J.R.C. van der Maarel 135 (1987) 62
- Van Ginkel, G., see H. van Langen 138 (1987) 99
- Van Haelst, L., see D. Pilloud 137 (1987) 130
- Van Langen, H., D. Engelen, G. van Ginkel and Y.K. Levine, Headgroup hydration in egg-lecithin multibilayers affects the behaviour of DPH probes 138 (1987) 99
- Van Langen, H., Y.K. Levine, M. Ameloot and H. Pottel, Ambiguities in the interpretation of time-resolved fluorescence anisotropy measurements on lipid vesicle systems 140 (1987) 394
- Van Lonkhuyzen, H. and J.F.M. Aarts, Optical emission of GeF_4^+ ($\tilde{\text{D}}$) produced by ion impact ionisation of GeF_4 140 (1987) 434
- Van Rijn, C.J.M., A.J. Maat, J. de Bleijser and J.C. Leyte, The influence of the counterion on the relaxation of polyacrylate deuterons 135 (1987) 57
- Van Zee, R.J., R.F. Ferrante and W. Weltner Jr., ESR of the C_2^{17}O , SiC^{17}O , and $^{29}\text{Si}_2\text{O}$ molecules 139 (1987) 426
- Varandas, A.J.C., A useful triangular plot of triatomic potential energy surfaces 138 (1987) 455
- Vega, S., see D.B. Zax 138 (1987) 105
- Venkateswaran, K., see P.W. Percival 133 (1987) 465; 137 (1987) 398; 138 (1987) 613
- Vergès, J., see G. Rahmat 135 (1987) 459
- Verhoeve, P., J.J. ter Meulen, W.L. Meerts and A. Dymanus, Observation of the lowest rotational transition of NH^+ with resolved hyperfine structure 132 (1986) 213
- Verhoeven, J.W., see B. Wegewijs 140 (1987) 587
- Verkhovtseva, E.T., E.A. Bondarenko and Yu.S. Doronin, Cluster size effects in VUV radiation spectra of argon and krypton supersonic jets 140 (1987) 181
- Veselov, A.V., V.I. Melekhov, O.A. Anisimov, Yu.N. Molin, K. Ushida and T. Shida, Temperature change of OD ESR and Freon matrix ESR of the radical cations of 9,10-octalin and cyclohexene 133 (1987) 478

| | |
|--|--------------------------------|
| Veselov, A.V., V.I. Melekhov, O.A. Anisimov and Yu.N. Molin, The induction of quantum beats by the Δg mechanism in radical ion pair recombination | 136 (1987) 263 |
| Vetter, R., see G. Rahmat | 135 (1987) 459 |
| Veyret, B., see J. de Juan | 132 (1986) 108 |
| Veyret, B., see K. McAdam | 133 (1987) 39 |
| Vibók, Á., see I. Mayer | 136 (1987) 115; 140 (1987) 558 |
| Vigné-Maeder, F., Multipole expansions for large molecules: Representation of the junction between subunits | 133 (1987) 337 |
| Vigué, J., see B. Girard | 136 (1987) 101 |
| Vij, J.K. and F. Hufnagel, A new far-infrared broadband absorption in non-rigid polar molecules | 139 (1987) 77 |
| Vilaseca, E., E. Perez and F. Mata, Evaluation of the dioxane effect on the dipole moment of malonic acid | 132 (1986) 305 |
| Vincent, M.A., see I.H. Hillier | 134 (1987) 403 |
| Vink, K.J., see S. de Boer | 137 (1987) 99 |
| Virtanen, J.A., see P.K.J. Kinnunen | 136 (1987) 539 |
| Visser, O., P.J.C. Aerts, D. Hegarty and W.C. Nieuwpoort, The use of Gaussian nuclear charge distributions for the calculation of relativistic electronic wavefunctions using basis set expansions | 134 (1987) 34 |
| Vlad, M.O. and E. Segal, Age-length distribution functions for linear chain reactions | 136 (1987) 171 |
| Vocelle, D., see S. Badilescu | 133 (1987) 63 |
| Vodegel, M., see R. Götting | 137 (1987) 524 |
| Völker, S., see R. van den Berg | 137 (1987) 201 |
| Volosov, A., see S. Larsson | 137 (1987) 501 |
| Volpi, G.G., see G. Liuti | 135 (1987) 387 |
| Von Borczyskowski, C., see J. Grimm | 131 (1986) 522 |
| Von Lampe, F., see A.-R. Grimmer | 132 (1986) 549 |
| Von Niessen, W., see D. Moncrieff | 131 (1986) 545 |
| Von Niessen, W., see I.H. Hillier | 134 (1987) 403 |
| Von Schütz, J.U., see W. Mühle | 131 (1986) 175 |
| Von Schütz, J.U., see J. Ullrich | 140 (1987) 416 |
| Von Zelewsky, A., see J.N. Gex | 132 (1986) 276 |
| Vostrikov, A.A., D.Yu. Dubov and M.R. Predtechenskiy, Ionization of water clusters by surface collision | 139 (1987) 124 |
| Vrbancich, J., see J. Ferguson | 131 (1986) 463 |
| Vree, J.I., see M. Buijs | 137 (1987) 381 |

- Wachtel, H., H. Port and H.C. Wolf, Triplet optical line profiles of orientationally disordered single crystals: 2,3-dimethylnaphthalene and 2,3-dimethylantracene 135 (1987) 506
- Wagner, B.D., D.R. James and W.R. Ware, Fluorescence lifetime distributions in homotryptophan derivatives 138 (1987) 181
- Wahnström, G. and H. Metiu, A time-dependent method for computing thermal rate constants 134 (1987) 531
- Waite, J., see M.G. Papadopoulos 135 (1987) 361
- Walker, R.B., see G.A. Parker 137 (1987) 564
- Walker, T.G., see W. Happer 135 (1987) 451
- Wallace, S.C., see D.R. Demmer 136 (1987) 329
- Wallington, T.J., M.D. Scheer and W. Braun, V→R, T energy transfer processes in vibrationally excited pentafluorobenzene using a Hg tracer absorption method 138 (1987) 538
- Wallington, T.J., see M.J. Kurylo 138 (1987) 543; 139 (1987) 513
- Wallington, T.J., see W. Braun 140 (1987) 441
- Walmsley, S.H., see J.A. Gisby 135 (1987) 275
- Walsh, C.A., M. Berg, L.R. Narasimhan, K.A. Littau and M.D. Fayer, Ultrafast optical dephasing in a low-temperature organic glass 134 (1987) 268
- Walsh, C.A., see M. Berg 139 (1987) 66
- Walsh, C.A., M. Berg, L.R. Narasimhan and M.D. Fayer, Comment on "Optical homogeneous linewidths of resorufin in ethanol glass: an apparent contradiction between hole-burning and photon-echo results?" 139 (1987) 485
- Walsh, R., see J.E. Baggott 132 (1986) 225; 135 (1987) 39
- Walther, H., see H. Vach 133 (1987) 279
- Waluk, J. and S.J. Komorowski, Modification of photophysical behaviour by hydrogen bonding: indoloquinoline and its methylated derivatives 133 (1987) 368
- Waluk, J. and E.W. Thulstrup, A complete determination of transition moment directions from fluorescence spectroscopy and IR and UV linear dichroism: 1,2-benzanthracene 135 (1987) 515
- Wan, J.K.S., J. Dobkowski and N.J. Turro, Time-resolved ESR studies of triplet energy transfer and triplet properties of some model bromo-substituted naphthalene compounds at 77 K 131 (1986) 129
- Wang, H., $\text{HF}(\text{B}^1\Sigma \rightarrow \text{X}^1\Sigma)$ UV chemiluminescence from the $\text{H}^+/\text{H}_2^+ + \text{F}^-$ ion-ion reactions 136 (1987) 487
- Wang, J.-H., see W.H. Breckenridge 137 (1987) 195; 139 (1987) 28
- Wang, S., see R. Chen (Y.T. Chen) 137 (1987) 471
- Wang, X.-C., see M.R. Hoffmann 136 (1987) 392
- Wantuck, P.J., R.C. Oldenborg, S.L. Baughcum and K.R. Winn, $\text{CH}_3\text{O} + \text{CO}$ removal rate constant measurements over the 473-973 K temperature range 138 (1987) 548
- Ware, W.R., see B.D. Wagner 138 (1987) 181
- Ware, W.R., see A. Siemiarzuk 140 (1987) 277
- Warman, J.M., see O.A. Anisimov 137 (1987) 365
- Warner, J.W., Comparison of models for the absorption coefficient of liquids 134 (1987) 428
- Warren, W.S., see M. McCoy 133 (1987) 165
- Warren, W.S., see F. Spano 135 (1987) 97
- Wasada, H. and K. Hirao, SAC CI calculations of the electron affinity of HCO 139 (1987) 155
- Washida, N., see M. Suzuki 131 (1986) 24
- Washida, N., see T. Ibuki 136 (1987) 447
- Washington, C., see J.P. Simons 138 (1987) 220

- Wasielewski, M.R., see M. Huber 132 (1986) 467
- Wassam Jr., W.A. and Go. Torres-Vega, Dual Lanczos transformation theory: closed set of algebraic equations connecting Lanczos parameters with moments in moment expansions of time-dependent quantities 134 (1987) 355
- Wassam Jr., W.A., Go. Torres-Vega and J. Nieto-Frausto, Dual Lanczos transformation theory: exact continued fraction expression for resonant γ -ray absorption spectrum of a harmonically bound atom executing classical motion described by Smoluchowski dynamics 136 (1987) 26
- Wasylishen, R.E., see M.L.H. Gruwel 139 (1987) 321
- Waszczak, J.V., see M. Eibschutz 135 (1987) 592
- Watkinson, T.M., see F.G. Godwin 135 (1987) 163
- Watkinson, T.M., see D. Raybone 135 (1987) 170; 139 (1987) 442
- Watson, C.H., see S.W. McElvany 134 (1987) 214
- Watson, J.K.G., see M.B. Bell 136 (1987) 588
- Wayner, D.D.M., J.J. Dannenberg and D. Griller, Oxidation potentials of α -aminoalkyl radicals: bond dissociation energies for related radical cations 131 (1986) 189
- Weaver, A., see G.S. Bates 134 (1987) 161
- Webber, S.E., see K. Kamioka 133 (1987) 353
- Weeks, D.E., see W.G. Harter 132 (1986) 387
- Wegewijs, B., R.M. Hermant, J.W. Verhoeven, A.G.M. Kunst and R.P.H. Rettschnick, Determination of the barrier to intramolecular exciplex formation in a jet-cooled, bichromophoric molecule 140 (1987) 587
- Weide, D., P. Andresen and H.-J. Freund, UV laser stimulated resonant desorption from metal surfaces: NO/Ni(100) 136 (1987) 106
- Weijnitz, P., see L.-E. Berg 132 (1986) 261
- Weiner, A.M., see L.R. Williams 139 (1987) 244
- Weir, I.J.M., see R.T. Bailey 134 (1987) 311
- Weiske, T., see P.C. Burgers 132 (1986) 69
- Weissman, S.I., see M. Komarynsky 131 (1986) 438
- Weller, H., see A. Henglein 132 (1986) 133
- Weller, H., see A. Fojtik 134 (1987) 477; 138 (1987) 535
- Weltner Jr., W., see R.J. van Zee 139 (1987) 426
- Wentrup, C., P. Lorenčák, A. Maquestiau and R. Flammang, $C_2H_2N_2$ isomers in the gas phase: characterization of $CH_2=N-CN$ and $HN=CH-CN$ by collisional activation mass spectrometry 137 (1987) 241
- Wentrup, C., P. Lorenčák, A. Maquestiau and R. Flammang, $C_2H_2N_2$ isomers in the gas phase: characterization of $CH_2=N-CN$ and $HN=CH-CN$ by collisional activation mass spectrometry, Chem. Phys. Letters 137 (1987) 241. Erratum 139 (1987) 613
- Werbelow, L., see J. Courtieu 140 (1987) 565
- Werner, H.-J., see B. Follmeg 136 (1987) 562
- Werner, H.-J., see J. Senekowitsch 140 (1987) 375
- Werst, D.W., M.F. Desrosiers and A.D. Trifunac, Olefin radical cations in pulse radiolysis of hydrocarbons. Time-resolved fluorescence-detected magnetic resonance 133 (1987) 201
- Werst, D.W. and A.D. Trifunac, Radical formation in the pulse radiolysis of liquid cyclohexane. Time-resolved EPR-scavenging study 137 (1987) 475
- Westerman, P.W., see J.M. Pope 139 (1987) 589
- Western, C.M., see M.N.R. Ashfold 138 (1987) 201

| | |
|--|--------------------------------|
| Wheeler, R.G., K. LaiHing, W.L. Wilson and M.A. Duncan, Semi-metal clusters: laser vaporization and photoionization of antimony and bismuth | 131 (1986) 6 |
| Whetten, R.L., see M.R. Zakin | 135 (1987) 223 |
| Whitaker, B.J., see A. Ticktin | 139 (1987) 571 |
| White, J.M., see P.L. Radloff | 132 (1986) 88 |
| White, J.M., see G.E. Mitchell | 135 (1987) 84 |
| White, J.W., see I.P. Jackson | 134 (1987) 397 |
| White, K.M., see M.E. Morrow | 140 (1987) 263 |
| Whitefield, Ph.D. and F.E. Hovis, Rate constants for the reactions of N(² D) atoms with O ₂ , H ₂ and HF | 135 (1987) 454 |
| Whitefield, Ph.D., see F.E. Hovis | 138 (1987) 162 |
| Whitehead, J.C., see F.G. Godwin | 135 (1987) 163 |
| Whitehead, J.C., see D. Raybone | 135 (1987) 170; 139 (1987) 442 |
| Whitmore, P.M., see F.G. Celii | 138 (1987) 257 |
| Wicz, W., see J.R. Lakowicz | 138 (1987) 587 |
| Widmark, P.-O., see J. Olsen | 133 (1987) 91 |
| Wiedeman, L., M.E. Fajardo and V.A. Apkarian, Cooperative photoproduction of Xe ₃ ⁺ Cl ⁻ in liquid Cl ₂ /Xe solutions: stimulated emission and gain measurements | 134 (1987) 55 |
| Wieder, F., see J.P. Fouassier | 135 (1987) 30 |
| Wieland, H.U., see W. Hüttner | 140 (1987) 421 |
| Wiersma, D.A., see S. de Boer | 137 (1987) 99 |
| Wierzbicki, A., see M. Vala | 134 (1987) 610 |
| Wight, C.A., see S. Georgiou | 132 (1986) 511 |
| Wijekoon, W.M.K.P., see W.M. Hetherington III | 134 (1987) 203 |
| Wilbrandt, R. and F.W. Langkilde, The resonance Raman spectrum of tetramethylbutadiene in its lowest excited triplet state | 133 (1987) 385 |
| Wild, U.P., see R. Locher | 138 (1987) 405 |
| Wilder, J.A., T. Georgian and G.L. Findley, Systematic corrections to the Born-Oppenheimer approximation | 137 (1987) 345 |
| Wille, L.T., Minimum-energy configurations of atomic clusters: new results obtained by simulated annealing | 133 (1987) 405 |
| Williams, C.P., S. Gupta and E. McLaughlin, Computer simulation using a non-spherical reference potential for polar fluids | 140 (1987) 250 |
| Williams, H.T., S.V. Gwynne and C.J.S.M. Simpson, Non- and near-resonant (VV) energy transfer between the isotopes of N ₂ and of CO in liquid Ar and in the gas phase at 85 K | 138 (1987) 95 |
| Williams, I.D., see A.G. Anderson | 134 (1987) 392 |
| Williams, I.H., see J.S. Francisco | 140 (1987) 531 |
| Williams, L.R., E.B. Gamble Jr., K.A. Nelson, S. de Silvestri, A.M. Weiner and E.P. Ippen, Femtosecond time-resolved measurements of electronic excited-state relaxation in pyrene excimer-forming crystals | 139 (1987) 244 |
| Williams, L.R., see B.I. Greene | 139 (1987) 381 |
| Williamson, B.E., see D. Smith | 131 (1986) 457 |
| Williamson, B.E., M.E. Boyle, P.N. Schatz, J.P. Marks and P.A. Snyder, Vacuum ultraviolet MCD and absorption spectra of zinc phthalocyanine isolated in an Ar matrix using synchrotron radiation | 140 (1987) 483 |
| Wilson, W.L., see R.G. Wheeler | 131 (1986) 6 |

- Wimperis, S. and G. Bodenhausen, Broadband excitation of quadrupolar order by modified Jeener-Broekaert sequences 132 (1986) 194
- Wimperis, S., see G. Jaccard 138 (1987) 601
- Wimperis, S. and G. Bodenhausen, Relaxation-allowed transfer of coherence in NMR between spins which are not scalar coupled 140 (1987) 41
- Winkoun, D., D. Solgadi and J.P. Flament, An SCF CI study of the electronic states of the sulfur dioxide dication (SO_2^{2+}) 139 (1987) 546
- Winn, K.R., see P.J. Wantuck 138 (1987) 548
- Winscom, C.J., see M. Baumgarten 133 (1987) 102
- Winter, M., A. Grupp, M. Mehring and H. Sixl, Transient ESR observation of triplet-soliton pairs in a conjugated polymer single crystal 133 (1987) 482
- Winter, N.W. and D.L. Huestis, Theoretical description of the low-lying excited states of CuCl 133 (1987) 311
- Wisløff-Nilssen, E., see I. Røeggen 132 (1986) 154
- Wittig, C., see B. Koplitz 137 (1987) 505
- Wittig, C., see C.X.W. Qian 139 (1987) 175
- Wojtczak, J., see A. Jaworska-Augustyniak 137 (1987) 134
- Wolf, H.C., see W. Mühle 131 (1986) 175
- Wolf, H.C., see H. Wachtel 135 (1987) 506
- Wolf, H.C., see J. Ullrich 140 (1987) 416
- Wolf, R.J., D.S. Bhatia and W.L. Hase, Effect of bond stretch excitation on the attenuation of bending forces 132 (1986) 493
- Wolf, R.J., see C.-Y. Kuan 133 (1987) 415
- Wolf, R.J., see H.R. Mayne 140 (1987) 520
- Wolf, U. and E. Tiemann, Predissociation of TIF by tunneling 133 (1987) 116
- Wolf, U. and E. Tiemann, The potential curve for the $\text{C}^1\Pi$ state of InCl 139 (1987) 191
- Wolfrum, J., see U. Gerlach-Meyer 133 (1987) 113
- Wolinski, K., H.L. Sellers and P. Pulay, Consistent generalization of the Møller-Plesset partitioning to open-shell and multiconfigurational SCF reference states in many-body perturbation theory 140 (1987) 225
- Wong, M.W., see R.H. Nobes 136 (1987) 299
- Wöste, L., see C. Bréchnac 133 (1987) 45
- Wright, J.C., see M.T. Riebe 138 (1987) 565
- Wright, J.C., see R.J. Carlson 140 (1987) 101
- Wright, J.J., see K.K. Lin 133 (1987) 246; 138 (1987) 168
- Wright, J.S. and J. Polowin, Energy-conserving trajectories in bond-angle-bond-distance coordinate systems 131 (1986) 256
- Wright, S.C., see D.L. Cooper 138 (1987) 296
- Wu, C.H., The stability of the molecules Li_4O and Li_5O 139 (1987) 357
- Wu, K.T., Model calculations for the predissociative excitation of CS_2 140 (1987) 31
- Wu, Z.C., D.A. Jelski and T.F. George, Vibrational motions of Buckminsterfullerene 137 (1987) 291
- Wyatt, R.E., see N. Moiseyev 132 (1986) 396
- Wyatt, R.E., see D.L. Miller 133 (1987) 126

Master index to volumes 131-140

- Xu, J., D.W. Setser and J.K. Ku, Xenon oxide and xenon sulfide emission systems at 234 and 227 nm 132 (1986) 427
- Xu, J., A.R. Slagle, D.W. Setser and J.C. Ferrero, Control of product channels by addition of vibrational or electronic energy to the reactions of Xe(6s) atoms with CF₃Cl, CF₂Cl₂ and CF₂HCl molecules 137 (1987) 63
- Xu, Q.-X., see S.R. Gandhi 132 (1986) 6
- Xu, Z., see B. Koplitz 137 (1987) 505

- Yabushita, S., see K. Yamashita 137 (1987) 193
- Yagishita, A., S. Arai, C.E. Brion, T. Hayaishi, J. Murakami, Y. Sato and M. Ukai, Auger decay of core-excited state of SiH₄ molecules 132 (1986) 437
- Yagishita, A., see M. Ukai 135 (1987) 51; 139 (1987) 612
- Yamabe, S., Y. Furumiya, K. Hiraoka and K. Morise, Theoretical van 't Hoff plots of gas-phase ion equilibria of chloride ion in water, methanol and acetonitrile 131 (1986) 261
- Yamada, H., see K. Yamanouchi 132 (1986) 361
- Yamaguchi, S., M. Tsuji and Y. Nishimura, Observation of the BBr⁺ emission spectrum: vibrational analysis of the A²Π_{1/2}-X²Σ⁺ system 138 (1987) 29
- Yamamoto, S., see H. Kanata 140 (1987) 221
- Yamanouchi, K., H. Yamada and S. Tsuchiya, Rotationally resolved stimulated emission pumping spectra of glyoxal cooled in supersonic free jet 132 (1986) 361
- Yamanouchi, K., see T. Urano 137 (1987) 559
- Yamashita, K. and K. Morokuma, A molecular orbital study of protonated N₂O 131 (1986) 237
- Yamashita, K., S. Yabushita, K. Morokuma and I. Kusunoki, Reply to Comment by Farnell and Ogilvie on "Ab initio calculations of doublet states of NH⁺" 137 (1987) 193
- Yamashita, K. and K. Morokuma, Ab initio calculations of the dipole moments in low-lying electronic states of the CCN radical 140 (1987) 345
- Yamashita, K., see I. Røeggen 140 (1987) 349
- Yamashita, M., S. Kobayashi, K. Torizuka and T. Sato, Observation of the diffusion-free intermolecular excimer of 9-methyl adenine in aqueous solution by picosecond time-resolved spectroscopy 137 (1987) 578
- Yamazaki, I., see Y. Taniguchi 132 (1986) 516
- Yamazaki, I., see T. Imamura 135 (1987) 208
- Yamazaki, T., see H. Hiratsuka 139 (1987) 187
- Yan, Y.J., see J. Grad 134 (1987) 291
- Yan, Y.J., see R.F. Loring 135 (1987) 23
- Yanagi, H., see H. Hayashi 136 (1987) 436
- Yang, S.H., see O. Cheshnovsky 138 (1987) 119
- Yang, S.H., C.L. Pettiette, J. Conceicao, O. Cheshnovsky and R.E. Smalley, UPS of Buckminsterfullerene and other large clusters of carbon 139 (1987) 233
- Yang, Y., M. Schuster, B. Blümich and H.W. Spiess, Dynamic magic-angle spinning NMR spectroscopy: exchange-induced sidebands 139 (1987) 239
- Yellin, N., see D.B. Zax 138 (1987) 105
- Yencha, A.J., see R.J. Donovan 138 (1987) 571
- Yersin, H., E. Gallhuber and G. Hensler, Highly resolved polarized absorption spectra of single-crystal [(Ru(bpy)₃](PF₆)₂ 134 (1987) 497
- Yersin, H., E. Gallhuber and G. Hensler, Zero-phonon and vibronic structure of [Os(bpy)₃]²⁺ doped into single-crystal [Ru(bpy)₃](ClO₄)₂ 140 (1987) 157
- Yilmazer, E., see C. Sirlin 139 (1987) 362
- Yin, D., see R. Chen (Y.T. Chen) 137 (1987) 471
- Yoda, K., see H. Takahashi 140 (1987) 90
- Yokoyama, H., see S. Kobayashi 138 (1987) 333
- Yoshihara, K., see N. Ikeda 140 (1987) 281
- Yoshihara, K., see M. Sumitani 140 (1987) 468
- Yoshitani, M., see T. Shibuya 137 (1987) 13
- Yurtsever, E., The least-squares stabilization method for resonance eigenvalues 137 (1987) 569
- Yvernault, T., see J.-C. Bollinger 140 (1987) 579

- Zabel, F., K.A. Sahetchian and C. Chachaty, ESR spectra of free radicals formed during the gas-phase photo-oxidation of formaldehyde: thermal stability of the HOCH₂OO radical 134 (1987) 433
- Zacharias, H., see W. Heuer 135 (1987) 299
- Zachariasse, K.A., G. Duveneck, W. Kühnle, P. Reynders and G. Striker, The kinetic parameters for intramolecular excimer formation from the meso and racemic diastereoisomers of 2,4-di(2-pyrenyl)pentane: evidence for rapid conformer interconversion 133 (1987) 390
- Zagrebin, A.L., see A.Z. Devdariani 131 (1986) 197
- Zahradník, R., see P. Hobza 134 (1987) 418
- Zahradník, R., see J. Sauer 134 (1987) 553
- Zahurak, S., see M. Eibschutz 135 (1987) 592
- Zakharov, V.N., see A.P. Suisalu 134 (1987) 617
- Zakin, M.R., D.M. Cox, R.L. Whetten, D.J. Trevor and A. Kaldor, Effect of hydrogen chemisorption on the photoionization threshold of isolated transition metal clusters 135 (1987) 223
- Zamir, D., see D.B. Zax 138 (1987) 105
- Zanasi, R., see W.T. Raynes 132 (1986) 173
- Zanasi, R., see P. Lazzeretti 135 (1987) 571
- Zander, M., On the influence of silver perchlorate on the lowest triplet state properties of N-vinylcarbazole 133 (1987) 445
- Zare, R.N. and R.D. Levine, Mechanism for-bond selective processes in laser desorption 136 (1987) 593
- Zarura, E., see O. Anner 137 (1987) 121
- Zax, D.B., S. Vega, N. Yellin and D. Zamir, Study of structural ordering in Hg_{1-x}Te by ¹²⁵Te NMR 138 (1987) 105
- Zellner, R., see D. Rhäsa 132 (1986) 474
- Zerbetto, F., see G. Orlandi 131 (1986) 409
- Zerbetto, F., M.Z. Zgierski and G. Orlandi, Normal modes and ground state geometry of porphine. Evidence for dynamic instability of the D_{2h} configuration 139 (1987) 401
- Zerner, M.C., see J.D. Head 131 (1986) 359
- Zerner, M.C., see W.A. Parkinson 139 (1987) 563
- Zewail, A.H., see P.M.H.L. Tegelaar 140 (1987) 1
- Zgierski, M.Z., Vibronic coupling, mode mixing and non-Condon effects in Raman excitation profiles of totally symmetric modes 136 (1987) 252
- Zgierski, M.Z., see F. Zerbetto 139 (1987) 401
- Zhang, C., see X. Chen 136 (1987) 546
- Zhang, J.Z.H. and W.H. Miller, New method for quantum reactive scattering, with applications to the 3-D H+H₂ reaction 140 (1987) 329
- Zhang, T., see R. Chen (Y.T. Chen) 137 (1987) 471
- Zhanpeisov, N.U., see O.V. Gritsenko 134 (1987) 423
- Zhao, H., see X. Chen 136 (1987) 546
- Zhidomirov, G.M., see O.V. Gritsenko 134 (1987) 423
- Zhou, S., see Y. Qiu 136 (1987) 93, 187
- Ziegler, L.D. and J.L. Roebber, Resonance hyper-Raman scattering spectra of ammonia 136 (1987) 377
- Ziesel, J.P., Y. Malinovich, N. Ohmichi and C. Lifshitz, Time-dependent mass spectra and breakdown graphs: the decarbonylation of tropone 136 (1987) 81
- Zimba, C.G., T.B. Freedman, K.M. Spencer, X.-M. Hu and L.A. Nafie, A Soleil-Babinet compensator based Raman optical activity spectrometer: interpretation of ROA couplets in (+)-(3R)-methylcyclohexanone 134 (1987) 233

Master index to volumes 131-140

| | |
|--|----------------|
| Zimmerer, G., see T. Möller | 136 (1987) 551 |
| Zimmermann, H., see M. Gochin | 137 (1987) 51 |
| Zimmt, M.B., C. Doubleday Jr. and N.J. Turro, Substituent and solvent effects on the lifetimes of hydrocarbon-based biradicals | 134 (1987) 549 |
| Zinth, W., see R. Leonhardt | 133 (1987) 373 |
| Živković, T.P. and N. Trinajstić, On the number of Kekulé structures of unbranched cata-condensed benzenoid chains | 136 (1987) 141 |
| Zoppi, M., see U. Bafile | 138 (1987) 559 |
| Zozom, J., C.W. Gillies, R.D. Suenram and F.J. Lovas, Microwave detection of the primary ozonide of ethylene in the gas phase | 140 (1987) 64 |
| Zuckermann, H., see G.D. Greenblatt | 134 (1987) 593 |
| Zuckermann, M.J., see O.G. Mouritsen | 135 (1987) 294 |
| Zundel, G., see B. Brzezinski | 135 (1987) 93 |
| Zwanenburg, G., C.P. Keijzers, E. de Boer and J.C. Krupa, Simulation of EPR spectra of $\text{ThBr}_4\text{:Pa}^{4+}$ in the incommensurable phase | 140 (1987) 11 |

Fractals in Physics

Proceedings of the Sixth Trieste International Symposium on Fractals in Physics, ICTP, Trieste, Italy, July 9-12, 1985

edited by
LUCIANO PIETRONERO
and
ERIO TOSATTI

1986 xii + 476 pages Price: US \$55.50/Dfl. 150.00
ISBN 0-444-86995-6

This volume contains the proceedings of the International Trieste Symposium on 'Fractals in Physics', held in July 1985.

The concepts of self-similarity and scale invariance have arisen independently in several areas. One is the study of the critical properties of phase transitions; another is fractal geometry, which involves the concept of (non-integer) fractal dimension. These two areas have now come together, and their methods have extended to various fields of physics. The purpose of this Symposium was to provide an overview of the physical phenomena that manifest scale invariance and fractal properties with the aim of bringing out the common mathematical features. The emphasis was on theoretical and experimental work related to well defined physical phenomena.

The majority of the contributions presented are concerned with the study of the physics underlying irreversible phenomena that generate fractal structures. This area, called 'Kinetic Critical Phenomena' represents one of the most challenging fields in today's theoretical physics.

The resulting proceedings present a complete and up-to-date coverage of this area which has undergone rapid growth in the last few years.

FRACTALS IN PHYSICS

Edited by
L. PIETRONERO
and
E. TOSATTI



North-Holland

CONTENTS (summary of):
Preface. Parts: I. General Properties of Fractals. II. Analysis of Fractal Properties of Materials. III. Polymer Statistics and Self-Avoiding-Walks. IV. Branched Polymers, Gelation and Percolation. V. (A) Irreversible Growth Models: Laplacian Fractals, Dielectric Breakdown, Fracture Propagation and Viscous Fingers in Liquids. Part V. (B) Irreversible Growth Models: Diffusion-Limited Aggregation, Dendritic Growth, Eden Model and Cluster-Cluster Aggregation. Part VI. Kinetics of Clustering. VII. Dynamical Properties of Fractal Structures. VIII. Hierarchical and Fractal Features of Disordered Systems. IX. Chaos, Turbulence and Related Topics. Author Index.

north-holland

IN THE U.S.A. AND CANADA:
ELSEVIER SCIENCE
PUBLISHING CO., INC.
P.O. BOX 1663
GRAND CENTRAL STATION
NEW YORK, NY 10163, USA

IN ALL OTHER COUNTRIES:
ELSEVIER SCIENCE
PUBLISHERS
BOOK ORDER DEPT.
P.O. BOX 211
1000 AE AMSTERDAM
THE NETHERLANDS

US \$ prices are valid only in the USA and Canada. In all other countries the Dutch Guilder price is definitive.
Customers in the Netherlands, please add 5% B.T.W. In New York State applicable sales tax should be added.
All prices are subject to change without prior notice.

p214NH

FERROMAGNETIC MATERIALS

A Handbook on the Properties of Magnetically Ordered Substances

edited by **E.P. WOHLFARTH**

This Handbook will be the most comprehensive work to date on the subject of ferromagnetic materials. As a work of reference, it aims to encompass the achievements both of earlier compilations of tables and of earlier monographs.

The articles are written by leading authorities active in research and development. Each article concentrates on a description of material properties in graphical and tabular form, discussed in a broad background of the physics, chemistry, metallurgy, structure, and, to a lesser extent, engineering aspects of these properties.

This impressive work is intended to replace the classical and monumental work on Ferro-magnetism by *Bozorth*, published some 30 years ago. As such, it will be of great value to industrial researchers and technologists. University departments of pure and applied physics, chemistry, metallurgy, and electrical engineering will also welcome the publication of this Handbook.

A COMMENT FROM THE PRESS:

"...these volumes will be the most comprehensive work to date on the subject of ferromagnetism... wherever the experimentalists are playing, they will find these volumes a must..."

Physics Today

Volume 1

1980 x + 634 pages

Price: US \$129.00/Dfl. 290.00 ISBN 0-444-85311-1

CONTENTS: Chapters: 1. Iron, Cobalt and Nickel (*E.P. Wohlfarth*). 2. Dilute Transition Metal Alloys: Spin Glasses (*J.A. Mydosh and G.J. Nieuwenhuys*). 3. Rare Earth Metals and Alloys (*S. Legvold*). 4. Rare Earth Compounds (*K.H.J. Buschow*). 5. Actinide Elements and Compounds (*W. Trzebiatowski*). 6. Amorphous Ferromagnets (*F.E. Luborsky*). 7. Magnetostrictive Rare Earth -Fe₂Compounds (*A.E. Clark*). Author Index. Subject Index. Materials Index.

Volume 2

1980 x + 592 pages

Price: US \$135.50/Dfl. 305.00 ISBN 0-444-85312-x

CONTENTS: Chapters: 1. Ferromagnetic Insulators: Garnets (*M.A. Gilleo*). 2. Soft Magnetic Metallic Materials (*G.Y. Chin and J.H. Wernick*). 3. Ferrites for Non Microwave Applications (*P.I. Slick*). 4. Microwave Ferrites (*J. Nicolas*). 5. Crystalline Films for Bubbles (*A.H. Eschenfelder*). 6. Amorphous Films for Bubbles (*A.H. Eschenfelder*). 7. Recording Materials (*G. Bate*). 8. Ferromagnetic Liquids (*S.W. Charles and J. Popplewell*). Author Index. Subject Index. Materials Index.

Volume 3

1982 x + 836 pages

Price: US \$180.00/Dfl. 405.00 ISBN 0-444-86378-8

CONTENTS: Preface. 1. Magnetism and Magnetic Materials: Historical Developments and Present Role in Industry and Technology (*U. Enz*). 2. Permanent Magnets; Theory (*H. Zijlstra*). 3. The Structure and Properties of Alnico Permanent Magnet Alloys (*R.A. McCurrie*). 4. Oxide Spinels (*S. Krupička and P. Novák*). 5. Fundamental Properties of Hexagonal Ferrites (*H. Kojima*). 6. Properties of Ferroplana-Type Hexagonal Ferrites (*M. Sugimoto*). 7. Hard Ferrites and Plastroferrites (*H. Stäblein*). 8. Sulphospinels (*R.P. van Staple*). 9. Transport Properties of Ferromagnets (*I.A. Campbell and A. Fert*). Author Index. Subject Index. Materials Index.

Volume 4

In preparation

Volume 5

In preparation

From Volume 4 onwards

the editors will be **E.P. Wohlfarth** and **K.H.J. Buschow**.

15% discount

Customers ordering the complete set are entitled to receive a 15% discount.

Set ISBN 0-444-85313-8

NORTH-HOLLAND PHYSICS PUBLISHING


P.O. BOX 103, 1000 AC, AMSTERDAM, THE NETHERLANDS

In the U.S.A. and Canada: Elsevier Science Publishing Co. Inc, 52 Vanderbilt Ave. New York, NY 10017


US \$ prices are valid only in the USA and Canada. In all other countries the Dutch Guilder price is definitive. Customers in the Netherlands, please add 6% B.T.W. In New York State applicable sales tax should be added. All prices are subject to change without prior notice.

P251NH

NH PL



NORTH-HOLLAND
PERSONAL LIBRARY



**A comment from the press
on the unabridged edition:**

"The quality of the articles is uniformly high. . . . The editors have brought together so many aspects of exciton physics that all those with an interest in the subject are bound to find not only useful reviews of their own speciality, but interesting insights into related fields. This volume augurs well for the rest of the series. . . ."

(Nature)

A series of reasonably priced monographs and contributed volumes intended for the individual physicist and materials scientist.

EXCITONS

Selected Chapters

from the book "Excitons", volume 2 in the series
Modern Problems in Condensed Matter Sciences

edited by E.I. Rashba and M.D. Sturge

1987 x+ 486 pages (paperback)

Price: US \$ 36.00/Dfl.95.00 ISBN 0-444-87052-0

This paperback edition of a volume originally published in 1982 contains a selection of chapters which offer a thorough introduction to the field of excitons. The chapters were selected by the Editors with the needs of graduate students and experienced research scientists wishing to enter this field in mind. The resulting text should be equally suitable for individual study and for organized courses and study groups. An extended bibliography and indices including references to chapters printed only in the hard-bound edition make the selection a useful reference book. The book emphasises the underlying unity of the subject, trespassing the artificial educational and semantic barriers which often separate chemists from physicists.

The book consists of separate, self-contained chapters written

by prominent experts in the USSR, USA and Japan covering the fundamentals of exciton theory and the salient experimental results. It presents an authoritative and thorough treatment of the subject by leading researchers in their particular fields and includes recent advances.

Contents: Preface. **Chapters:** 1. Introduction (*M.D. Sturge*). 2. Electrodynamical and non-local optical effects mediated by exciton polaritons (*J.L. Birman*). 3. Investigation of exciton-polariton dispersion using laser techniques (*E. Koteles*). 4. Spatial dispersion effects in the exciton resonance region (*E.L. Ivchenko*). 5. Exciton electro-optics (*A.G. Aronov and A.I. Ioselevich*). 6. Free many particle electron-hole complexes in an indirect gap semiconductor (*V.B. Timofeev*). 7. Self-trapping of excitons (*E.I. Rashba*). 8. Excitons in magnetic insulators (*Y. Tanabe and K. Aoyagi*). 9. Vibrational Frenkel excitons (*M.V. Belousov*). Bibliography. Author index. Subject index.

North-Holland Physics Publishing

A division of Elsevier Science Publishers B.V.
P.O. Box 103, 1000 AC Amsterdam, The Netherlands

In the U.S.A. and Canada:

Elsevier Science Publishing Co. Inc.
52 Vanderbilt Ave., New York, N.Y. 10017

US\$ prices are valid in the USA and Canada only. In all other countries the Dutch Guilder price is definitive. Customers in the Netherlands please add 6% B.T.W. All prices are subject to change without prior notice.

P269NH

ENRICO FERMI INTERNATIONAL SUMMER SCHOOL OF PHYSICS, Volume 97

Molecular-Dynamics Simulation of Statistical-Mechanical Systems

edited by G. Ciccotti and W.G. Hoover

1987 IXV + 610 pages Price: US \$ 155.50/Dfl.350.00 ISBN 0-444-87033-4
Subscription Price: US \$ 132.50/Dfl.297.50

With realistic simulations replacing cruder approximations, it has become possible to treat a much broader range of physical problems. Today the methods described in 1957 have led to detailed understanding not only of melting, but also a host of polymorphic, rotational and electronic phase transformations. The papers presented at this Enrico Fermi school by prominent physicists survey these developments. The contents can be divided into five part as follows:-

- history and fundamentals;
- equilibrium MD;
- free energy computations and new equilibrium MD;
- nonequilibrium MD, kinetic theory and rigorous results;
- molecular systems.

Contents: Foreword (G. Ciccotti and W.G. Hoover). **Part I - History and Fundamentals.** Early history of computer simulations in statistical mechanics (W.W. Wood). Ordered and chaotic motions in dynamical systems with many degrees of freedom (G. Benettin). **Part II - Equilibrium MD.** Practical algorithms for dynamic simulations (H.J.C. Berendsen and W.F. van Gunsteren). Molecular-dynamics simulations (B.J. Alder). Reaction rate calculations via transmission coefficients (M.D. Feit and B.J. Alder). Molecular-dynamics simulation of Coulomb systems in two and three dimensions (J.-P. Hansen). Computer simulations of two- and quasi-two-dimensional atomic systems (F.F. Abraham). **Part III - Free Energy Computations and New Equilibrium MD.** Free-energy computation and first-order phase transitions (D. Frenkel). Defect calculations beyond the harmonic model (G. Jacucci).

Molecular-dynamics study of crystal structure transformations (M. Parrinello). **Part IV - Nonequilibrium MD, Kinetic Theory and Rigorous Results.** Nonequilibrium molecular dynamics (D.J. Evans). Simulations of vibrational relaxation in dense molecular fluids (B.L. Holian). Recent results in the kinetic theory of hard-sphere systems (J.R. Dorfman and T.R. Kirkpatrick). Some theoretical aspects of nonequilibrium simulation methods (J.W. Dufty, J.J. Brey and A. Santos). Exact results in kinetic theory (H. Spohn). Round-table: perspectives in nonequilibrium molecular dynamics (H.J.M. Hanley). **Part V - Molecular Systems.** The method of constraints in molecular dynamics. General aspects and application to chain molecules (J.P. Ryckaert). Molecular liquids: orientational order and dielectric properties (I.R. McDonald). Simulation of properties of spectroscopic interest (P.A. Madden). Computer simulation of water and ionic solutions: what can we learn? (R.W. Impey). Molecular-dynamics study of several atomic solutes in water (K. Watanabe and H.C. Andersen). Structure and dynamics of molecular crystals (M.L. Klein). Molecular-dynamics study of orientational order in a plastic crystal. High-temperature phase of adamantane (M. Meyer). Biological molecules and membranes (H.J.C. Berendsen). **Part VI - Materials Science.** Atomistic simulations in materials science (S. Yip). Round-table: perspectives in materials science (V. Pontikis). **Part VII - Quantum Problems and New Computers.** The simulation of liquid helium (D.M. Ceperley). A numerical approach to the theory of strong interactions (E. Marinari). Round-table: perspectives in computations (C. Moser). **Part VIII - Conclusions.** Synopsis of the school and final remarks (A. Bellemans).



North-Holland Physics Publishing

a division of Elsevier Science Publishers B.V.

P.O. Box 103, 1000 AC Amsterdam, The Netherlands.

IN THE U.S.A. AND CANADA ELSEVIER SCIENCE PUBLISHERS CO. INC.

52 VANDERBILT AVENUE, NEW YORK, NY 10017

IN ALL OTHER COUNTRIES ELSEVIER SCIENCE PUBLISHERS P.O. BOX 211 1000 AE AMSTERDAM. THE NETHERLANDS

US \$ prices are valid in the USA and Canada. In all other countries the Dutch Guilder price is definitive.
All prices are subject to change without prior notice. Customers in the Netherlands, please add 6% B.T.W.
In New York State applicable sales tax should be added.

p254NH